

LibreDB Studio

+

Connections

Sample (Em...

Sample (Lib...

Tables6

Views2

Indexes0

Triggers0

Sample (Employees)

SQLITE · ONLINE

Online

Monitoring

v0.16.2

#

Que

>

Qu

≡

For

1

Res

Diff

Dashboard

New Connection

Configure your database connection parameters securely.

Paste URL

Connection Name

GreatSQL 8.4.4-5

Query Timeout (ms)

60000

Leave blank to use the default of 60 seconds.

☐

Do not read the object list on connect

The editor still works. The object panel offers a load action instead.

Environment

●

 PROD

●

 STAGING

●

 DEV

●

 LOCAL

●

 Other

PostgreSQL

MySQL

SQLite

Oracle

SQL Server

MongoDB

Couchbase

Redis

Cancel

Test Connection

Establish Connection

Connected

v0.16.2

LibreDB Studio

Connections

Sample (Em...

Sample (Lib...

Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

v0.16.2

GreatSQL 8.4.4-5

MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

>_ Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Dashboard

>_

Execute a query or check history

Ready to query

LibreDB Studio

+

Connections

Sample (Em...

Sample (Lib...

Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

v0.16.2

GreatSQL 8.4.4-5

MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

>_ Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

SELECT VERSION() AS surum, @@version_comment AS version_comment;

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Dasht 1 rows • 2ms

Export 1

1 rows 2 columns

AUTO-LIMITED

WRAP

EXEC TIME: 2

	sur... varchar...	versio... va...
	8.4.4-5	GreatSQL, Relea...

Connections

 Sample (Em...

 Sample (Lib...

 Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

 v0.16.2

GreatSQL 8.4.4-5
MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

>_ Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

SELECT o.id, o.customer_id, c.name, o.amount FROM probe_orders o JOIN probe_customers c ON c.id=o.customer_id

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

D: 50 rows • 3ms

Export 50

50 rows4 columns

MASKED

WRAP

EXEC TIME: 3

	id int	customer... i...	name varchar	amo... deci... 
	1	2	Globex	***,***.**
	2	3	Initech	***,***.**
	3	1	Acme	***,***.**
	4	2	Globex	***,***.**
	5	3	Initech	***,***.**
	6	1	Acme	***,***.**
	7	2	Globex	***,***.**
	8	3	Initech	***,***.**
	9	1	Acme	***,***.**
	10	2	Globex	***,***.**
	11	3	Initech	***,***.**
	12	1	Acme	***,***.**
	13	2	Globex	***,***.**
	14	3	Initech	*** *** **

Connections

Sample (Em...

 Sample (Lib...

Gre... LOCAL

✓ probe

▼  Tables 4

```
probe_customers 3
```

probe_lag	2,000
-----------	-------

probe_orders	2,000
--------------	-------

probe_x	6,000
---------	-------

>  Views 0

>  Stored Procedures 0

> Functions 0

>  Triggers 0

> Events 0

Query 1

- ERD Visualizer

4 tables 1 relationships

 probe_lag 2 cols

```
key id NN INT
```

```
#  V      INT
```

 **probe_x** 2 cols

```
id          NN INT
```

```
#  V      INT
```

 probe_orders 3 cols

```
🔑 id NN INT
```

```
➡ customer_id      INT
```

T	amount	DECIMAL
---	--------	---------

 **probe_customers** 3 cols

```
key id NN INT
```

```
T  name          VARCHAR
```

T	country	CHAR
---	---------	------

● Connected

 v0.16.2

+

LibreDB Studio

Connections

Sample (Em...

Sample (Lib...

Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

GreatSQL 8.4.4-5

MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

>_ Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1SELECT COUNT(*) AS performance_schema_tablo_sayisi FROM information_schema.tables WHERE table_schema='performance'

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Das1 rows • 2ms

Export 1

1 rows1 columns

AUTO-LIMITED

WRAP

EXEC TIME: 2

	performa... b...
	123

Connected

v0.16.2

LibreDB Studio

Connections

Sample (Em...

Sample (Lib...

Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

v0.16.2

GreatSQL 8.4.4-5

MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+> Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

SELECT TABLE_NAME, INDEX_NAME, COLUMN_NAME, SEQ_IN_INDEX FROM information_schema.statistics WHERE TABLE_SCHEMA=

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Dashboard 6 rows • 3ms

Export 6

6 rows

4 columns

AUTO-LIMITED

WRAP

EXEC TIME: 3

	TABLE... var...	INDEX... var...	COLUM... var...	SEQ_IN_... i...
	probe_customers	PRIMARY	id	1
	probe_customers	idx_country	country	1
	probe_lag	PRIMARY	id	1
	probe_orders	PRIMARY	id	1
	probe_orders	idx_cust	customer_id	1
	probe_x	PRIMARY	id	1

LibreDB Studio

+

Connections

Sample (Em...

Sample (Lib...

Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

v0.16.2

GreatSQL 8.4.4-5

MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

>_ Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

EXPLAIN FORMAT=JSON SELECT * FROM probe_orders WHERE customer_id=2;

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Dashboard 1 rows • 1ms

Export 1

1 rows 1 columns

WRAP

EXEC TIME: 1

	EXPL... varc...
	{ "query_block"...

Connected

v0.16.2

 LibreDB Studio

 +

Connections

 Sample (Em...

 Sample (Lib...

 Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

 v0.16.2

GreatSQL 8.4.4-5
MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

>_ Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

```
SELECT CONSTRAINT_NAME, TABLE_NAME, COLUMN_NAME, REFERENCED_TABLE_NAME, REFERENCED_COLUMN_NAME FROM information
```

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Das1 rows • 3ms

Export 1

1 rows 5 columns

AUTO-LIMITED

WRAP

EXEC TIME: 3

	CONSTR... va...	TABLE... var...	COLUM... var...	REFEREN... v...	REFEREN... v...	
	fk_cust	probe_orders	customer_id	probe_customers	id	

LibreDB Studio

Connections

Sample (Em...

Sample (Lib...

Gre... LOCAL

probe

Tables4

probe_customers3

probe_lag2,000

probe_orders2,000

probe_x6,000

Views0

Stored Procedures0

Functions0

Triggers0

Events0

Connected

v0.16.2

GreatSQL 8.4.4-5
MYSQL • LOCAL

Online

Monitoring

v0.16.2

Query 1

+

> Query

Save

RUN

BEGIN

SANDBOX

EDIT

IMPORT

Format

Copy

Clear

Lines

Explain

Cmd/Ctrl+Enter

1

INSERT INTO probe_orders (id, customer_id, amount) VALUES (999999, 424242, 10.00);

Results

Explain

History

Saved

Charts

Pivot

Docs

Diff

Das1 rows • 3ms

Export 1

1 rows 5 columns

AUTO-LIMITED

WRAP

EXEC TIME: 3

	CONSTR... va...	TABLE... var...	COLUM... var...	REFEREN... v...	REFEREN... v...	
	fk_cust	probe_orders	customer_id	probe_customers	id	

Query Error

Cannot add or update a child row: a foreign key constraint fails (`probe`.`probe\_orders`, CONSTRAINT `fk\_cust` FOREIGN KEY (`customer\_id`) REFERENCES `probe\_customers` (`id`))