librotenado

An open protocol for accounting data in Europe

Whitepaper 0.5

1. Summary

librotenado is an open protocol for accounting data in Europe. It defines one harmonised model for everything a set of books consists of – organisations and persons, periods, a chart of accounts, bookings, currencies, documents, invoices, reports and filings – and treats the formats that already exist as translations of that model: European e-invoices (EN 16931 and Peppol), national e-invoicing and reporting systems, SAF-T audit files, ISO 20022 bank statements, XBRL financial statements and national charts of accounts.

Four ideas carry the protocol:

- **One model, many translations.** The model is the reference. Every existing format is a translation into and out of it – unambiguous, reversible where the format allows, versioned and tested per country. Where a country distinguishes more finely than the model, the model grows; a translation never bends.
- **The original stays the receipt.** An incoming e-invoice, a bank statement or a scanned receipt is kept exactly as received. The data the books need – kind, number, date – stand in the model of their own; the original is kept beside them and never replaced.
- **Synchronisation is built in.** Books are a growing set of immutable events, ordered by hybrid logical clocks and chained by hashes. Where two devices produce something the rules forbid, the protocol puts it on a review list instead of merging it silently.
- **Open for everyone.** The specification is published under CC BY 4.0, the reference library under the MIT licence. Anyone may implement librotenado – free projects and commercial vendors alike.

librotenado is published by falkOSS, a non-profit company for free software in formation in Germany. Its first implementation is the free accounting software spezado; the protocol itself belongs to no product and is designed so that it can later move to an independent body or a standards organisation.

2. The problem

2.1 One business, many formats

Accounting data in Europe is increasingly exchanged in structured, machine-readable form – but country by country.

- **Invoices.** The European standard EN 16931 defines the semantic data model of an electronic invoice, with two syntaxes (UBL and UN/CEFACT CII); Directive 2014/55/EU requires public contracting authorities to accept invoices that comply with it [1][2]. Peppol BIS Billing 3.0 is a Core Invoice Usage Specification (CIUS) of EN 16931 and is used on the Peppol network [3].
- **National e-invoicing systems.** On top of the common standard, member states have built their own systems: Italy has required electronic invoices between resident businesses through its exchange system SdI since 1 January 2019 [4]; Poland's national system KSeF became mandatory in stages from 1 February 2026 [5]; Spain regulates invoicing software itself and requires chained invoice records under

DRAFT

the VERI*FACTU regulation [6][7] (current application dates **OPEN**); France requires all businesses to be able to receive electronic invoices from 1 September 2026, with issuing obligations phased in until 2027 [8]; Germany has required businesses to be able to receive e-invoices since 1 January 2025, with transitional rules for issuing [9].

- **Cross-border reporting.** With the VAT in the Digital Age package, the EU introduces digital reporting requirements based on e-invoicing; for cross-border B2B transactions they apply from 1 July 2030 [10][11].
- **Audit files.** The OECD's Standard Audit File for Tax (SAF-T) describes an XML file that a tax authority can request from a business's accounting system [12]. Countries adopt their own variants – Norway, for example, requires the SAF-T Financial format for accounting periods from 2020 [13].
- **Bank statements.** ISO 20022 defines the cash management messages (camt) in which banks report booked entries and balances to account holders, among them camt.053 BankToCustomerStatement [14].
- **Financial statements.** Listed issuers in the EU publish annual financial reports in the European Single Electronic Format with Inline XBRL [15]; Germany requires balance sheet and profit and loss account to be transmitted electronically to the tax authority (§ 5b EStG) [16], in XBRL according to an official taxonomy [17].
- **Charts of accounts.** Some countries prescribe a national chart of accounts. France's Plan comptable général applies to every entity required to prepare annual accounts and contains a detailed nomenclature of accounts [18]; how strictly the account numbers bind is **OPEN**. Belgium has a minimum standardised chart of accounts (PCMN), consolidated in a royal decree of 21 October 2018 – its exact scope is **OPEN**. Other countries leave the chart to the business; in Germany, for example, standard charts from software vendors are common practice (**OPEN**: source).

2.2 Standards for the parts, no model for the whole

Each of these standards is good at its part. EN 16931 describes an invoice, camt.053 a bank statement, SAF-T an audit extract, XBRL a financial statement. None of them describes the books as a whole: how an invoice becomes a booking, how a bank entry settles it, how bookings add up to a statement, how that statement becomes a filing – and how all of this is kept consistent while several people and devices work on it.

Accounting software fills that gap with its own internal model. Every vendor builds one, every vendor translates the same national formats into it, and every vendor carries the cost of following each country's changes.

2.3 What gets lost

When books move – from one program to another, from one vendor to the next, from a business to its tax adviser, or across a border – they usually move through an export format that was built for a different purpose: a SAF-T file for the auditor, a CSV export, a vendor-specific interchange format. What the target format cannot express is lost: the link between a booking and its receipt, the history of corrections, the finer distinctions of the source chart of accounts. librotenado does not quantify that loss; no reliable figures are known to the authors (**OPEN**).

3. Principles

1. **One model as the reference.** There is exactly one librotenado model. Formats, countries and products are described in relation to it, never the other way round.
2. **Translations are exact.** A translation is unambiguous: one input yields one output. Where a format can carry everything the model holds for a given document, the translation is reversible; where it cannot, the specification states what is dropped, and nothing is invented on the way back.
3. **The model grows, translations do not bend.** If a country distinguishes something the model does not, the model is extended – for everyone – instead of hiding the distinction in a country-specific mapping.
4. **The original is the receipt.** A received document is stored byte for byte. The data the books need stand in the model on their own; they refer to the original and never replace it.
5. **Nothing is overwritten.** Books are append-only. Corrections are new events that refer to what they correct.

DRAFT

6. **Conflicts are visible.** When concurrent work breaks a rule of accounting, a person decides. The protocol never resolves such a conflict silently.
7. **Private by design.** Books are end-to-end encrypted between the people and devices that share them. Whoever transports them does not need to read them.
8. **One value, one form.** Every value has exactly one written form – an amount, an identity, an absent member – so that the same content always has the same hash.
9. **Open for everyone.** The specification is free to read, implement and extend; the reference library is free to use in any product.

4. The model

The model is described here in outline; the normative definitions belong in the specification.

4.1 Parties and periods

A set of books always belongs to at least one **organisation** or **natural person** – its owners. An organisation – a company, an association, a foundation, a partnership – carries its name, legal form, register entries and tax numbers, each with the scheme that issued it, and how its capital is divided: shares are always counted in whole numbers of a nominal amount (a capital of 1,024 euros in 512 shares of 2 euros), and what fraction someone holds follows from the counts. A person carries their tax numbers and their roles in organisations – shareholder, partner, managing director – with the shares they hold.

Several owners may share one set of books. Every line of a booking names the owner whose books it is in, and each owner's lines balance on their own: an internet bill can be split between a business and its owner's private books in one booking, resting on one document.

A booking can also be one side of a **transaction** shared with other sets of books – the business and the private books of the same person, kept apart – and every device that holds several of them checks that the sides belong together.

How an owner keeps its books is recorded from a date on, as an event of its own: the functional currency, the start of the financial year, cash basis or double entry, the VAT scheme with the period of its returns and whether their deadlines are extended, the national chart it works with, and the region whose public holidays move its deadlines. Every device then derives the same reports and deadlines. The books start with **opening balances**, booked once against the opening balance sheet; after that, balances carry on from year to year by themselves.

An owner's books are **closed** up to a date by an event that names the state of the books it was decided on and the software the figures were derived with. A booking or configuration that arrives later for a closed period, written offline on another device, is reported; corrections go into the open period. Reopening a period is **OPEN**.

4.2 A harmonised chart of accounts

The chart of accounts is the core of the model. Instead of a flat list of numbers, it is a **hierarchy of accounts with attributes**: what kind of item an account holds (asset, liability, equity, income, expense), its tax treatment, its counterparty type, its role in statements, and further attributes as countries require them.

The aim is a chart that is **at least as fine as every national chart** it translates to. A national chart then becomes a view on the harmonised one: each national account corresponds to exactly one harmonised account – together with the accounts that refine it. Where two national accounts would fall onto the same harmonised account, the harmonised chart is coarser than the national one at that point, and a new account or attribute is added to the model.

Accounts are identified by UUIDs [28] that carry no meaning – no number, no path, no name – so an account can move in the hierarchy or be renamed without anything that refers to it changing; names come from translation data per language. The books may open their own accounts below the harmonised ones – each bank account, each customer; they inherit kind and attributes of their parent, so every translation still works.

DRAFT

4.3 Bookings as immutable events

A **booking** is a set of debit and credit lines on accounts, balanced for every owner in every currency, with a date, a text and references to the documents it is based on. Bookings are recorded as **events**: once written, an event never changes. A correction is a reversal event plus a new booking, both referring to the original. The current state of the books – balances, open items, statements – is derived from the events.

4.4 Currencies

Every amount carries its currency and is an exact count of the currency's smallest unit – 12.40 euros are 1,240 cents – never a floating-point number. How a currency divides is reference data, not part of any amount: the euro into 100 cents, the yen not at all, ether into gwei and wei. Currency codes follow ISO 4217 [25]; currencies outside it – crypto assets, vouchers, bonus points – have codes of their own that can never collide with an ISO code.

A booking in a foreign currency keeps the original amount and the amount in the organisation's functional currency, together with the exchange rate. Revaluations at period end are bookings like any other (**OPEN**: not yet specified).

4.5 Documents

A **document** is what a booking is based on: an invoice, a credit note, a till receipt, a bank statement, an authority's notice. It is a record of its own – its kind, its number, the date it bears, the day it was received – and the file it came as, the **original**, is kept beside it as an artefact: stored byte for byte, identified by its cryptographic hash, but nothing in the books depends on reading it. Without a file there is no document; a booking without one says why. A document may back several bookings – an invoice and its payment – and a booking may rest on several documents.

4.6 Invoices

An **invoice** in the model covers everything EN 16931 can express, plus what national systems add (for example clearance identifiers returned by a tax authority). Outgoing invoices are generated from the model and then translated into the format the recipient or the country requires; incoming invoices are recorded as documents, their originals kept, and translated into the model.

Invoice numbers must be unique. The EU VAT Directive requires a sequential number "based on one or more series" that uniquely identifies the invoice [19]. librotenado intends to use this: every device that issues invoices receives its own **number range** (a series), so that devices working offline never issue the same number (**OPEN**: not yet specified; the first implementation numbers on one device only).

4.7 Reports and filings

Reports – trial balance, balance sheet, profit and loss account, VAT returns, tax forms – are defined as functions of the events and the chart of accounts. A **report mapping** says, for one version of one national report, which accounts and tax codes fall into which of its positions; the protocol publishes the mappings per country and year, as drafts until tax advisers of the country have reviewed them. Because every report is derived, it can be recomputed for any point in time and any version of the rules.

A **filing** is a report submitted to an authority. It records the **state** of the books it was derived from – a hash over all events – so that anyone with the same events can derive it again, and it shows when later events make it outdated. A filing is never changed; a correction is a new filing that refers to the first. What the authority returns – an acknowledgement, a notice – is kept as a document.

5. Translations

5.1 What a translation is

A translation is a versioned pair of functions between the model and one external format: an **import** (format to model) and an **export** (model to format). Each translation states:

- the exact format version it implements (for example a specific Peppol BIS or SAF-T release);

DRAFT

- for every element of the format, the model element it maps to;
- what, if anything, is lost in either direction;
- the test cases that prove the above.

A translation is **unambiguous**: the same input always yields the same output. It is **reversible** where the format permits: importing an exported document gives back the original model data, and exporting an imported document gives back an equivalent document. Where reversibility is impossible – because a format has fewer fields than the model – the specification names the difference instead of guessing.

5.2 Formats in scope

Family	Examples	Role in the model
European e-invoice	EN 16931 (UBL, CII), Peppol BIS Billing 3.0 [1][3]	invoices in and out
National e-invoicing and reporting	SdI (Italy) [4], KSeF (Poland) [5], VERI*FACTU (Spain) [6], French reform [8], German formats [9]	invoices, clearance and reporting data
Audit files	SAF-T and national variants [12][13]	export of the books for authorities and auditors
Bank statements	ISO 20022 camt.053 [14], SWIFT MT940 and the CSV files of banks	import of bank entries as receipts, matching to open items
Financial statements	XBRL, Inline XBRL / ESEF [15], E-Bilanz [17]	export of reports
Charts of accounts	national charts, e.g. France [18]	views on the harmonised chart

The list per country – which formats are mandatory, from when, for whom – is maintained in the specification, with a source for every entry (**OPEN**: first complete country list).

5.3 Versioned and tested per country

Formats change: schemas get new versions, taxonomies are updated, national rules move dates. librotenado therefore versions each translation independently of the model. A document always records which translation version produced it, so it can be read again years later with the same rules.

Every translation comes with a **public test suite**: example documents for each country, the expected model data, and round-trip tests. Official example files and validation artefacts published by authorities and standards bodies are used wherever their licences allow (**OPEN**: licence review per source). An implementation that passes the suite for a country can say so.

5.4 Originals stay

When an e-invoice arrives – say as an XML document in a national format – librotenado stores that document unchanged as the receipt and imports a translation into the model. A rendering for people, a translation into another format or an export for an auditor is always derived from the original and never replaces it. This keeps the books aligned with retention rules that refer to the document as received; for Germany, the exact requirements for retaining the structured part of an e-invoice are **OPEN** (source: the tax administration's guidance on e-invoicing [9]).

6. Synchronisation and security

6.1 A growing set of events

The books of an organisation are a set of immutable events that only grows. Devices – a phone, a laptop, a server, a tax adviser's software – exchange the events they are missing. Because events never change and are identified by their hash, exchanging them is idempotent: receiving the same event twice changes nothing, and the order of arrival does not matter for which events exist.

DRAFT

6.2 Ordering with hybrid logical clocks

To present events in a meaningful order and to tell which events a device knew when it wrote a new one, each event carries a **hybrid logical clock** timestamp. Hybrid logical clocks combine physical time with a logical counter: they capture causality like logical clocks while staying close to wall-clock time [20]. The accounting date of a booking is separate from this timestamp – a booking dated last month can be recorded today.

6.3 A hash chain per device

Each device chains its own events: every event contains the hash of the device's previous event. A gap or an altered event in a device's history is therefore detectable by anyone who holds the chain. The idea is established in tax practice: Spain's VERI*FACTU regulation requires each invoice record to contain the hash of the previous record [7]. librotenado applies it to all events, per device, so that devices can work offline without coordinating.

A hash is only useful if every implementation computes the same one. Events are therefore hashed over a canonical encoding – JSON as defined by the JSON Canonicalization Scheme [26], without floating-point numbers – that any implementation can reproduce byte for byte. The hash is taken over the event **as received**, and the event is passed on as received: a device running an older version keeps what a newer version added, and the chain stays intact.

6.4 Invariants and the review list

Accounting has rules that concurrent work can break. Examples:

- **unique invoice numbers** – prevented by number ranges per device (4.6), and detected if ranges were misconfigured;
- **closed periods** – a device that was offline records a booking in a period that another device has since closed;
- **double reversals** – two devices reverse the same booking independently;
- **unbalanced states** – for example an open item settled twice by two bank matches.

The same holds for what has not arrived yet: a booking on an account, a document or an owner whose description is still on its way is reported, not rejected.

The specification lists these **invariants**. After every synchronisation, an implementation checks them. A violation is never resolved automatically: the affected events go onto a **review list**, where a person decides – for example by keeping one reversal and reversing the other. The decision is itself an event, so the resolution is part of the books and visible to auditors.

6.5 End-to-end encryption for groups

Books are shared by groups that change over time: the owners, an accountant, a tax adviser, several devices per person. librotenado encrypts events end to end for such a group, with an architecture inspired by any-sync, the protocol of Anytype [27]:

- **Two strands.** The events stay a set without an order. Beside them, a strictly ordered list records who belongs to the books and which key is current. Only this list needs an order – between two parties they agree on it themselves, with more an orderer sequences it without being able to read the books.
- **One books key.** Events and originals are encrypted with a symmetric key, wrapped for each member with the member's public key. When a member leaves, a new key is made for everything that follows.
- **A chain of keys.** Each new key encrypts the previous one. Whoever holds the current key can read the whole history – as a new tax adviser or an auditor must, for ten years and more.

Messaging Layer Security (MLS), RFC 9420 [21], was the first candidate. It is built for chats: new members do not receive the history, and changes of membership need one agreed order. The design above gives up MLS's healing after a compromised device in exchange for an order only on members and a history that stays readable.

DRAFT

The specification fixes the algorithms – Ed25519 for signatures [29], HPKE with X25519 for wrapping the books key for a member [30], XChaCha20-Poly1305 for events, originals and the chain of keys – and the member list, the envelope and the requests to a relay byte for byte. A device joins with an **invitation**, a secret its person carries from a device of the books; a **recovery code**, kept on paper, is a member of its own and brings the books back when every device is lost. Access for a limited time is **OPEN**.

6.6 Relays and backends

Two kinds of servers can take part:

- A **relay** stores and forwards encrypted events. It sees which group an event belongs to and its size, but not its content. Because a relay needs no trust beyond availability, anyone can run one – a vendor, an association, a hosting company, and later possibly public bodies (**OPEN**: interest and legal framework).
- A **backend** is a full participant: it holds keys, reads the books and can, for example, compute reports or submit filings on behalf of the organisation. A backend is a trusted peer of the group, added and removed like a device.

An organisation can therefore choose between keeping everything on its own devices, using a relay for availability, or using a backend for services – and change its choice without changing its books.

7. Filings

Most filings follow the same pattern: compute a report from the books, translate it into the format an authority prescribes, submit it through the authority's channel, and record the acknowledgement. librotenado defines **one open interface** for this pattern – inputs, the submitted document, status, acknowledgement, corrections – and **adapters per country** that implement it.

Adapters are separate services that an implementation reaches over HTTPS through a documented REST interface, so they can run on the same machine or be offered by a provider. Credentials for an authority's system stay with the adapter or the device that submits; they are not part of the protocol.

The first adapter targets Germany, where tax filings are submitted through ELSTER; the tax administration provides software vendors with the ERiC library for checking and transmitting data [22]. Under which conditions an open implementation may integrate ERiC is **OPEN**. Further adapters follow the country list of chapter 5.

Each filing records the state of the books it was computed from, and what the authority returned is kept as a document, so that a filing can always be traced back to the bookings behind it.

8. Implementations

librotenado is meant to have many implementations. The project provides:

- **the specification** – the model, the translations, the synchronisation and encryption rules, the filing interface, and the test suites;
- **a reference library in Rust** – data model, translations, synchronisation and encryption, usable from other languages through bindings (**OPEN**: which bindings first).

The first application built on librotenado is **spezado**, a free accounting program. It is one implementation among the ones that may follow; the specification makes no assumption about it.

8.1 Where it stands

Version 0.5 of the specification and the reference library covers, as a draft:

- the base types, events and synchronisation, and the canonical encoding (parts 0001–0003);
- the harmonised chart of accounts with the French PCG and the German SKR 03 and SKR 04 as translations (0004);

DRAFT

- documents with their originals: e-invoices after EN 16931 read and written in UBL and CII, with XRechnung and ZUGFeRD, tested against the published test cases of the German KoSIT; bank statements from camt.053, MT940 and CSV (0005);
- parties and the configuration of their books (0008);
- reports: the German balance sheet and profit and loss account after the HGB, the advance VAT return, the Anlage EÜR and the positions of the E-Bilanz (0009);
- filings and their events (0007), and the data transfer to German tax auditors after the GoBD (0010);
- end-to-end encryption: members and keys, the member list, envelopes, relays, invitations and recovery codes (0006).

The adapter interface (0007) is a proposal. spezado, a preview, keeps a freelancer's books for a year on this basis and synchronises them between the person's devices. The German mappings are drafts until tax advisers have reviewed them.

9. Licences and governance

9.1 Licences

- **Specification and whitepaper: CC BY 4.0** [23] – anyone may copy, adapt and build on the text, including in standards documents and commercial products, with attribution.
- **Reference library: MIT** [24] – anyone may use it in free or proprietary software.
- Formats, schemas and taxonomies of third parties keep their own licences; the specification refers to them and reuses them only as far as their licences allow.

Contributions are accepted under the Developer Certificate of Origin, without a contributor licence agreement.

9.2 Versioning

The model, each translation and the synchronisation protocol carry their own version numbers. Additions that do not change the meaning of existing data are minor versions; anything else is a major version with a documented migration. Because events record the versions that produced them, old books stay readable.

9.3 Governance

librotenado is published by falkOSS, a non-profit company for free software in formation in Germany (**OPEN**: status of the incorporation and of the non-profit recognition at publication). The protocol is kept separate from any product from the start – its own organisation, repositories, website and whitepaper – so that it can move as a whole to an independent body, a foundation or a standards organisation when the community of implementers is ready for it. Which body and which process is **OPEN**.

Until then, decisions are taken in public: proposals as issues, changes as pull requests, every claim about an existing standard with a source.

10. Next steps

1. Have tax advisers review the German mappings – charts, reports, tax codes – before the first stable release.
2. Share books with other people – rights, removing members – and give relays a home with public bodies (6.5, 6.6).
3. Number ranges per device for invoices (4.6); reopening closed periods and revaluation (4.1, 4.4).
4. Build the first filing adapter (Germany).
5. Complete the country list with sources (chapter 5) and add the next countries, Austria and Switzerland first.
6. Write a translation to SAF-T with its test suite.
7. Invite implementers, tax advisers and public bodies to review the model.

DRAFT

Sources

1. Directive 2014/55/EU on electronic invoicing in public procurement – https://eur-lex.europa.eu/eli/dir/2014/55/oj
2. European Commission, European legislation on eInvoicing (EN 16931, syntaxes UBL and CII) – https://ec.europa.eu/digital-building-blocks/sites/display/DIGITAL/European+legislation+on+eInvoicing
3. OpenPeppol, Peppol BIS Billing 3.0 – https://docs.peppol.eu/poacc/billing/3.0/bis/
4. Agenzia delle Entrate, La fattura elettronica – https://www.agenziaentrate.gov.it/portale/web/guest/aree-tematiche/fatturazione-elettronica/guida-fatturazione-elettronica/la-fattura-elettronica
5. Ministry of Finance of Poland, KSeF – scope of mandatory KSeF – https://ksef.podatki.gov.pl/informacje-ogolne-ksef-20/zakres-obowiazkowego-ksef/
6. Real Decreto 1007/2023 (Reglamento VERI*FACTU), BOE-A-2023-24840 – https://www.boe.es/diario_boe/txt.php?id=BOE-A-2023-24840
7. Agencia Tributaria, FAQ VERI*FACTU – Huella o «hash» – https://sede.agenciatributaria.gob.es/Sede/iva/sistemas-informaticos-facturacion-verifactu/preguntas-frecuentes/huella-hash.html
8. Ministère de l'Économie, Tout savoir sur la facturation électronique pour les entreprises – https://www.economie.gouv.fr/tout-savoir-sur-la-facturation-electronique-pour-les-entreprises
9. Bundesministerium der Finanzen, Fragen und Antworten zur Einführung der obligatorischen E-Rechnung – https://www.bundesfinanzministerium.de/Content/DE/FAQ/e-rechnung.html
10. Council Directive (EU) 2025/516 (VAT in the Digital Age) – https://eur-lex.europa.eu/eli/dir/2025/516/oj
11. European Commission, VAT in the Digital Age (ViDA) – https://taxation-customs.ec.europa.eu/taxation/vat/vat-digital-age-vida_en
12. OECD, Guidance Note: Standard Audit File – Tax, Version 2.0 (2010) – https://web-archive-storage.oecd.org/aemint-web-archive-prod/web-archive/31/319f3ea18d49a9a849ac736cc1cb6b6325080f23fcee607055509cf6b00a8af4e.pdf
13. Skatteetaten, SAF-T Financial – https://www.skatteetaten.no/en/business-and-organisation/start-and-run/best-practices-accounting-and-cash-register-systems/saf-t-financial/
14. ISO 20022, Message Definition Report, Bank-to-Customer Cash Management (camt) – https://www.iso20022.org/sites/default/files/2020-12/ISO20022_MDRPart2_BankToCustomerCashManagement_2020_2021_v1_ForSEGReview.pdf
15. Commission Delegated Regulation (EU) 2019/815 (ESEF) – https://eur-lex.europa.eu/eli/reg_del/2019/815/oj
16. § 5b Einkommensteuergesetz – https://www.gesetze-im-internet.de/estg/__5b.html
17. Federal tax administration, E-Bilanz and XBRL taxonomies – https://www.esteuer.de
18. Autorité des normes comptables, Plan comptable général (consolidated, 1 January 2026) – https://www.anc.gouv.fr/files/anc/files/1_Normes_fran%C3%A7aises/Plans%20comptables/2026/PCG--1er-janvier-2026.pdf
19. Council Directive 2006/112/EC (VAT Directive), Article 226 – https://eur-lex.europa.eu/eli/dir/2006/112/oj
20. Logical Physical Clocks and Consistent Snapshots in Globally Distributed Databases (technical report, 2014) – https://www.cse.buffalo.edu/~demirbas/publications/hlc.pdf
21. RFC 9420, The Messaging Layer Security (MLS) Protocol (July 2023) – https://www.rfc-editor.org/rfc/rfc9420
22. ELSTER, information for software developers (ERiC) – https://www.elster.de/eportal/infoseite/entwickler
23. Creative Commons Attribution 4.0 International – https://creativecommons.org/licenses/by/4.0/
24. MIT License (SPDX) – https://spdx.org/licenses/MIT.html
25. ISO 4217, Currency codes – https://www.iso.org/iso-4217-currency-codes.html
26. RFC 8785, JSON Canonicalization Scheme (JCS) (June 2020) – https://www.rfc-editor.org/rfc/rfc8785
27. any-sync, Access control and encryption – https://sync.any.org/access-control/
28. RFC 9562, Universally Unique IDentifiers (UUIDs) (May 2024) – https://www.rfc-editor.org/rfc/rfc9562

DRAFT

29. RFC 8032, Edwards-Curve Digital Signature Algorithm (EdDSA) (January 2017) – https://www.rfc-editor.org/rfc/rfc8032
30. RFC 9180, Hybrid Public Key Encryption (February 2022) – https://www.rfc-editor.org/rfc/rfc9180

DRAFT