Day 3

Heroes of CSS

The Coding Bootcamp | January 11, 2017

Admin Work

Homework Assignment

• Really, work hard on this assignment! This assignment introduces you to fundamental concepts that we'll be building the entire course-long.

- Work with your peers! It's much better than screaming at your computer alone.
- Ask Questions on Slack! Your peers, TAs, and Instructors are all here to help when they can.

Homework Assignment

 Also, at this point everyone should have access to the class repository in GitHub.

https://github.com/the-Coding-Boot-Camp-at-UT/01-17-Austin-Class-Content

Homework Assignment #1 is Due:

<u>MW Class – Wednesday (January 18, 2017)</u>

Most Important of All....



Just Submit SOMETHING (even if it seems pretty crummy)!

Warning!

Today is going to be a bit tough.



But trust us!
It will all look easy a few weeks from now.

Don't expect to understand EVERYTHING at once.

Today is all about getting immersed.

CSS Recap

What is "CSS?"

HTML / CSS Definitions (*yawn* unimportant)

- **HTML**: Hypertext Markup Language (Content)
- CSS: Cascading Style Sheets (Appearance)
- HTML/CSS are the "languages of the web." Together they define both the content and the aesthetics of a webpage handling everything from the layouts, colors, fonts, and content placement. (JavaScript is the third handling logic, animation, etc.)



HTML / CSS Analogy

HTML Alone

- Like writing papers in "Notepad."
- Can only write unformatted text.



<u>HTML / CSS</u>

- Like writing papers in Microsoft Word.
- Can format text, page settings, alignment, etc. based on "highlighting" and menu options.




Basic HTML Page - Result

Awesome Header

Smaller Awesome Header

Even Smaller Header

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Quidem consequatur unde aut dolores odio hic, accusamus recusandae ipsam illum enim voluptatibus obcaecati totam tempora eum quod sapiente. Corporis, quidem, culpa?



Menu Links

- Google
- Facebook
- Twitter

Awesome Header

Smaller Awesome Header

Even Smaller Header

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Quidem consequatur unde aut dolores odio hic, accusamus recusandae ipsam illum enim voluptatibus obcaecati totam tempora eum quod sapiente. Corporis, quidem, culpa?



Menu Links

- Google
- Facebook
 - Twitter

How do we style HTML...


Elements?

Classes?

IDs?

CSS Syntax


- CSS works by hooking onto selectors added into HTML using classes and identifiers.
- Classes use .classname, IDs use #idname, and elements use just their name.
- Once hooked, we apply styles to those HTML elements using CSS.



Questions so far?

Relative File Paths

Relative File Paths



• Relative file paths connect us with other files in our working directory. In this case, style.css is in the same folder as our html document.

Absolutely No Absolute Paths

VERY VERY BAD

<!-- BAD!!!! -->

<link rel="stylesheet" href="D:/trilogy/FullStack-Lesson-Plans/02-lesson-plans/01html-css-three-days/1-Class-Content/1.3/Activities/1-RelativePaths/RelativePaths/
RelativePaths_WorkingExample/style.css">

ALWAYS USE RELATIVE FILE PATHS.

- If you deploy your sites without them, all of your links will fail.
 - The same will happen if you move your project from one folder to another.
- Remember, there is no such thing as a "C:" drive on the internet.



Quick Demo

Instructor: Demo

(RelativePaths_DEMO | 1-RelativePaths)


Assignment

- 1. Unzip the folder sent to you via Slack.
- 2. Edit the HTML files in all of the "RelativePaths" folders. You need to write relative paths that link the HTML documents with CSS stylesheets.

Tip: Check out the "RelativePaths_WorkingExample" folder.

Box Model

Boxes Upon Boxes



In CSS, every element rests within a series of boxes.

Each box has customizable space properties: margin, border, and padding.

Typical spacing value: 20px 10px 10px 20px (top, right, bottom, left)

> YOUR TURN!!

```
#box {
    background-color: #1E5792;
    width: 400px;
   height: 440px;
   margin: 10px 30px 20px 50px;
    color: #fff;
    padding: 25px 10px 30px 20px;
    border-style: solid;
    border-width: 22px;
    border-color: #113152;
```

How wide is the blue #box?

How tall is the blue #box?

Total element width = content width + left padding + right padding + left border + right border + left margin + right margin

Total element height = content height + top padding + bottom padding + top border + bottom border + top margin + bottom margin

> YOUR TURN!!

```
#box {
    background-color: #1E5792;
    width: 400px;
   height: 440px;
   margin: 10px 30px 20px 50px;
    color: #fff;
    padding: 25px 10px 30px 20px;
    border-style: solid;
    border-width: 22px;
    border-color: #113152;
```

How wide is the blue #box?

How tall is the blue #box?


Total element width = content width + left padding + right padding + left border + right border + left margin + right margin

Total element height = content height + top padding + bottom padding + top border + bottom border + top margin + bottom margin

Answer

Width: 474 px (no margin), 554 px (with margin) Height: 539 px (no margin), 569 px (with margin)

> YOUR TURN!!




Answer

Width: 474 px (no margin), 554 px (with margin) Height: 539 px (no margin), 569 px (with margin)

We Be Floatin'


Warning!

These next topics are fairly "tricky"... but VERY IMPORTANT.




Time to channel that inner genius.

The Concept of "Flow"




- By default, every HTML element displayed in the browser is governed by a concept called flow.
- This means that HTML elements force their adjacent elements to flow around them.

Flow Analogy to MS Word




- This concept of "flow" is very similar to the wrap-text options you may be familiar with in Microsoft Word.
- Just as in MS Word, you can have images in-line with text, ontop of text, etc.

Block Elements




- By default, web clients render many HTML elements as block elements. Paragraphs, headers, divs and more receive this treatment.
- A block element will take up an entire line of space—unless you intervene with CSS properties.

Block Elements vs. Inline Elements




- Now contrast the block elements with inline elements.
- By using **float CSS** properties, we can command our website to display multiple HTML elements adjacently.

Floating



- To transform these block elements into inline elements, we use a CSS property called float.
- Floats are <u>necessary</u> for building web layouts.

Clearing the Float



- Floats often get in the way of our layouts.
- Sometimes we don't want to give each element the "inline" treatment.

Clearfix Hack

<div>

Uh oh... this image is taller than the element containing it, and it's floated, so it's overflowing outside of its container!



• Sometimes when elements don't match up in size, we get situations like the above...

Clearfix Hack

<div class="clearfix"> Much better!



- We can get around this by using "the clearfix hack."
- By including the CSS property **overflow: auto**, the first element will fill up the empty parts of the flow.

Quick Demo!



Quick Demo!



300x400

900x400

500x100


Quick Demo

Instructor: Demo

(2-FloatExamples)

Fantastic Guide on Floats ****

CSS-TRICKS




 To all serious front-end developers (this is a <u>necessary</u> read): https://css-tricks.com/all-about-floats/ > YOUR TURN!! Activity: 3-FloatLayout-Activity | Suggested Time: 30 min

Assignment

In this activity, you'll flex your newfound floating skills by creating a conceptual layout. Eyeball the design to your best ability.

Check your Slack for more instructions.


> YOUR TURN!!





Your brain may rest now...

Video Walkthrough! (Highly, HIGHLY Recommend!!!)




Video Link: https://youtu.be/0lpxKw6E90Y


BREAK!

CSS Positioning

Position: Static (Default)




Four boxes placed statically (default)



 Switching the boxes to relative will nudge the boxes in relation to their "original" location.

```
.box {
 background: #2db34a;
 height: 80px;
 position: relative;
 width: 80px;
.box-1 {
 top: 20px;
.box-2 {
 left: 40px;
.box-3 {
 bottom: -10px;
 right: 20px;
```

Position: Absolute



Position with location relevant to first "placed" element

Position: Fixed




Position with exact coordinates to the browser window

Layering with Z-Index



 Z-Index allows you to layer elements on top of each other when they're placed in absolute coordinates.

Hiding Things




- "Display: none" allows us to hide elements from view.
- This will become useful in later sections, when we'll be hiding and revealing specific HTML elements of our choice.

Quick Demo

Instructor: Demo


(5-CSS_PositionedLayout)

Video Walkthrough!



Video Link: https://youtu.be/sHfJn0jqBro

Great Resource



Lesson 5

Positioning Content


One of the best things about CSS is that it gives us the ability to position content and elements on a page in nearly any imaginable way, bringing structure to our designs and helping make content more digestible.

There are a few different types of positioning within CSS, and each has its own application. In this chapter we're going to take a look at a few different use cases—creating reusable layouts and uniquely positioning one-off elements—and describe a few ways to go about each.

Positioning with Floats

One way to position elements on a page is with the float property. The float property is pretty versatile and can be used in a number of different ways.

Essentially, the float property allows us to take an element, remove it from the normal flow of a page, and position it to the left or right of its parent element. All other



 Another great read for front-end developers: http://learn.shayhowe.com/html-css/positioning-content/

Assignment

In this activity, you'll flex your newfound positioning skills by creating another conceptual layout. Eyeball the design to your best ability.

Check your Slack for additional instructions.

> YOUR TURN!!

<div>

position: fixed

ading


n ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse a erit ex, at blandit sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque finibus felis sem, non pulvinar odio fermentum vel. Nunc varius tempus scelerisque. Curabitur congue magna vitae velit dictum, eu finibus neque bibendum. In hac habitasse platea dictumst. Aliquam fermentum lobortis felis, in feugiat diam congue ac.

<div> position: relative

<div> position: absolute

Nulla tempor ornare diam, vitae volutpat erat bibendum eget. Nunc sagittis placerat velit sit amet interdum. Nam in iaculis purus, quis tristique velit. Cras ut nisl vitae orci malesuada placerat non sed magna. Nulla ultrices, dolor at aliquam volutpat, lorem magna pharetra arcu, eget feugiat nisi libero at nunc. Phasellus finibus elit at sapien vehicula varius. Maecenas in dapibus leo. Aliquam molestie vulputate metus. Morbi sed posuere quam, et sodales felis. Proin augue nulla, pellentesque at venenatis vel, sagittis eget nibh. Maecenas libero velit, luctus eu velit vitae, eleifend convallis felis.

Video Walkthrough!



Video Link: https://youtu.be/yWXgnQaWSW0

Advice



Re-do this at home.

We designed this exercise to firm up your HTML/CSS skills.

REMEMBER:

The best way to learn web development is to PRACTICE!

Chrome Inspector

Chrome Inspector is Your Friend




Search Google or type URL



- To access chrome inspector, right click on a page. Then hit "Inspect."
- It will allow you to inspect the HTML, CSS and more!

Chrome Inspector is Your Friend



- You can even edit the HTML/CSS of a webpage and instantly view your changes in the browser!
- This works on any website, whether yours or not.

We'll be coming back to this in our next class.

Recap + Reassurances

Questions?