


Projections_Analysis

Sophie Wulfinf

2025-11-13

Table 1: Ecov parameter estimates, standard deviation, and rho for each EM for projection

EM Name	OM Ecov	Mean Ecov	Percent Change	Ecov Standard Dev.
AR(1)	-0.397	-0.411	3.526	0.166
Bad Projection	-0.397	-0.344	-13.350	0.141
Good Projection	-0.397	-0.260	-34.509	0.137
Historical Average	-0.397	-0.475	19.647	0.197
Recent Trend	-0.397	-0.338	-14.861	0.123
Recent Window	-0.397	-0.380	-4.282	0.149
Terminal Year	-0.397	-0.302	-23.929	0.141



```
## 'summarise()' has grouped output by 'EM_name'. You can override using the
## '.groups' argument.
```








Figure 1: Estimated ecological covariates in for the different temperature projection choices in the EM compared to the “true” value in the OM.












Figure 2: Percent difference of the calculated recruitment per assessment year in each EM compared to the OM.







Figure 3: Percent of recruitment deviation EXPLAINED BY THE ECOV IN EACH MODEL. MAKE SURE YOU CHANGE YOUR RESULTS PARAGRAPHS TO SAY THIS. ALSO FIX THIS BASED ON CHENG EMAIL











Figure 4: Overfished (left) and overfishing (right) status over the projected time series for each EM. Overfished and overfishing thresholds are shown in the horizontal red line




Figure 5: Percent difference of the calculated FXSPR reference point in each EM compared to the OM.