
01 / Read the atlas

A coast is a setting, not evidence.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 1 / fictional setting, not field evidence or weather data

TIDELINE is an illustrated atlas for reading a small synthetic event model. The coastal scenes supply visual context only. No observer visited this fictional setting, and no count was inferred from people drawn in a picture.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


240 invented entry events / five model day labels / three fictional segments.

Which claim would exceed the evidence if these pictures were called field photographs?

01 / Read the atlas

Count events. Do not rename them people.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 1 / fictional setting, not field evidence or weather data

An entry event is one record in this teaching model. The source has no person identifier or exit record. It cannot establish unique visitors, occupancy, dwell time or whether anyone benefited from a public space.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


Entry events ≠ unique people ≠ live occupancy.

Why could the same person contribute more than one event in a real entry-count study?

01 / Read the atlas

Three labels are not a real route.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 2 / fictional setting, not field evidence or weather data

Quay, Garden Bend and Overlook are fictional segment labels. The spine diagram has no coordinates, scale, distances or verified connections. It is an index for the model, not a map to follow outdoors.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


Abstract segment index / not navigational or safety information.

What information is absent from an illustrated segment spine?

01 / Read the atlas

The weather belongs to the illustration.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 2 / fictional setting, not field evidence or weather data

Blue water, rain, sunset and night scenes demonstrate varied visual backgrounds. They do not record the model’s weather, time of day or environmental conditions. Those variables are not present in the source rows.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Image mood is not a measured explanatory variable.

Why should a sunset illustration not be used to explain a model count?

02 / Open the source

One row has a small definition.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 3 / fictional setting, not field evidence or weather data

Each synthetic row contains an event ID, model day, fictional segment, unit and source label. The unique event ID distinguishes records, not people. The source is intentionally limited so the interpretation must stay limited too.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Source fields: event_id / day / segment / unit / source.

Which question could not be answered from these five fields?

02 / Open the source

A source label travels with the number.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 3 / fictional setting, not field evidence or weather data

All 240 rows are deterministically constructed teaching records. They are not observations, estimates of a real town or data obtained from a sensor. Keep that source label visible in charts, tables and exports.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Source: synthetic-teaching-model.

What would be misleading about sharing only the chart and removing its source note?

02 / Open the source

A day label is not a full time window.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 4 / fictional setting, not field evidence or weather data

The model supplies Monday through Friday labels but no real dates, opening hours or observation duration. Equal coverage and hourly rates cannot be verified from these rows. The day totals are invented examples, not a season or forecast.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

No real date range or observation-hours denominator is supplied.

Why can this source not support a reliable events-per-hour comparison?

02 / Open the source

Two margins, one set of records.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 4 / fictional setting, not field evidence or weather data

Daily totals and segment totals both describe the same 240 model events. They are two summaries of one constructed joint allocation, not independent observation campaigns or evidence that day and location are empirically independent.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

42+50+46+58+44 = 70+80+90 = 240.

What mistake would be made by adding the two grand totals together?

03 / Compare model days

Monday starts at 42.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 5 / fictional setting, not field evidence or weather data

Monday contributes 42 events in the full teaching model. Tuesday contributes 50, a difference of eight events. The source contains no programme, weather or closure variables that explain this invented difference.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

50 − 42 = 8 model events; cause not supplied.

What context would a real comparison need before offering an explanation?

03 / Compare model days

Wednesday is 46, not automatically typical.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 5 / fictional setting, not field evidence or weather data

A middle-of-week label does not make a day representative. Wednesday contributes 46 invented events. The model does not contain repeated weeks, seasonal variation or a sampling design from which typical demand could be established.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


Wednesday / 46 of 240 model events.

What evidence would be needed before calling a real day typical?

03 / Compare model days

Thursday is largest in this set.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 6 / fictional setting, not field evidence or weather data

Thursday contributes 58 events, the largest of these five model totals. That bounded description does not predict the next Thursday or establish how a venue should staff a real coastal route.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


58 ÷ 240 ≈ 24.17% of the full model.

Why is largest in this set not the same as highest expected future demand?

03 / Compare model days

A mean describes the model.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 6 / fictional setting, not field evidence or weather data

The five full-model totals sum to 240. Dividing by five gives a mean of 48 events per model day label. This arithmetic is not a forecast, a capacity target or a count of distinct people.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

240 ÷ 5 = 48 model events per day label.

Which extra assumptions would be hidden by treating 48 as a real operating target?

04 / Compare segments

Quay has 70 model events.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 7 / fictional setting, not field evidence or weather data

The fictional Quay label contributes 70 events across the five model days. A segment total is a count for this synthetic source, not footfall density, an area-normalised measure or a description of a real path.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

70 ÷ 240 ≈ 29.17% of the full model.

Which denominator would be missing from an events-per-area claim?

04 / Compare segments

Garden Bend has one third.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 7 / fictional setting, not field evidence or weather data

Garden Bend contributes 80 of 240 model events, exactly one third. Selecting this segment changes the plotted subset and the detail rows. The explanatory examples below the chart remain explicitly full-model teaching notes.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

80 ÷ 240 = 1/3 ≈ 33.33%.

Select Garden Bend and check that the subset total is 80, not 240.

04 / Compare segments

Overlook is 90, not a recommendation.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 8 / fictional setting, not field evidence or weather data

Overlook contributes 90 model events. This is the largest of three invented segment totals. It does not establish popularity, accessibility, environmental suitability or a reason to redirect real people to an actual location.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

90 ÷ 240 = 37.5% of the full model.

Which claim about a real public space would this total not justify?

04 / Compare segments

Shares need a visible denominator.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 8 / fictional setting, not field evidence or weather data

The full-model segment shares sum to 100% because the three labels partition the same 240 rows. A selected segment has a different scope. Do not silently use a full-model denominator to describe a subset distribution.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


70 + 80 + 90 = 240; full-model shares sum to 100%.

What would you write beside a percentage to make its denominator clear?

05 / Describe variation

Order values before naming the middle.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 9 / fictional setting, not field evidence or weather data

Sorting the five day totals gives 42, 44, 46, 50 and 58. The median is 46. Sorting reveals rank but removes calendar order, so keep labels available rather than pretending the ordered sequence is a time trend.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


Sorted day totals: 42 / 44 / 46 / 50 / 58.

Why should a sorted sequence not be drawn as a Monday-to-Friday trend?

05 / Describe variation

The range is 16 events.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 9 / fictional setting, not field evidence or weather data

The largest full-model day is 58 and the smallest is 42. Their difference is 16. This five-value range is not a confidence interval, measurement uncertainty or a guaranteed bound on a later real observation.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

58 − 42 = 16 model events.

Why might a future real count fall outside this example’s range?

05 / Describe variation

Mean and median answer different summaries.


MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 10 / fictional setting, not field evidence or weather data

The full-model mean is 48 and the median is 46. Their difference is a property of these invented values, not evidence that one statistic is universally better or that the source represents a real population.

Chart scope: full model / 240 model events. Prose remains full-model teaching context.





Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Mean 48 / median 46 / range 16.

Which parts of the original five values disappear in each summary?

05 / Describe variation

A filter is a scope change.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 10 / fictional setting, not field evidence or weather data

The segment selector recalculates the actual plotted counts, KPI total and source rows. It does not collect new evidence or change the underlying source. Read the chart scope label before comparing a subset with the full model.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Chart and table follow the selector; prose remains full-model teaching context.

Select Overlook and verify that its 90 rows reconcile with the chart.

06 / Inspect the ledger

The table is the chart’s source.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 11 / fictional setting, not field evidence or weather data

The source dialog displays the selected synthetic rows in pages of 25. Pagination is a viewing aid, not a different dataset. For Overlook, four pages contain 25, 25, 25 and 15 rows.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Overlook subset: 90 rows / four pages at 25 rows per page.

Why does the final short table page not indicate missing events?

06 / Inspect the ledger

Export the selected rows honestly.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 11 / fictional setting, not field evidence or weather data

Filtered CSV includes exactly the selected segment’s rows and the same source/unit fields as the full model. It is a portable teaching dataset, not a download of real visitor records or confidential participant data.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

CSV scope matches the visible segment selector.

Which label should stay attached when this CSV is shared separately?

06 / Inspect the ledger

Missing is not observed zero.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 12 / fictional setting, not field evidence or weather data

The source supplies no weekend, hours, exits or identity fields. An absent variable or period is not an observed zero. Keep the boundary explicit instead of filling a table with invented certainty.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Not supplied ≠ observed zero.

How would you describe a weekend for which no records are provided?

06 / Inspect the ledger

Keep the constructed joint allocation visible.


MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 12 / fictional setting, not field evidence or weather data

The rows use a deterministic allocation to reconcile the stated day and segment margins. This is a teaching construction. It does not demonstrate how real locations and days relate or validate a sampling method.

Chart scope: full model / 240 model events. Prose remains full-model teaching context.



COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Constructed margins / no empirical relationship claim.

Why can the apparent day-by-segment pattern not be used as field evidence?

07 / Guard the claim

A beautiful scene cannot repair missing data.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 13 / fictional setting, not field evidence or weather data

The illustrations change weather, setting and colour palette, but none adds a measured field to the dataset. A vivid harbor image cannot supply missing duration, routes, accessibility information or a real source study.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Illustration and evidence serve different purposes.

Which tempting story would rely on information supplied only by the artwork?

07 / Guard the claim

A difference is not a cause.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 13 / fictional setting, not field evidence or weather data

The source contains no intervention, control, randomisation or real contextual observation. Differences between days or segments therefore cannot establish the effect of a design change, programme or environmental condition.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

No causal study or intervention data.

What makes a causal explanation stronger than a difference in counts?

07 / Guard the claim

Record IDs are not person IDs.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 14 / fictional setting, not field evidence or weather data

MODEL identifiers label synthetic events only. The atlas provides no personal information and requires none in the private note. Browser-local storage is not a secure participant-management system or a compliance guarantee.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

No person identifiers or real participant records.

How could you write an analytic question without collecting personal details?

07 / Guard the claim

Real studies need a separate method.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 14 / fictional setting, not field evidence or weather data

A real observation project would require appropriate local review, definitions and responsible people. This template supplies no fieldwork protocol, route instructions, weather advice or permission to collect information about real users.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Teaching atlas, not an approved collection or outdoor-use plan.

Which question should be referred to an appropriate real-world reviewer?

08 / Hand over the atlas

Give the next reader the source.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 15 / fictional setting, not field evidence or weather data

A useful handoff states that the source is synthetic, identifies the selected scope and retains the unit. It separates what the rows show from the stories a reader might imagine from the coastal illustrations.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Source / scope / unit / limitation / next question.

Which three labels would prevent the most common misreading of this report?

08 / Hand over the atlas

Correct the note, not the evidence history.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 15 / fictional setting, not field evidence or weather data

Browser text edits change your copy of the explanation. They do not turn invented rows into observations or rewrite the original source CSV. Keep a correction’s purpose visible when sharing an edited HTML or JSON record.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY MODEL DAY



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


Edited prose is not a new data-collection result.

How would you label an explanatory correction without implying new evidence?

08 / Hand over the atlas

Choose the right export.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5



Illustrated scene 16 / fictional setting, not field evidence or weather data

Current HTML preserves the selected chart scope and text edits; JSON preserves the edit record and scope. Original PDF/PPTX are unchanged full-model exports. Full source CSV/JSON remain the 240-row synthetic model.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION


Current exports ≠ original full-model exports.

What could confuse someone receiving an edited subset report and an original PDF?

08 / Hand over the atlas

Leave a clearer coastal question.

MODEL EVENTS IN SCOPE	FICTIONAL SEGMENTS	MODEL DAY LABELS
240	3	5




Illustrated scene 16 / fictional setting, not field evidence or weather data

A useful atlas closes with a bounded question, not a promise that a real route has been evaluated. All 16 independent primary illustrations are present. Their changing backgrounds remain visual context, not additional source data.


Chart scope: full model / 240 model events. Prose remains full-model teaching context.

FICTIONAL SEGMENT INDEX



Not to scale or for outdoor use.

COUNTS BY FICTIONAL SEGMENT



Source: synthetic teaching model / unit: entry event

MODEL NOTE / NEXT QUESTION

Keep the source small, explicit and honestly labelled.

What is the next question that this model can—and cannot—help you practise?