01 / COMPONENT SYSTEM

Give the component one clear responsibility.



Figure 1 / fictional illustration, not evidence / curated image source in provenance.json

Context Card groups a note with a source reference and a visible context state. It is a fictional specification for a reusable content unit, not a functioning UI library.

The component should explain the relationship without claiming that a link proves source ownership or that a successful render proves accessible behavior. Keep its responsibility narrower than an entire reading workspace.

System intention

The model defines five slots and three mutually exclusive variants. Implementation and assistive-technology verification remain future work.

VARIANT ROW

default / Show context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Owns	The local presentation of a note-source relationship.
Does not own	Authentication, source rights, navigation history or cloud storage.
Deliverable	An inspectable anatomy and rule set, not a packaged widget.

What belongs inside this component, and what does not?

02 / COMPONENT SYSTEM

Index slots and variants before drawing states.



Figure 1 / fictional illustration, not evidence / curated image source in provenance.json

The five slots are heading, source, body, action and status. Default, expanded and unavailable are the three modeled variants. They describe context presentation, not the note editor's save state.

Default offers an expansion action. Expanded exposes context with a collapse action. Unavailable shows a reason without an action. Avoid mixing these names with loading or save-result tokens from another contract.

Component index

Slot presence and slot meaning are separate. A visually present action must still have a meaningful label and an appropriate interaction behavior.

VARIANT ROW

expanded / Hide context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Slots	Heading, source, body, action and status.
Variants	Default, expanded and unavailable are mutually exclusive.
Boundary	No pending, authenticated or persisted variant is supplied.

Can a consumer find the rule for each slot?

03 / COMPONENT SYSTEM

Describe the anatomy as content relationships.



Figure 2 / fictional illustration, not evidence / curated image source in provenance.json

Heading names the note; source names its reference; body holds the note text. Action changes the context presentation where available, and status explains the current variant in words.

Do not encode the relationship only through position or color. A source that moves beneath the body on a narrow surface should retain a clear textual association with the note.

Slot anatomy

A future implementation must select appropriate semantics for its actual host page. This document does not prescribe a heading level independently of surrounding content.

VARIANT ROW

unavailable / no action

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Heading / body	Identify the note and preserve the note text.
Source	Explain what the reference relates to without inventing provenance.
Action / status	Name the available change and the current context condition.

Which relationship must survive a layout change?

04 / COMPONENT SYSTEM

Define properties with constrained values.



Figure 2 / fictional illustration, not evidence / curated image source in provenance.json

Variant accepts default, expanded or unavailable. The heading, source and body are required non-empty strings in this authored schema. The unavailable reason is required only for the unavailable variant.

Action label is derived from the variant rather than independently supplied: Show context, Hide context or no action. Conflicting labels and variant values must be rejected or normalized by an explicit implementation rule.

Property contract

The source records store derived visibility and action text. They are a specification fixture, not a runtime validator shipped to consumers.

VARIANT ROW

default / Show context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Required	Heading, source and body must contain non-whitespace text.
Enum	Variant is exactly default, expanded or unavailable.
Conditional	Unavailable requires a reason and supplies no action.

Could a consumer create a contradictory combination?

05 / COMPONENT SYSTEM

Keep the three variants internally consistent.



Figure 3 / fictional illustration, not evidence / curated image source in provenance.json

Default hides the context excerpt and offers Show context. Expanded reveals the context excerpt and offers Hide context. Unavailable hides it, omits the action and requires a reason.

The source fixture sets action_enabled true only for default and expanded. Hidden content is not represented as an empty visible field. A real implementation must define focus and announcement behavior when presentation changes.

Variant matrix

Three rows define the complete fixture. There is no approved fourth combination with an unavailable message and an enabled expansion action.

VARIANT ROW

expanded / Hide context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Default	Context hidden; Show context action enabled.
Expanded	Context visible; Hide context action enabled.
Unavailable	Context hidden; no action; explanation required.

Can every variant be explained without a screenshot?

06 / COMPONENT SYSTEM

Compose cards without losing identity.



Figure 3 / fictional illustration, not evidence / curated image source in provenance.json

A list can contain several cards, but each needs its own note identity and context state. Expanding one should not silently change every card unless that behavior is explicitly specified.

Use stable keys for actual instances and keep source association local to each card. Do not infer identity from visible position; sorting or filtering can change that position.

Composition rules

This reference defines no global expand-all control, virtualization behavior or collection data model. Those require separate interaction contracts.

VARIANT ROW

unavailable / no action

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Identity	Use an instance identity separate from the display order.
Isolation	One card's presentation state must not overwrite another's.
Excluded	No bulk action or list persistence behavior is implemented here.

What should stay stable when cards are reordered?

07 / COMPONENT SYSTEM

Write labels that describe the action's result.



Figure 4 / fictional illustration, not evidence / curated image source in provenance.json

Show context and Hide context name opposite changes to the same content. Avoid a vague More label when several different things could expand. An unavailable reason should explain the actual limitation without blaming the reader.

Do not show a success sentence where no save happened. The card's context variant and the note's persistence status are separate concepts even when both appear on the same screen.

Content guidance

Use source labels that fit the material actually supplied. A citation-shaped string is not verified provenance merely because it is formatted consistently.

VARIANT ROW

default / Show context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Action copy	Show context or Hide context, matching the current variant.
Unavailable copy	Describe the missing context and any real next step.
Avoid	No saved, verified source or permission claim without evidence.

Could the wording imply a capability the card does not have?

08 / COMPONENT SYSTEM

Treat accessibility as implementation work.



Figure 4 / fictional illustration, not evidence / curated image source in provenance.json

The proposed control should have a meaningful name, a visible focus treatment and an explicit expanded relationship where applicable. Text must remain readable when content grows and the layout reflows.

These are review questions and requirements, not a WCAG pass. Keyboard activation, focus order, announcements, contrast and reading order must be checked against the implemented host and its actual content.

Access review

Removing an unavailable action must not strand focus. The specification has not implemented or tested that transition, so record it as an unresolved integration question.

VARIANT ROW

expanded / Hide context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Semantics	Choose actual control and heading semantics in host context.
Behavior	Verify keyboard, focus and expanded-state announcements.
Status	No conformance test or assistive-technology result is claimed.

What needs a real implementation before it can be verified?

09 / COMPONENT SYSTEM

Specify the implementation boundary explicitly.



Figure 5 / fictional illustration, not evidence / curated image source in provenance.json

Consumers provide content and a valid variant. A future component emits a context-toggle intent for available variants; the host owns the state change. Unavailable emits no toggle intent.

Do not let a presentational component fetch sources or silently persist notes. Such behavior would add error, permission and lifecycle responsibilities not covered by this three-row fixture.

Interface handoff

Define a stable payload containing the instance identity if integrating a real event callback. No executable package, event bus or API endpoint is delivered by this document.

VARIANT ROW

unavailable / no action

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Input	Content strings, instance identity and a valid variant.
Intent	A bounded request to toggle context when an action exists.
Host	Own state updates, retrieval and any real persistence decisions.

Which responsibility belongs to the host rather than the card?

10 / COMPONENT SYSTEM

Version the rule change, not just the drawing.



Figure 5 / fictional illustration, not evidence / curated image source in provenance.json

Version 0.1 describes this authored three-variant fixture. A new pending variant would change the enum, property dependencies, action rules, tests and content guidance, not merely add a spinner.

Keep a change record that explains the compatibility impact. Existing consumers must not receive an unfamiliar variant while the documentation still claims only three accepted values.

Version review

The fixture can be internally consistent without being complete for a product. Extension should follow a known need and a revised contract.

VARIANT ROW

default / Show context

COMPONENT BOUNDARY

5 slots, 3 exclusive variants. Authored requirements, not a shipped library.

SLOT / PROPERTY / VARIANT

Current	Five slots and three mutually exclusive context variants.
Change set	Schema, action copy, source matrix and review tests.
Limit	No shipped consumers, migration or production compatibility verified.

What must change together when a variant is added?