01 / EXPERIMENT READOUT

Read a model, not a real trial.



Figure 1 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

This readout uses 24 invented task records to demonstrate reporting: 12 in condition A and 12 in condition B. The records do not represent actual participants, testing or product performance.

A has eight completed records and B has nine. Those descriptive counts differ by one record.

The report keeps the setup, measures, missing values and interpretation limits beside the result rather than treating the small numerical difference as a proven effect.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Readout question

Record readout question and its source boundary.

Descriptive result

Record descriptive result and its source boundary.

Claim boundary

Record claim boundary and its source boundary.

What can the 24-record model show without implying that a real experiment occurred?

02 / EXPERIMENT READOUT

State the hypothesis before the result.



Figure 1 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

The fictional question asks whether a different instruction card could be associated with a different completion pattern. A working hypothesis is not established by the condition labels or by the difference in counts.

No random assignment, recruitment, real procedure or outcome observation is supplied.

The source contains only stipulated task rows. A real test would require an appropriate design and context before any causal conclusion could be considered.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Working hypothesis

Record working hypothesis and its source boundary.

Alternative explanation

Record alternative explanation and its source boundary.

Design not supplied

Record design not supplied and its source boundary.

Which missing design information prevents a causal interpretation?

03 / EXPERIMENT READOUT

Describe what each row means.



Figure 2 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

Each row is one invented task record with a condition, a completion flag and an optional time value. Do not relabel the rows as unique people or independently observed sessions.

Records T01–T12 belong to A and T13–T24 to B. Time is recorded only for completed rows in the model; incomplete rows have a null value. Null does not mean zero time or an unobserved success.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Record unit

Record record unit and its source boundary.

Condition allocation

Record condition allocation and its source boundary.

Missing-value rule

Record missing-value rule and its source boundary.

What interpretation would become wrong if task records were called participants?

04 / EXPERIMENT READOUT

Define completion and time separately.



Figure 2 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

Completion is a binary field in the invented model. Time is a descriptive value supplied only for completed records. These measures answer different questions and use different denominators.

The completion denominators are 12 and 12. Completed-time denominators are eight and nine.

Keeping those denominators visible prevents a mean time among completions from being presented as a mean across every task record.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Measure

Record measure and its source boundary.

Denominator

Record denominator and its source boundary.

Permitted comparison

Record permitted comparison and its source boundary.

Which denominator belongs beside each result before it is compared?

05 / EXPERIMENT READOUT

Inspect the model boundary.



Figure 3 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

The export is the entire 24-row teaching set, not a sample drawn from a real population. It supplies no participant attributes, context variation or allocation procedure.

A balanced row count does not establish comparable real conditions. The report can audit the stipulated arithmetic but cannot infer generalisability, representativeness or absence of confounding from a symmetric table.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Supplied material

Record supplied material and its source boundary.

Missing context

Record missing context and its source boundary.

Generalisation boundary

Record generalisation boundary and its source boundary.

What claim would remain unsupported even with equal group sizes?

06 / EXPERIMENT READOUT

Report the completion counts.



Figure 3 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

A contains eight completed and four incomplete rows. B contains nine completed and three incomplete rows. Both groups reconcile to 12, and the total is 17 completions across 24 invented records.

The descriptive proportions are 8/12 and 9/12, about 66.7% and 75.0%. The difference is about 8.3 percentage points. It is not an 8.3% relative lift, statistical significance or evidence that a real instruction is better.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

A completion

Record a completion and its source boundary.

B completion

Record b completion and its source boundary.

Difference wording

Record difference wording and its source boundary.

How would you state the difference while retaining both denominators?

07 / EXPERIMENT READOUT

Keep the time comparison conditional.



Figure 4 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

Completed A rows have time values from 8 to 15 teaching units, with mean and median 11.5. Completed B rows run from 7 to 15, with mean and median 11.0.

These summaries exclude the four and three incomplete rows respectively. They cannot establish faster overall task performance, and the arbitrary teaching units are not actual measured minutes. No time value should be filled in for an incomplete row.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Completed-only mean

Record completed-only mean and its source boundary.

Excluded rows

Record excluded rows and its source boundary.

Time-unit boundary

Record time-unit boundary and its source boundary.

Why would a shorter completed-only mean be insufficient to rank the conditions?

08 / EXPERIMENT READOUT

Consider alternative explanations.



Figure 4 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

List what could explain a pattern in a real test before interpreting a difference as an intervention effect. In this model, the numbers were authored rather than observed.

Relevant real-test questions might concern allocation, instruction differences, task context and missing outcomes. Here there is no basis for estimating those influences. An explanation should therefore remain a design question, not a reconstructed story about fictional participants.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Alternative factor

Record alternative factor and its source boundary.

Needed information

Record needed information and its source boundary.

Interpretation change

Record interpretation change and its source boundary.

Which alternative factor would you investigate first in a genuine study?

09 / EXPERIMENT READOUT

Separate result from recommendation.



Figure 5 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

A descriptive result can be accurate while a recommendation remains unjustified. Keep the arithmetic and the decision question in different sentences.

Result: B has one more completed model row than A. Decision question: what appropriate study would be needed to evaluate an actual instruction change? Do not replace the second sentence with adopt B on the strength of this fabricated set.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Result sentence

Record result sentence and its source boundary.

Decision question

Record decision question and its source boundary.

Unsupported recommendation

Record unsupported recommendation and its source boundary.

Which additional evidence would a real adoption decision require?

10 / EXPERIMENT READOUT

Make replication requirements explicit.



Figure 5 / fictional illustration, not evidence / curated image source in provenance.json

COMPLETION MODEL

A: 8 / 12 · B: 9 / 12

COMPLETED-ONLY MEAN

A: 11.5 · B: 11.0 teaching units

Package the row definitions, complete source export, summaries and limitations together. A replication plan needs a real protocol rather than a request to reproduce invented numbers.

The teaching result is fully reproducible arithmetic: 24 rows, 17 completion flags and 17 non-null time values. Real recruitment, consent, measurement and appropriate review are not supplied. Keep the synthetic label attached to every exported version.

Analyst record / trace the source

Separate the supplied synthetic result from your interpretation and any real-world evidence still needed.

Reproducible arithmetic

Record reproducible arithmetic and its source boundary.

Real protocol gap

Record real protocol gap and its source boundary.

Handoff package

Record handoff package and its source boundary.

What would have to change before this readout could describe a real experiment?