01 / PUBLIC THREAD

Report the model, not a real place.

PUBLIC THREAD describes a deterministic teaching model with 240 invented entry-event records. The coastal scenes are visual context, not a collection site.

Daily model totals are 42, 50, 46, 58 and 44. Segment totals are 70, 80 and 90. Both margins describe the same records and reconcile to 240.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	What claim would exceed these source fields?

What claim would exceed these source fields?



Figure 1 / fictional illustration, not evidence / curated image source in provenance.json

02 / PUBLIC THREAD

Follow the report structure.

Read source definition before summary, variation and interpretation. Keep the unit attached to every number even when a chart or table is shared separately.

Pages 3–4 define records and margins; pages 5–7 compare totals and summaries; pages 8–9 describe limitations and handoff; page 10 supplies the source note.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	Which definition must be read before the result?

Which definition must be read before the result?



Figure 1 / fictional illustration, not evidence / curated image source in provenance.json

03 / PUBLIC THREAD

An event is not a person.

One row represents one invented entry event. A unique record ID identifies the row, not a distinct visitor. No identity, exit or duration field exists.

Repeated entries by a real person could produce multiple events in an actual study. This source cannot calculate unique visitors, dwell time or live occupancy.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	Why can 240 events not be renamed 240 people?

Why can 240 events not be renamed 240 people?



Figure 2 / fictional illustration, not evidence / curated image source in provenance.json

04 / PUBLIC THREAD

Reconcile the two margins.

The day totals sum to 42 + 50 + 46 + 58 + 44 = 240. The three segment totals sum to 70 + 80 + 90 = 240.

Adding the two grand totals would double-count the same source model. The deterministic joint allocation illustrates bookkeeping, not an empirical relationship between day and place.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

MODEL DAY	ENTRY EVENTS
Mon / Tue / Wed	42 / 50 / 46
Thu / Fri / TOTAL	58 / 44 / 240
MEAN / MEDIAN / RANGE	48 / 46 / 16

Which total should be used as the denominator?



Figure 2 / fictional illustration, not evidence / curated image source in provenance.json

05 / PUBLIC THREAD

Describe a difference without a cause.

Tuesday has 50 model events and Monday has 42, a difference of eight. The source supplies no programme, weather or intervention variable.

The difference is a bounded description of invented values. It cannot explain an effect of weather, a design change, an event or a real operational decision.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	Which missing variable would a causal story rely on?

Which missing variable would a causal story rely on?



Figure 3 / fictional illustration, not evidence / curated image source in provenance.json

06 / PUBLIC THREAD

State the mean with its scope.

The five daily totals sum to 240, giving a mean of 48 events per model day label. The model has no real observation dates or hours.

The arithmetic is correct for this source, but 48 is not a forecast or capacity target. Equal observation coverage and an events-per-hour denominator cannot be verified.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

MODEL DAY	ENTRY EVENTS
Mon / Tue / Wed	42 / 50 / 46
Thu / Fri / TOTAL	58 / 44 / 240
MEAN / MEDIAN / RANGE	48 / 46 / 16

What does the word per refer to here?



Figure 3 / fictional illustration, not evidence / curated image source in provenance.json

07 / PUBLIC THREAD

Keep variation visible.

Sorting the five day totals gives 42, 44, 46, 50 and 58. The median is 46 and the range is 58 minus 42, or 16.

These summaries lose information about labels and order. The range is not a confidence interval or a guaranteed bound for a future real observation.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

MODEL DAY	ENTRY EVENTS
Mon / Tue / Wed	42 / 50 / 46
Thu / Fri / TOTAL	58 / 44 / 240
MEAN / MEDIAN / RANGE	48 / 46 / 16

What does each summary omit?



Figure 4 / fictional illustration, not evidence / curated image source in provenance.json

08 / PUBLIC THREAD

Missing is not an observed zero.

No weekend, duration, person identity or contextual variable is supplied. An absent period or field is unknown, not a measured zero.

Do not fill a table with guessed values to make it appear complete. State the boundary beside the result rather than relying on an appendix that may be separated from it.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	How should an absent weekend be labelled?

How should an absent weekend be labelled?



Figure 4 / fictional illustration, not evidence / curated image source in provenance.json

09 / PUBLIC THREAD

Hand over a bounded finding.

A responsible summary states source, unit, scope and limitation before suggesting a next question. It does not turn an attractive harbor image into evidence.

Suggested sentence: In this synthetic model, Thursday has 58 of 240 entry events; the source does not explain why. That statement describes the set without predicting demand.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	Which labels belong with a standalone table?

Which labels belong with a standalone table?



Figure 5 / fictional illustration, not evidence / curated image source in provenance.json

10 / PUBLIC THREAD

Retain the complete source note.

All rows are deterministically constructed teaching records. No observer visited the fictional location and no count was inferred from a drawn person.

The source CSV/JSON included with this case preserve all 240 records. IDs distinguish events only. A real investigation would require a separate method and responsible review.

Source and interpretation

Use this section to record a bounded response to the question below. Retain the distinction between the fictional example, your interpretation and any separate evidence a real use would require.

SOURCE	240 synthetic entry events
LIMIT	What separate work would a real report require?

What separate work would a real report require?



Figure 5 / fictional illustration, not evidence / curated image source in provenance.json