

**LAPORAN PRAKTIKUM
PEMROGRAMAN WEB I
MODUL 12**



CSS LAYOUT

Oleh:

Lidya Rahmi

NIM. 2110817320001

**PROGRAM STUDI TEKNOLOGI INFORMASI
FAKULTAS TEKNIK
UNIVERSITAS LAMBUNG MANGKURAT
MEI 2022**

LEMBAR PENGESAHAN
LAPORAN PRAKTIKUM PEMROGRAMAN WEB I
MODUL 12

Laporan Praktikum Pemrograman Web I Modul 12: CSS Layout ini disusun sebagai syarat lulus mata kuliah Praktikum Pemrograman Web I. Laporan Praktikum ini dikerjakan oleh:

Nama Praktikan : Lidya Rahmi
NIM : 2110817320001

Menyetujui,
Asisten Praktikum

Mengetahui,
Dosen Penanggung Jawab Praktikum

Charles Phandurand
NIM. 2010817110006

Arief Trisno Eko Suryo, S.T., M.T.

DAFTAR ISI

LEMBAR PENGESAHAN	1
DAFTAR ISI	2
DAFTAR GAMBAR.....	3
LATIHAN 1	4
A. Screenshot Source Code	4
B. Screenshoot Hasil Tampilan pada Browser	6
LATIHAN 2	7
A. Screenshot Source Code	7
B. Screenshoot Hasil Tampilan pada Browser	8
LATIHAN 3	9
A. Screenshot Source Code	9
B. Screenshoot Hasil Tampilan pada Browser	10
LATIHAN 4	11
A. Screenshot Source Code	11
B. Screenshoot Hasil Tampilan pada Browser	20
TAUTAN GIT	21

DAFTAR GAMBAR

Gambar 1 Source code latihan 1	4
Gambar 2 Css latihan 1	5
Gambar 3 Hasil tampilan source code latihan 1	6
Gambar 4 Source code latihan 2	7
Gambar 5 Css latihan 2	8
Gambar 6 Hasil tampilan source code latihan 2	8
Gambar 7 Source code latihan 3	9
Gambar 8 Hasil tampilan source code latihan 3	10
Gambar 9 Source code latihan 4	11
Gambar 10 Css latihan 4	20
Gambar 11 Hasil tampilan source code latihan 4	20

LATIHAN 1

A. Screenshot Source Code

```
1  <!DOCTYPE html>
2  <html lang="en">
3
4      <head>
5          <title>Desain Layout Sederhana HTML5</title>
6          <link rel="stylesheet" href="mystyle2.css"
7  type="text/css" />
8      </head>
9      <body>
10
11          <header>
12              header
13          </header>
14
15          <nav>
16              nav
17          </nav>
18
19          <section>
20              section
21          </section>
22
23          <footer>
24              footer
25          </footer>
26
27          </body>
28      </html>
29
30
```


Gambar 1 Source code latihan 1

```
1  #wrapper {
2      margin: auto;
3      width: 750px;
4      border: 1px solid red;
5  }
6
7  #header {
8      height: 80px;
9  }
```

```
10     border: 1px solid blue;
11 }
12
13 #inner {
14     float: left;
15     margin: 5px 0;
16     border: 1px solid black;
17 }
18
19 #sidebar {
20     float: left;
21     margin-right: 20px;
22     width: 180px;
23     height: 330px;
24     border: 1px solid red;
25 }
26
27
28 #content {
29     float: left;
30     width: 54px;
31     height: 330px;
32     border: 1px solid green;
33 }
34
35 #footer {
36     clear: both;
37     height: 50px;
38     border: 1px solid blue;
39 }
40
```

Gambar 2 Css latihan 1

B. Screenshoot Hasil Tampilan pada Browser



Gambar 3 Hasil tampilan source code latihan 1

LATIHAN 2

A. Screenshot Source Code

```
1  <!DOCTYPE html>
2  <html lang="en">
3
4      <head>
5          <title>Desain Layout Sederhana HTML5</title>
6          <link rel="stylesheet" href="mystyle2.css"
7  type="text/css" />
8      </head>
9      <body>
10
11          <header>
12              header
13          </header>
14
15          <nav>
16              nav
17          </nav>
18
19          <section>
20              section
21          </section>
22
23          <footer>
24              footer
25          </footer>
26
27          </body>
28      </html>
29
30
```

Gambar 4 Source code latihan 2

```
1  body {
2      margin: 10px auto;
3      width: 750px;
4  }
5
6  header,
7  nav,
8  section,
9  footer {
10     display: block;

```




```

11     border: 1px solid blue;
12 }
13
14 header{
15     height:80px;
16 }
17
18 nav{
19     float:left;
20     width:200px;
21     height:370px;
22 }
23
24 section{
25     margin-left:200px;
26     width:500;
27     height:370px;
28 }
29
30 footer{
31     clear:both;
32     height:20px;
33 }
34

```

Gambar 5 Css latihan 2

B. Screenshoot Hasil Tampilan pada Browser



Gambar 6 Hasil tampilan source code latihan 2


LATIHAN 3

A. Screenshot Source Code

```
1  <!DOCTYPE html>
2  <html lang="id">
3
4  <head>
5      <title>Desain Background</title>
6      <style>
7          body {
8              background: yellow url("motif.png");
9              margin: 10px auto;
10             width: 750px;
11         }
12
13         header {
14             display: block;
15             border: 1px solid blue;
16         }
17
18         header {
19             height: 120px;
20         }
21     </style>
22 </head>
23
24 <body>
25
26     <header>
27         header
28     </header>
29
30 </body>
31 </html>
32
```

Gambar 7 Source code latihan 3

B. Screenshoot Hasil Tampilan pada Browser



Gambar 8 Hasil tampilan source code latihan 3

LATIHAN 4

A. Screenshot Source Code

```
1  <!DOCTYPE html>
2  <html>
3
4  <head>
5      <title>Grid Layout</title>
6      <link rel="stylesheet" type="text/css"
7  href="960_12_col.css" />
8      <style></style>
9  </head>
10 <body>
11     <div class="container_12 clearfix">
12         <div id="header" class="grid_12">
13             <h1>Logo</h1>
14             <div id="nav">
15                 <ul>
16                     <li><a href="">Home</a></li>
17                     <li><a href="">Products</a></li>
18                     <li><a href="">About</a></li>
19                     <li><a href="">Contact</a></li>
20                 </ul>
21             </div>
22         </div>
23     </div>
24     <div id="feature" class="grid_12">
25         <p>Feature</p>
26     </div>
27     <div class="article grid_4">
28         <p>Column One</p>
29     </div>
30     <div class="article grid_4">
31         <p>Column Two</p>
32     </div>
33     <div class="article grid_4">
34         <p>Column Three</p>
35     </div>
36     <div id="feature" class="grid_12">
37         <p>&copy; Copyright 2011</p>
38     </div>
39 </div> <!--.container_12-->
40 </body>
41 </html>
```

Gambar 9 Source code latihan 4

```

1  /*
2     960 Grid System ~ Core CSS.
3     Learn more ~ http://960.gs/
4
5     Licensed under GPL and MIT.
6  */
7
8  /*
9     Forces backgrounds to span full width,
10    even if there is horizontal scrolling.
11    Increase this if your layout is wider.
12
13    Note: IE6 works fine without this fix.
14  */
15
16  body {
17    min-width: 960px;
18  }
19
20  /* `Container
21  -----
22  -----*/
23
24  .container_12 {
25    margin-left: auto;
26    margin-right: auto;
27    width: 960px;
28  }
29
30  /* `Grid >> Global
31  -----
32  -----*/
33
34  .grid_1,
35  .grid_2,
36  .grid_3,
37  .grid_4,
38  .grid_5,
39  .grid_6,
40  .grid_7,
41  .grid_8,
42  .grid_9,
43  .grid_10,
44  .grid_11,
45  .grid_12 {

```

```

48     display: inline;
49     float: left;
50     margin-left: 10px;
51     margin-right: 10px;
52 }
53
54 .push_1, .pull_1,
55 .push_2, .pull_2,
56 .push_3, .pull_3,
57 .push_4, .pull_4,
58 .push_5, .pull_5,
59 .push_6, .pull_6,
60 .push_7, .pull_7,
61 .push_8, .pull_8,
62 .push_9, .pull_9,
63 .push_10, .pull_10,
64 .push_11, .pull_11 {
65     position: relative;
66 }
67
68
69 /* `Grid >> Children (Alpha ~ First, Omega ~ Last)
70 -----
71 -----*/
72
73
74 .alpha {
75     margin-left: 0;
76 }
77
78 .omega {
79     margin-right: 0;
80 }
81
82
83 /* `Grid >> 12 Columns
84 -----
85 -----*/
86
87 .container_12 .grid_1 {
88     width: 60px;
89 }
90
91 .container_12 .grid_2 {
92     width: 140px;
93 }
94
95 .container_12 .grid_3 {

```

```

96     width: 220px;
97 }
98
99 .container_12 .grid_4 {
100     width: 300px;
101 }
102
103 .container_12 .grid_5 {
104     width: 380px;
105 }
106
107 .container_12 .grid_6 {
108     width: 460px;
109 }
110
111 .container_12 .grid_7 {
112     width: 540px;
113 }
114
115 .container_12 .grid_8 {
116     width: 620px;
117 }
118
119 .container_12 .grid_9 {
120     width: 700px;
121 }
122
123 .container_12 .grid_10 {
124     width: 780px;
125 }
126
127 .container_12 .grid_11 {
128     width: 860px;
129 }
130
131 .container_12 .grid_12 {
132     width: 940px;
133 }
134
135
136
137 /* `Prefix Extra Space >> 12 Columns
138 -----
139 -----*/
140
141 .container_12 .prefix_1 {
142     padding-left: 80px;

```

```

143 }
144
145 .container_12 .prefix_2 {
146     padding-left: 160px;
147 }
148
149 .container_12 .prefix_3 {
150     padding-left: 240px;
151 }
152
153 .container_12 .prefix_4 {
154     padding-left: 320px;
155 }
156
157 .container_12 .prefix_5 {
158     padding-left: 400px;
159 }
160
161 .container_12 .prefix_6 {
162     padding-left: 480px;
163 }
164
165 .container_12 .prefix_7 {
166     padding-left: 560px;
167 }
168
169 .container_12 .prefix_8 {
170     padding-left: 640px;
171 }
172
173 .container_12 .prefix_9 {
174     padding-left: 720px;
175 }
176
177 .container_12 .prefix_10 {
178     padding-left: 800px;
179 }
180
181 .container_12 .prefix_11 {
182     padding-left: 880px;
183 }
184
185 /* `Suffix Extra Space >> 12 Columns
186 -----
187 -----*/

```


190	
191	.container_12 .suffix_1 {
192	padding-right: 80px;
193	}
194	
195	.container_12 .suffix_2 {
196	padding-right: 160px;
197	}
198	
199	.container_12 .suffix_3 {
200	padding-right: 240px;
201	}
202	
203	.container_12 .suffix_4 {
204	padding-right: 320px;
205	}
206	
207	.container_12 .suffix_5 {
208	padding-right: 400px;
209	}
210	
211	.container_12 .suffix_6 {
212	padding-right: 480px;
213	}
214	
215	.container_12 .suffix_7 {
216	padding-right: 560px;
217	}
218	
219	.container_12 .suffix_8 {
220	padding-right: 640px;
221	}
222	
223	.container_12 .suffix_9 {
224	padding-right: 720px;
225	}
226	
227	.container_12 .suffix_10 {
228	padding-right: 800px;
229	}
230	
231	.container_12 .suffix_11 {
232	padding-right: 880px;
233	}
234	
235	
236	

```

237  /* `Push Space >> 12 Columns
238  -----
239  -----*/
240
241  .container_12 .push_1 {
242      left: 80px;
243  }
244
245  .container_12 .push_2 {
246      left: 160px;
247  }
248
249  .container_12 .push_3 {
250      left: 240px;
251  }
252
253
254  .container_12 .push_4 {
255      left: 320px;
256  }
257
258  .container_12 .push_5 {
259      left: 400px;
260  }
261
262  .container_12 .push_6 {
263      left: 480px;
264  }
265
266  .container_12 .push_7 {
267      left: 560px;
268  }
269
270  .container_12 .push_8 {
271      left: 640px;
272  }
273
274
275  .container_12 .push_9 {
276      left: 720px;
277  }
278
279  .container_12 .push_10 {
280      left: 800px;
281  }
282
283  .container_12 .push_11 {

```

```

284     left: 880px;
285 }
286
287 /* `Pull Space >> 12 Columns
288 -----
289 -----*/
290
291 .container_12 .pull_1 {
292     left: -80px;
293 }
294
295 .container_12 .pull_2 {
296     left: -160px;
297 }
298
299 .container_12 .pull_3 {
300     left: -240px;
301 }
302
303 .container_12 .pull_4 {
304     left: -320px;
305 }
306
307 .container_12 .pull_5 {
308     left: -400px;
309 }
310
311 .container_12 .pull_6 {
312     left: -480px;
313 }
314
315 .container_12 .pull_7 {
316     left: -560px;
317 }
318
319 .container_12 .pull_8 {
320     left: -640px;
321 }
322
323 .container_12 .pull_9 {
324     left: -720px;
325 }
326
327 .container_12 .pull_10 {
328     left: -800px;
329 }
330

```

```

331 }
332
333 .container_12 .pull_11 {
334     left: -880px;
335 }
336
337 /* `Clear Floated Elements
338 -----
339 -----*/
340
341 /* http://sonspring.com/journal/clearing-floats */
342
343 .clear {
344     clear: both;
345     display: block;
346     overflow: hidden;
347     visibility: hidden;
348     width: 0;
349     height: 0;
350 }
351
352
353 /* http://www.yuiblog.com/blog/2010/09/27/clearfix-reloaded-
354 overflowhidden-demystified */
355
356 .clearfix:before,
357 .clearfix:after,
358 .container_12:before,
359 .container_12:after {
360     content: '.';
361     display: block;
362     overflow: hidden;
363     visibility: hidden;
364     font-size: 0;
365     line-height: 0;
366     width: 0;
367     height: 0;
368 }
369
370
371 .clearfix:after,
372 .container_12:after {
373     clear: both;
374 }
375
376 /*
377 The following zoom:1 rule is specifically for IE6 + IE7.

```


```

378     Move to separate stylesheet if invalid CSS is a problem.
379 */
380
381 .clearfix,
382 .container_12 {
383     zoom: 1;
384 }
385
386 * {
387     font-family: Arial, Verdana, sans-serif;
388     color: #665544;
389     text-align: center;}
390 #nav,#feature, .article, #footer {
391     background-color: #efefef;
392     margin-top: 20px;
393     padding: 10px 0px 5px 0px;}
394 #feature, .article {
395     height: 100px;}
396 li {
397     display: inline;
398     padding: 5px;}
399
400
401

```

Gambar 10 Css latihan 4

B. Screenshoot Hasil Tampilan pada Browser



Gambar 11 Hasil tampilan source code latihan 4

TAUTAN GIT

Berikut ini adalah link github

https://github.com/lidyarahmi/Laprak_Modul12_CSS-Layout_LIDYARAHMI