




TEAM 4

JANE'S FLOWER SHOP PROBLEM

TEAM MEMBERS

- AVUTHU GANGADHAR REDDY
- TANGUTURI RUKESH REDDY
- DHARSON T
- VUTUKURU HEMANTHA KUMAR REDDY
- VANSH KAPOOR



INTRODUCTION

- Jane plans to open a flower shop in the local flower market. The initial cost includes the booth license, furnishings and decorations, a truck to transport flowers from the greenhouse to the shop, and so on. Jane will have to recoup these costs by earning income. She has estimated how much net income she will earn in each of the following M months. Jane wants to predict how successful her flower shop will be by calculating the IRR (Internal Rate of Return) for the M -month period. Given a series of (time, cash flow) pairs (i, C_i) , the IRR is the compound interest rate that would make total cash exactly 0 at the end of the last month. The higher the IRR is, the more successful the business is. If the IRR is lower than the inflation rate, it would be wise not to start the business in the first place.
- In this case, there is only one rate ($\approx 8.8963\%$) that satisfies the equation. Help Jane to calculate the IRR for her business. It is guaranteed that $-1 < r < 1$, and there is exactly one solution in each test case.

INPUT / OUTPUT:

➤ Input:

The first line of the input gives the number of test cases, T . T test cases follow. Each test case starts with a positive integer M : the number of months that the flower shop will be open. The next line contains $M + 1$ non-negative integers C_i ($0 \leq i \leq M$). Note that C_0 represents the initial cost, all the remaining C_i s are profits, the shop will always either make a positive net profit or zero net profit in each month, and will never have negative profits.

➤ Output:

For each test case, output one line containing Case # x : y , where x is the test case number (starting from 1) and y is a floating-point number: the IRR of Jane's business. Y will be considered correct if it is within an absolute or relative error of 10^{-6} of the correct answer. See the FAQ for an explanation of what that means, and what formats of real numbers we accept.

ALGORITHMS:

Step 1: Start

Step 2: Take the test cases T,C as initial cost ,M as months.

Step 3: Take M+1 as non-negative integers as int[] C=new int[M+1]

Step 4: Make C as initial cost and for (int i = 0; i < C.length ; ++i)

Step 6: Print the case %.9f, tc to solve C

Step 7: Make middle=(lower+upper)/2 and check if(f(C,middle)<0)
upper=middle else lower=middle

Step 8: Calculate it by i -> ((i == 0) ? -1 : 1) * C[i] * Math.pow(1 + r,
C.length - 1 - i)).sum();

Step 9: Print the case

Step 10: End.

PROGRAM:

- `#include <iostream>`
- `#include <math.h>`
- `#include <stdio.h>`
- `#include <vector>`
- `using namespace std;`
- `double func(double r, vector<int> M)`
- `{`
- `int n=M.size();`
- `double sum=0-(double)M[0]*pow(1+r,n-1);`
- `for(int i=1;i<n;i++)`
- `sum+=M[i]*pow(1+r,n-i-1);`
- `return sum;`
- `}`

PROGRAM:

```
■ double dfunc(double r, vector<int> M)
■ {
■     int n=M.size();
■     double sum=0-(n-1)*M[0]*pow(1+r,n-2);
■     for(int i=1;i<n;i++)
■         sum+=(n-i-1)*M[i]*pow(1+r,n-i-2);
■     return sum;
```

```
■ }
■ int main()
■ {
■     int T;
■     cin>>T;
■     for(int i=0;i<T;i++)
■     {
■         int m;
■         cin>>m;
```

PROGRAM:

```
■ vector<int> M;
■     for(int j=0;j<m+1;j++)
■     {
■         int tmp;
■         cin>>tmp;
■         M.push_back(tmp);
■     }
■     double r,tmp;
■     r=0.5;

■     tmp=0.5;
■         r=r-func(r,M)/dfunc(r,M);
■         while(fabs(tmp-r)>1e-12)
■         {
■             tmp=r;
■             r=r-func(r,M)/dfunc(r,M);
■         }
■         printf("Case #%%d: %.12f\n",i+1,r);
■     }
■     return 0;
■ }
```


INPUT SCREENSHOT:

```
1 3
2 2
3 200 100 100
4 3
5 10000 3000 4000 5000
6 5
7 3000 100 100 100 100 100
```

OUTPUT SCREENSHOT:


```
Case #1: -0.000000000000
```

```
Case #2: 0.088963394693
```

```
Case #3: -0.401790748826
```

```
[Program exited with exit code 0]
```

➤ FLOWCHART:



```
VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git init
Reinitialized existing Git repository in C:/problems/.git/

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git version
git version 2.33.0.windows.2

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git config --global user.email "20113100@student.univ.ac.in"

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git config --global user.name "Fossteam4"

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    timetable.pdf

nothing added to commit but untracked files present (use "git add" to track)

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git add timetable.pdf

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git commit -m "timetable"
[master (root-commit) bfaf707] timetable
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 timetable.pdf

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git status
On branch master
nothing to commit, working tree clean

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$ git log
commit bfaf7079d33b525e61de6ac6dc2c06af3dd321e9 (HEAD -> master)
Author: Fossteam4 <20113100@student.univ.ac.in>
Date:   Wed Sep 15 20:00:24 2021 +0530

    timetable

VHREDDY@DESKTOP-6E89QFE MINGW64 /c/problems (master)
$
```



GITHUB SCREENSHOT



THANK
YOU