

A complete guide to every panel, indicator, signal and widget of the live scalping dashboard for **BTCUSDT**, **XAUUSDT**, **BNBUSDT** and **SOLUSDT** — what each instrument measures, how to read it, and how the dashboard decides when (and when not) to open a position.



Contents

1	How the dashboard thinks	13	Liquidations
2	Header · market & timeframe selector	14	Ticker marquee & execution cycle
3	Main chart	15	Strategy cards (backtest, best trade, Markov · Kelly)
4	Technical Analysis panel	16	Analysis checklist · every indicator
5	TradingView window · auto drawing tools	17	Timeframe strip & Signal Graph
6	Whale Pump/Dump Detector	18	Robustness · Monte Carlo · Quincunx
7	Breakout 1M	19	Trading floor · order book, tape, whale radar
8	Bollinger Band · 1H squeeze breakout	20	Floating widgets
9	Market activity status	21	Scalp Agent & process log
10	Sniper Scalp engine	22	Multi-market: XAU · BNB · SOL
11	Momentum Scalper (per second)	23	Indicator evaluation & validation results
12	Decision Desk	24	Daily workflow, glossary & risk notice

QUICK START

1. Open liemyo.github.io/btcusdt, choose the **Market** and **Timeframe** in the top row of the header.
2. Look at the **Sniper Scalp** panel and the **Scalp Agent** pill (bottom-left). A trade exists only when they show **BUY** or **SELL** with entry, TP and SL.
3. Everything else is context: it explains *why* the market is where it is and helps you size and time the entry.
4. Execute manually on Exness (button **EXNESS ↗**), always with the stop loss shown.

1 How the dashboard thinks

The Scalp Deck reads live Binance spot data (candles, every trade, the order book) plus Gate.io futures data (liquidations, open interest, funding). More than 27 modules score the market every second. They are combined into one decision, but **only rules that were profitable in a 400-day backtest are allowed to open a position.**

Validated setups only

Each entry rule ("setup") was tested on 400 days of data. Parameters were chosen on the first 60 % of the period and confirmed on the untouched last 40 %. Setups get a grade:

GRADE	MEANING	WHERE IT GOES
A B	Profitable in both halves of the test, robust to parameter changes	Sent to Sniper, Decision Desk and Agent; bell + notification
C	Profitable but thin edge	Shown in its own panel; traded only with AGGRESSIVE: ON
D	Lost money in the test on this market	Never signalled (display / radar only)

No signal is better than a blocked signal

Quality gates (candle timing, news hours, liquidation sweep risk, anomalies, regime, activity...) are checked *before* a signal is published. If any gate fails, **no signal is issued at all** — panels simply show **NO TRADE** or **WAIT**. You will never see a "BUY" that is then "BLOCKED".

Bandar mode & Sniper lock

- **BANDAR: ON** (default) — retail order-flow modules (tape, CVD, taker, whale prints, breakout chasing) are treated as *contrarian*, because on 1M–15M their direction tends to reverse. The main scoring engine had no out-of-sample edge, so entries come only from validated Sniper setups. The per-second ⚡ scalper is paused.
- **LOCK: ON** — forces Agent and Decision Desk to follow Sniper signals only, even with Bandar off.
- **AGGRESSIVE: ON** — also trades grade C setups.

IMPORTANT

A backtest is not a promise. Expect losing streaks: several setups win only 35–55 % of trades and rely on winners being larger than losers. Keep risk per trade small (0.5–1 % of capital).

2 Header · market & timeframe selector

MARKET

BTCUSDT · Bitcoin

TIMEFRAME

15M · 15 minutes

↓

USER GUIDE · PDF

B

SCALPBOT · BTCUSDT

02:08:32

WIB · TF 15M · MARKOV · KELLY · SELF-LEARN · MONTE CARLO

ALERT: OFF

EXNESS ↗

19:08:32

UTC · 134 ms

CONTROL	FUNCTION
Market ▾	Switches the whole dashboard to BTCUSDT , XAUUSDT (gold), BNBUSDT or SOLUSDT . The page reloads for the new instrument; each market keeps its own signal history, AI memory and journals. The link can be shared directly, e.g. <code>.../btcusdt/?s=SOLUSDT</code> .
Timeframe ▾	1M, 5M, 15M, 1H, 4H or 1D for the chart, checklist, Technical Analysis, Decision Desk, backtest, S/R widget, price widget and Agent. Sniper, Whale, Breakout and Bollinger setups keep the timeframe they were validated on.
↓ USER GUIDE · PDF	Downloads this document.
Note line	Explains the data source of the chosen market (gold uses the PAXG/USDT price) and how point-based settings are scaled.
ALERT: ON/OFF	Sound beeps for Decision Desk entries/exits and anomalies.
EXNESS ↗	Opens the Exness web terminal to execute trades.
Clock	UTC time and network round-trip latency to Binance (lower = fresher data).

The strap under the logo lists the live engines (WIB clock, active TF, Markov, Kelly, self-learning weights, Monte Carlo).


3 Main chart



Candlestick chart of the chosen market and timeframe (last 1,000 candles, live). ↻ **RESET 100%** or a double-click returns to the default zoom with the newest candle on the right.

ELEMENT	HOW TO READ IT
EMA 9 / 21 / 50	Short, medium and slow trend. 9 > 21 > 50 = uptrend stack; the reverse = downtrend. Arrows L/S mark EMA 9/21 crossovers.
VWAP & VWAP ±2σ	Volume-weighted average price of the UTC day and its 2-standard-deviation bands. Far outside ±2σ = stretched, mean-reversion risk.
BB 20 · 2σ (blue dashed)	Bollinger Bands of the current timeframe: middle = 20-period average, upper/lower = ±2 standard deviations. Narrow bands = compression (squeeze).
POC · VAH · VAL	24-hour volume profile: the most traded price and the 70 % value area.
R1 / S1 ●●●	Nearest resistance / support from swing pivots; dots = number of touches.
LIQ ↑ / LIQ ↓	Largest estimated liquidation clusters above and below price (price magnets).
SL / TP1 / TP2	Reference stop and targets of the engine's current lean (1.5 ATR stop, 1R and 2R targets).
Side column	Last price, 24h high/low/volume, ATR 14, Current signal (SETUP / WATCH / NO TRADE with score), countdown to candle close.


4 Technical Analysis panel



A plain-language summary of the main chart, refreshed every second.

- **Signal & score** — engine verdict and score vs. the entry threshold (usually 72/100).
- **Trade plan** — entry, stop loss (1.5 ATR), TP1 (1R), TP2 (2R or liquidation magnet), R:R and position size for your risk %. In Sniper-only mode it is labelled **REFERENCE ONLY** unless a Sniper signal is live.
- **Agent pending order** — the limit/stop order the Agent would place at a confluence level, with validity time.
- **Key levels** — a price ladder of VWAP bands, value area, S/R, liquidation clusters, EMA 50, Bollinger upper/lower and SL/TP, sorted around the current price (NOW).
- **Indicators** — EMAs, VWAP, RSI, MACD, ATR, volume, regime, VWAP z-score, **Bollinger %B** and **1H squeeze status**.
- **Checklist** — counts of PASS / WAIT / DROP and the heaviest items.
- **Reading** — short sentences describing structure, nearest levels and momentum.

5 TradingView window - auto drawing tools



15M with Auto Fibonacci, Auto Breakout Retracement, RSI Swing and Auto TP & SL switched on.

A separate TradingView-style chart right below the main chart. It loads its own Binance candles for the selected market (up to 1000 bars, updated every 3 seconds) and draws the analysis for you. Drag to scroll, use the mouse wheel to zoom, double-click to go back to the latest candles.

CONTROL	WHAT IT DOES
TF dropdown	Timeframe of this window only: 1m • 5m • 15m • 30m • 1h • 4h • D • W . It does not change the main dashboard timeframe.
 TOOLS dropdown	Switch every auto tool and indicator on or off (the pink number = how many are on) and set the swing sensitivity (Low = major swings, High = minor swings).
 RESET • BLANK	Removes every drawing and indicator — plain candles only.
	Full-screen window; X or Esc closes it.

Your timeframe, tools and sensitivity are remembered in this browser.

5 TradingView window - the tools



Blank chart (after RESET) with the TOOLS dropdown open.

Auto Fibonacci

Finds the latest **major swing** with an ATR zigzag and draws the retracement from the swing start (1) to the swing end (0): 0.236 · 0.382 · 0.5 · 0.618 · 0.786, the 1.618 extension on the far side and two yellow dashed **extension targets** beyond the swing end (1.272 and 1.618). The card shows the leg direction and how deep price has retraced. The swing is replaced automatically when price makes a new extreme.

Auto Breakout Retracement

Looks for the most recent close through a **swing high/low level** (dashed yellow) or through a **trendline** drawn over two falling highs / rising lows (solid yellow) and marks it **BO ▲ / BO ▼**. The blue box is the **38.2–61.8 % retest zone** of the breakout move; the red dotted line is 78.6 %. Status: **EXTENDING** (no pullback yet) → **WAITING RETEST** → **RETEST IN ZONE** → **DEEP RETRACE** (weak) or **FAILED** (closed back beyond the origin).

RSI Swing Indicator

RSI(7) with 70/30 bands in its own pane. A swing high is the highest high from the moment RSI goes above 70 until it goes below 30 (and the other way round). Swings are joined by the blue zigzag and labelled **HH / LH** above and **HL / LL** below; the last one is marked *live* while it can still move.

5 TradingView window - N strategy & TP/SL



1H with Auto N Strategy and Auto TP & SL: a bullish A-B-C, entry on the break of B.

Auto N Strategy

The N wave: impulse **A**→**B**, pullback **B**→**C** that holds above A (bull) or below A (bear) and retraces 23.6–95 % of AB. Entry is a **stop order at B**. Targets (Ichimoku wave calculation):

TARGET	FORMULA	MEANING
V	$B + (B - C)$	mirror of the pullback
N	$C + (B - A)$	classic N target (gold line)
E	$B + (B - A)$	extended target
NT	$C + (C - A)$	conservative target

Status: **FORMING** (C still moving) → **WAITING BREAK OF B** → **TRIGGERED** → **N TARGET HIT**, or **INVALID** when C breaks.

Auto Take Profit & Stop Loss

Draws a TradingView-style position box (green = profit, red = risk) with entry, SL and TP1–TP3 and their R multiples. It uses **only the tools that are switched on**, in this order: N Strategy (confirmed) › Breakout Retest › N Strategy (forming) › Fibonacci. With only TP & SL switched on it falls back to the EMA 50 trend (market entry, SL behind the last swing, TP at 1R/2R/3R).

SOURCE	ENTRY	STOP LOSS	TAKE PROFITS
N Strategy	stop at B	beyond C – 0.25 ATR	$V \cdot N \cdot E$ (sorted by distance)
Breakout retest	limit at 50 % of the zone	beyond 78.6 % – 0.25 ATR	breakout high/low · 1.272 · 1.618
Fibonacci	limit at 0.618	beyond 0.786 – 0.25 ATR	$0 \cdot 1.272 \cdot 1.618$ extension

CHART AIDS, NOT SIGNALS

These drawings are calculated automatically from the candles and are not backtested like the Sniper setups. Use them to read structure and plan levels; take trades only from the validated setups (Sniper, Whale, Breakout 1M, BB squeeze) and always with a stop loss.


5 TradingView window · weekly example



Weekly (W) with Auto Fibonacci and RSI Swing — the same view as a TradingView weekly chart with the RSI Swing Indicator.

- Higher timeframes (4h · D · W) give the big picture: major Fibonacci zones and the HH/HL or LH/LL structure.
- Lower timeframes (1m–15m) show the breakout, retest and N setups used for scalping levels.
- Use **Low** swing sensitivity for cleaner major swings, **High** for more, smaller swings.

6 Whale Pump/Dump Detector




Detects big-player footprints on closed 5M candles and follows them (setup **WHL**).

- **Signal rule:** volume $\geq 8\times$ the 5-hour average, average trade size $\geq 1.4\times$ (big players, not retail), $\geq 60\%$ takers in the candle direction and a body ≥ 0.8 ATR $\rightarrow$ **FOLLOW** at the next open. Stop at 50 % of the whale candle (min 0.5 ATR), target 3R, 2-hour time stop.
- **Backtest BTC:** 214 trades, win rate 34.6 %, profit factor 1.31 (low win rate, big winners). Volume $\geq 12\times$ = strong whale (PF 1.46).
- **Big candle alarm** (middle): live size of the current 1M/5M candle vs. 100/200/300 points. Alert only — jumping in on a big candle lost in testing. The row shows $\checkmark$ if a validated setup confirmed it, otherwise "skip".
- **1M early warning** (right): 1-minute whale bursts (radar, not traded), live footprint gauges and a 5-minute whale tape.

On XAU, BNB and SOL the whale-follow rule lost in testing; there the panel works as a radar only and never signals.

7 Breakout 1M




Places a pre-breakout **STOP order** just beyond the 12-hour high or low when four conditions pass on a closed 1-minute candle:

- 1. price within 25 points of the 12h level,
- 2. 4H trend in the breakout direction,
- 3. takers $\geq 56\%$ toward the level over 5 minutes,
- 4. last 30 minutes compressed (range $\leq 12 \times 1M\ ATR$).


Order 5 points beyond the level, valid 60 minutes, TP +300 / SL -150 points, 4-hour time stop. BTC backtest: 459 trades, WR 41 %, PF 1.20 → grade **C** (traded only in AGGRESSIVE mode). The toggle **LEVEL 4H · aggressive** watches 4-hour levels instead (PF 0.90 → display only). The middle column shows the live distance to both levels and which of the 4 conditions are met.

Only validated on BTC (1-minute data). On other markets levels are shown for reading but no orders are placed.

8 Bollinger Band - 1H squeeze breakout



9 Market activity status



Compares the last 60 minutes of volume and number of trades with the 7-day median for the same hour.

- **HIGH / NORMAL** — trading recommended: tighter spreads, more reliable signals.
- **LOW / VERY LOW** — signals fail more often; the dashboard reduces risk automatically ($\times 0.75$ / $\times 0.5$). Consider smaller lots or wait for the next busy period shown.
- **Hourly volume profile** (right): average volume per hour of day in WIB (Jakarta time); green bars are the usual busy hours.

10 Sniper Scalp engine



The heart of the dashboard: it scans every closed 1M, 5M, 15M and 1H candle for the validated setups and publishes **one** actionable signal (highest priority first).

SETUP	TF	IDEA	BTC TEST	GRADE
REV · Fast reversal	5M	Liquidation flush against the 1H trend is over; price retraces $\geq 50\%$ and takers flip $\rightarrow$ trade back with the trend	PF 1.38	A
LIQ · Liquidation sniper	5M	Liquidation cascade against the 1H trend $\rightarrow$ LIMIT at 50 % of the cascade candle	PF 1.53	A
FLW · Flush follow	15M	15M cascade $\geq 2\times$ ATR, volume $\geq 3\times$ against macro bias $\rightarrow$ follow	PF 1.91	A
WHL · Whale pump/dump	5M	See section 6	PF 1.31	B
BBS · BB squeeze 1H	1H	See section 8	PF 1.48	B
ABS · Bandar absorption	15M	Aggressive takers absorbed (candle closes the other way) with the 4H trend $\rightarrow$ trade with the absorber	PF 1.76	A
PB · Macro pullback	15M	1D/4H/1H aligned, EMA 21 pullback + trigger candle	PF 1.37	B
BO · Trend breakout 4H	5M	2-hour breakout with 1H + 4H trend $\rightarrow$ limit retest	PF 1.24	C
B1M / B4H	1M	See section 7	1.20 / 0.90	C D

- Left column** — the live signal: **BUY/SELL**, order type (market/limit/stop), entry, TP, SL, lot for your risk, the reason and backtest statistics. Without a signal it shows **WAIT** and how close the market is to a flush or breakout.
- Middle** — pressure indicator ($-100\dots+100$) from 1H trend, macro, taker flow, CVD, whales and liquidations, plus the radar of big liquidations/whales. Used for confirmation and lot size, not as a trigger.
- Right** — signal log and the **AI memory** table: backtest vs. the setup's results in the loaded history. A setup whose last 20 results have $PF < 1$ switches to **STRICT** (tighter filters).
- Buttons** — LOCK, BANDAR, AGGRESSIVE, bell on/off, test bell, browser notifications. Hot crypto news and price shocks trigger a red alarm banner.

11 Momentum Scalper (per second)



Builds 1-second bars from every trade and measures price velocity (5/15/30 s, in standard deviations), buy/sell delta, volume bursts, trades per second, order book balance and micro-trend.

- **Candle anomalies** (right): 5-second spikes, 1-minute wicks, volume absorption and liquidation cascades are tracked until they either reverse or continue.
- **Liquidation sweep forecast**: probability (0–100) that price first runs to the nearest large liquidation cluster.
- In **Bandar mode** the scalper is **paused**: per-second scalps lost to the spread in backtests (PF 0.56), so no fast signals are issued. The panel remains useful to read micro order flow.

12 Decision Desk




An automatic paper-trading desk that executes the dashboard's validated decisions so you can audit them.

- **Live decision** — WAIT / BUY / SELL, time flat or in position, score vs. threshold and the **decision chain** (Technical, Order flow, Liquidations, Market context, Advanced validation) with pass/fail counts, plus every quality gate.
- **Log** — each entry and close with price, score, stop, target, status (TP, SL, EXP = time stop, FLIP, EXIT), result in R and in dollars, and the reasons.
- **Summary** — closed trades, total R, best/worst and average holding time. **Copy CSV** exports the log.


Account size and risk % (inputs in the desk) drive every lot and dollar figure on the dashboard.

13 Liquidations



- **Liquidation map (3 days)** — estimated liquidation volume per price for 10x, 25x, 50x and 100x leverage, with cumulative long (red) and short (green) curves. Big bars close to price act as magnets.
- **Heatmaps 1 month / 1 week / 12 hours** — the same estimate through time; a band disappears once price trades through it. Brighter = more positions at risk.
- **Taker buy / sell** — aggressive buying vs. selling for 5m, 30m, 4h and 1d.
- **Order book heatmap** — resting liquidity around price over the last minutes; bubbles = trades ≥ \$20K, yellow ring = liquidation.
- **Gate.io statistics** — 24h long/short liquidations, open interest, taker long/short ratio, funding rate and an hourly liquidation bar chart.
- **Liquidation feed** — live forced orders from Gate (Binance futures, Bybit and OKX when your network allows).

14 Ticker marquee & execution cycle



The scrolling ticker shows the selected market and seven other major coins with their 5-minute change — useful to see whether a move is market-wide (breadth) or specific.



The execution cycle visualises the six steps the engine runs every second; the highlighted step is where the current cycle stopped:

- 1. **Scan** 6 timeframes and all modules
- 2. **Detect** a lean (long/short) and trend
- 3. **Validate** score against the threshold and gates
- 4. **Size** risk % (capped by ½ Kelly)
- 5. **Entry** when a validated setup exists
- 6. **Settle** closed trades

RTT = round-trip time to Binance.

15 Strategy cards



Strategy • Backtest

Performance of the validated Sniper setups in the loaded history: total result in dollars and R, expectancy per trade, number of trades, win rate, average reward/risk, drawdown risk score and maximum drawdown. The inner box shows the Decision Desk's live positions.

Best trade

The best backtest trade (entry, exit, setup, date), SQN (system quality), p-value of the edge, best day and win rate progress.

Markov • Kelly

A 3×3 transition matrix: after a down / flat / up candle, how often the next candle was down / flat / up. The highlighted row is the current state. **Kelly f*** is the theoretically optimal bet fraction from win rate and R:R; the dashboard never uses more than ½ **Kelly** and never more than your risk input.

Latest decisions

The most recent Decision Desk entries.

16 Analysis checklist · every indicator




Every module votes **PASS** (supports the lean), **WAIT** (neutral) or **DROP** (against). The score is the weighted share of PASS. Weights (w) combine a prior from the 400-day indicator evaluation with self-learning hit rates from the backtest. A RSI chart and MACD histogram sit at the bottom.

MODULE	PASS WHEN (FOR A LONG LEAN)
EMA stack 9/21/50	9 > 21 > 50 (weight ×0.75)
Price vs VWAP	price above VWAP
RSI momentum	RSI 50–70 (weight ×0.5)
MACD histogram	positive and rising (×0.5)
Volume vs 20 avg	last candle ≥ 1.2× average
Aligned with higher TF	higher TF trend up (×1.5, strongest)
ATR volatility	enough range to pay the spread
Bollinger squeeze 1H	1H squeeze breakout in the same direction
Order book / Tape / CVD / Taker / Whale	buyers dominate (reversed ⇔ in Bandar mode)
Liquidation magnet & flow	bigger short clusters above / shorts being liquidated
6 TF alignment, Markov, Breadth	other TFs, next-candle odds and other coins agree
Funding & L/S, S/R	crowd not over-long; not right under resistance
Validator items	regime, VWAP σ, profile, CVD, OI, basis, premium, divergence, walls

17 Timeframe strip & Signal Graph




Mini price lines for 1M, 5M, 15M, 1H, 4H and 1D with the change over the displayed window — a fast multi-timeframe glance.



The **Signal Graph** is a live force-directed network: the market is the central hub, each timeframe is a cluster, and each indicator is a node coloured **bull**, **bear**, orange (catalyst: whales, liquidation clusters) or pink (collision: conflicting signals).

The box shows conviction, counts per type and the overall reading (e.g. STRONG UP). Bottom-right: trades per minute and time to the next candle.

18 Robustness · Monte Carlo · Quincunx



- **Robustness** — price change over the last 12 candles on 5M/15M/1H for 8 assets, and the **Horizon** score (0–100) from alignment, performance, risk and statistical confidence. Horizon below 40 blocks new entries.
- **Monte Carlo** — 3,000 random re-orderings of the backtest trades (100 trades per path) at your risk %: 5th percentile, expected return and probability of ending with a loss. If loss probability > 50 %, risk is halved automatically.
- **Quincunx** — a Galton board: each ball falls right (bull) or left (bear) with the combined Markov + checklist probability; the inset tracks win-rate convergence.

19 Trading floor - order flow



- **Order book** — top 20 bid and ask levels with size bars, spread, mid price and the bid/ask balance.
- **Tape** — every aggregated trade (green = buyer-initiated, red = seller-initiated) and the 1- and 5-minute buy/sell pressure.
- **Whale radar** — trades above the \$ threshold (editable; scaled automatically per market) and the signal log of verdict changes. The header shows 5-minute CVD.



Footer: connection status (LIVE host), session seed, time to first data, uptime, latency and major coin prices.

20 Floating widgets

The right-hand column floats above the page so key readings stay visible while you scroll. Click a widget header to collapse it; the dock (bottom-right) controls all of them.



Buy/Sell meter

A needle from 0 (strong sell) to 100 (strong buy) combining trend, technical, order flow, liquidations, market context, advanced validation, Markov, S/R and the Agent. Bars show each component; the spark line the last 18 minutes.



Price widget


Live price with its own timeframe chips, 24h change, the last-5-candle high/low and where price sits in that range.



S/R · Breakout

Support/resistance ladder (R2, R1, NOW, S1, S2) from pivot swings with touch counts and distance. Status: INSIDE RANGE, BREAKOUT ↑/↓ (with volume check) or FAKE breakout. Boxes show the measured-move target if R1 or S1 breaks and any obstacle in the way.

Jakarta clock




Date and time in WIB (GMT+7).

Widget dock



+ show all · - minimise all · · hide all widgets.

20 Floating widgets • Validator



The **Validator** adds professional instruments and grades the setup quality A+ ... D (the pill in its header):

INSTRUMENT	MEANING
Regime	ADX + Choppiness + Bollinger width: TREND, RANGE, SQUEEZE or TRANSITION
VWAP σ	distance from VWAP in standard deviations; $> 2.2\sigma$ = don't chase
Profile 24h	POC and value area position
CVD candle	cumulative taker delta 15m/1h/4h and price-vs-CVD divergence
Open interest Δ	price $\times$ OI quadrant (new longs, short covering...)
Basis perp	futures premium vs. index/spot; high = crowded longs
CB premium	Coinbase vs. Binance price (US demand), where available
Div RSI	regular RSI divergence at recent pivots
Walls book	order-book walls that persisted $\geq 70\%$ of the last minute
Time	US data releases, US stock open, funding times
Activity, BT stability, Top trader	market activity, backtest edge early vs. recent, top-trader long/short

Live agent accuracy journals every Agent signal and scores it automatically (hit rate, Brier score, calibration by confidence band). **Copy CSV** exports it.

21 Scalp Agent & process log



Click the ♦ **AGENT** pill (bottom-left) to open the Agent. It merges all modules into one answer for the chosen timeframe:

- **Single answer** — WAIT / BUY / SELL with grade and a one-line reason; **Copy answer** copies it.
- **Decision** — confidence and the vote of every module (✓ agree, ✗ against, • neutral): engine, meter, trend, breakout, reversal, momentum, higher-TF trends, **Bollinger 1H**, regime, VWAP σ , volume profile, CVD, open interest, basis, walls...
- **Sniper • pending order** — the limit/stop order at the strongest confluence level with stop behind structure and two targets. Not proposed when entry conditions are incomplete.
- An action change must hold for 8 seconds before it is shown (no flicker). A market entry needs grade $\geq$ B.



AI Agent • process log



Every step before a decision (scan, trend, modules, gates, Sniper, votes, plan, decision, desk) with Jakarta date and time.

22 Multi-market: XAU · BNB · SOL

MARKET

XAUUSD · Gold

TIMEFRAME

1H · 1 hour

↓ USER GUIDE · PDF

Gold price from Binance: spot PAXG/USDT (1 PAXG = 1 troy oz of gold). Exness XAUUSD may differ by a few dollars.

Au

SCALPBOT · XAUUSD

02:09:28 WIB · TF 1H · MARKOV · KELLY · SELF-LEARN · MONTE

ALERT: OFF

EXNESS

19:09:28

UTC · 129 ms

Choosing another market rebuilds every module for that instrument:

- **Gold (XAUUSD)** uses Binance spot **PAXG/USDT** (1 PAXG = 1 troy ounce) as the price source; Gate.io XAU_USDT futures supply liquidations and open interest. The Exness XAUUSD quote may differ by a few dollars. Lot sizes assume 1 lot = 100 oz.
- Point-based settings (costs, targets, 25-point distances, big-candle levels) are scaled by the ratio of the market's 5M ATR to BTC's; dollar thresholds (whales, liquidations) by market size.
- Prices show the right number of decimals (SOL 3, others 2).

SNIPER SCALP · LIQUIDATIONS · FAST REVERSAL · BREAKOUT · WHALE · BB SQUEEZE · TARGET 3.16-9.48 POINTS

WAIT · XAU 4,178.69 · PRESSURE -11

SNIPER SCALP · 1 VALIDATED SETUP ON XAU

WAITING

WAIT

No setup has qualified yet. flush 5M 0.3/2.5* ATR · vol 0.7/3* · breakout: 2h high 4,182.42 (+3.73) · low 4,151.25 (-27.44)
On XAU only the 1H Bollinger squeeze breakout passed the 400-day test (the BTC-tuned setups lost here), so signals are rare but validated. No signal is better than a weak one.

LOCK: OFF BANDAR: ON AGGRESSIVE: OFF ON

Test bell Notifications

PRESSURE INDICATOR · WHALE · BROKER · LIQUIDATIONS

-11

1H trend 0
Macro -100
Taken 5M +22
CVD 5 min 0
Wahle 10m 0
Liquidations 15m 0
Wahle footprint 0
5M
Flush 5M 0.3* ATR
Volume 5M 0.7*
Wahle 10e: buy \$0 / sell \$0 · Liquidations 15e: long \$0 / short \$0 · wahle footprint -0.00
Score + = buy pressure (shorts liquidated, whales buying). Used for confirmation & lot size, not as a trigger (backtest: following whales alone loses).
Radar: no big liquidations/whales since opened.

SIGNAL LOG

0

No signals since opened.

AI MEMORY · BACKTEST VS EXPERIENCE

SETUP	BT WIN/PP	MEMORY W	WIN	P	TATUS
FAST REVERSAL D	50% / 0.74	15	53%	0.4	STRICT
LIQUIDATION SNIPER D	50% / 0.96	21	33%	0.1	normal
FLUSH FOLLOW 15M D	43% / 0.49	14	50%	0.76	STRICT
WHALE PUMP/DUMP D	28% / 0.65	43	40%	0.89	STRICT
BB SQUEEZE 1H D	51% / 1.34	5	60%	0.95	normal
BANDAR ABSORPTION D	24% / 0.83	58	26%	0.99	normal
MACRO PULLBACK D	52% / 0.89	31	55%	1.24	STRICT
TREND BREAKOUT 4H D	59% / 1.23	12	58%	0.92	STRICT
BREAKOUT 1M D	not tested	3	100%	9.99	normal
BREAKOUT 1M · 4H LEVEL D	not tested	6	50%	2.59	normal

400-day backtest on XAU 5M/15M/1H candles, cost 0.46 (scaled).
Parameters chosen on the first 80% and confirmed on the last 40%. Grade A/B go to desk/agent; grade C only in aggressive mode; grade D (failed on this market) never signals. Old losing rules and their history were reset. Memory is stored in the browser and tightens any setup whose last 20 results have PFC1.

Sniper Scalp on gold: only one validated setup (the Bollinger squeeze) — the BTC-tuned setups are grade D here.

22 Multi-market · example SOLUSDT

MARKET SOLUSDT · Solana

TIMEFRAME 15M · 15 minutes

USER GUIDE · PDF

Shaper / Whale / Breakout thresholds are scaled to SOL volatility (1 BTC point = 0.0025 SOL price units).

SCALPBOT · SOLUSDT

02:09:59 WIB · TF 15M · MARKOV · KELLY · SELF-LEARN · MONTE

ALERT: OFF

EXNESS

19:09:59 UTC · 124 ms



BOLLINGER BAND (20, 2σ) · 1H SQUEEZE BREAKOUT · MULTI-TIMEFRAME BANDS

NO SQUEEZE · SOL 119.450 · 1H %B 0.62

ACTION · 1H BOLLINGER SQUEEZE BREAKOUT · GRADE B

NO SQUEEZE

1H band width is at the 53th percentile of the last 120 hours. The setup needs a squeeze (≤5th percentile) first; breakouts from wide bands had no edge.

400-day backtest SOL 86 trades · WR 56% · PF 1.36

4 markets pooled PF 1.59 / 1.68 loaded history 7 · WR 71% · PF 2.29

TF	UPPER	MID	LOWER	%B	WIDTH	W PCT	STATE
5M	119.755	118.530	117.305	0.88	2.07%	p88	upper half
15M	120.493	118.770	117.047	0.70	2.90%	p88	upper half
1H	121.234	118.910	116.587	0.62	3.91%	p53	upper half
4H	124.184	120.395	116.585	0.38	6.31%	p36	lower half

1H POSITION INSIDE THE BAND

%B: 0 = lower band, 1 = upper band, >1 / <0 = outside. W pct = where today's band width sits in the last 120 candles (low = squeeze).

RECENT 1H SQUEEZE SIGNALS

27 Sept 14:00	BREAKOUT BUY	SL	-2.158 pts
23 Sept 21:00	BREAKOUT SELL	TP	1.552 pts
20 Sept 09:00	BREAKOUT SELL	SL	1.098 pts
11 Sept 19:00	BREAKOUT BUY	TP	1.892 pts
05 Sept 19:00	BREAKOUT BUY	TP	+1.122 pts
29 Aug 21:00	BREAKOUT BUY	TP	+1.762 pts
27 Aug 05:00	BREAKOUT BUY	TP	+2.412 pts

Indicator evaluation (400 days, BTC · XAU · BNB · SOL): classic Bollinger entries – fading a close outside the band, %B zones, middle-band side, band-walk pullbacks and RSI band dips – had no edge (PF 0.6-0.9). Only the 1H squeeze – breakout+loss held up on all four markets, so it is the one Bollinger rule that opens positions. Rules: TP 2·ATR · SL 2·ATR · 24-hour time stop · entry at the next 1H open.

SOLUSDT: chart with 3-decimal prices and the Bollinger panel with its own backtest (86 trades, PF 1.36).

23 Indicator evaluation & validation results

Which setups work on which market

Every Sniper setup was run with the dashboard's own code on 400 days of 5M/15M/1H candles for each market (stop assumed hit first, spread cost scaled). Profit factor (PF) = gross profit ÷ gross loss; above 1 is profitable.

SETUP	BTC	XAU	BNB	SOL
BBS · BB squeeze 1H	1.48	1.34	1.08	1.36
LIQ · Liquidation sniper	1.94	0.96	0.98	0.94
FLW · Flush follow 15M	1.48	0.49	0.85	0.80
ABS · Bandar absorption	1.72	0.83	0.86	0.48
PB · Macro pullback	1.35	0.89	0.97	0.94
REV · Fast reversal	1.32	0.74	1.00	1.28*
WHL · Whale pump/dump	1.31	0.65	1.20*	0.80
BO · Trend breakout 4H	1.26	1.23*	0.97	0.92

* profitable overall but lost in one of the two test halves → not robust, graded D.

CONCLUSION

The BTC-tuned setups do not transfer to other markets. On XAU, BNB and SOL the dashboard therefore signals only the Bollinger squeeze (BNB as grade C). Fewer signals, but each one is backed by data.

Classic indicators on their own

For every checklist indicator the average move over the next hour was compared between PASS and DROP states on all four markets:

INDICATOR	FINDING	WEIGHT USED
Higher-timeframe trend (1H)	Only consistently positive signal (strongest on BTC and gold)	×1.5
VWAP side, volume	Small positive edge	×1
EMA stack	≈ no edge	×0.75
RSI 50/70 zone, MACD histogram	No edge or slightly negative	×0.5
Bollinger %B, middle-band side, band fade	No edge (PF 0.6–0.9 as strategies)	not used as triggers

None of the classic indicators beats the trading costs alone. They are context; entries come from the validated setups.

24 Daily workflow, glossary & risk notice

A simple routine

1. Check **Market activity**: prefer HIGH/NORMAL hours; avoid US data release windows flagged by the Validator.
2. Read context: higher-timeframe trend (checklist, strip), Bollinger state (squeeze armed?), liquidation clusters and S/R.
3. Wait for a **Sniper / Agent BUY or SELL**. Turn the 🔔 bell and notifications on so you don't have to watch constantly.
4. Enter on Exness with the shown entry, **stop loss** and target; use the lot shown for your risk %.
5. Do not move the stop further away. Respect the time stop. Review results in the Decision Desk and AI memory.

Glossary

ATR	Average True Range — typical candle size; used for stops and targets.
R	Result in units of the initial risk (1R = the stop distance).
PF	Profit factor = gross profit ÷ gross loss.
WR	Win rate — share of winning trades.
CVD	Cumulative volume delta — aggressive buys minus sells.
Taker	The side that crosses the spread (market order).
Liquidation	Forced closing of a leveraged position; clusters attract price.
Squeeze	Unusually narrow Bollinger Bands (low volatility before expansion).
%B	Position of price inside the Bollinger Bands (0 = lower, 1 = upper).
Kelly	Optimal bet fraction; the dashboard caps risk at ½ Kelly.
Points (pts)	Price units of the selected market (BTC: \$1).

RISK NOTICE

This dashboard is an educational technical-analysis tool. It does not execute trades and is not investment advice. Leveraged CFD and crypto trading carries a high risk of losing money quickly. Backtest results do not guarantee future results; data feeds can be delayed or unavailable. Only trade with money you can afford to lose and always use a stop loss.