

Scalable IoT platform for remote patient monitoring to reduce heart failure readmissions.

Healthcare × Remote patient monitoring × IoT platform · OS025 v2 · refreshed 2026-08-18

ATTRACTIVENESS	RIGHT TO WIN	COMPETITION	SERVICEABLE MARKET	HORIZON	PORTFOLIO
67 is the world moving	48 can we play, can we win	HIGH 0 named in the evidence	€976m partial evidence · per year	LATER research and standards activi...	L1 17 signals

Attractiveness and right to win are scored and displayed separately and are never combined (SC-12). Competition is a fourth quantity, not a discount on either.

Market opportunity

Method	Total (TAM)	Serviceable (SAM)	Obtainable (SOM)	Confidence
Bottom-up: enterprises x adoption x contract value	€1.6bn €130m – €7.5bn	€976m €79.9m – €4.6bn	€11.7m €959k – €55.8m	partial
Observed: tendered contract value, annualised	€70.8m	€70.8m	€850k	observed

All figures are annual, in EUR. Ranges compound the uncertainty of each factor below; the base case is the middle column of each.

Bottom-up: enterprises x adoption x contract value

Factor	Value	Basis	Source	As of
Enterprises in Healthcare (EU27_2020)	46,762 enterprises	observed	Eurostat · sbs_sc_ovw	2024
Enterprises adopting IoT platform	28.7 % of enterprises (10+ employees)	proxy	Eurostat · isoc_eb_iotn2 · E_IOT1	2021
Annual value of one engagement	€970k per enterprise per year	observed	TED (Tenders Electronic Daily) · ted	2026-05-19..2026-07-22
Size-weighted buyer base	5,698 enterprise-equivalents at large-enterprise engagement value	assumption	config/sizing.yaml · size_class_value_weights	size-2026-08-a
Assumed obtainable share of the serviceable market	1.2 % of SAM	assumption	config/sizing.yaml · obtainable_share	size-2026-08-a

Read this before quoting the number. Adoption rate is a declared proxy. Enterprises using IoT Part of this vertical is not covered separately by the enterprise ICT survey, so the all-activities rate was used for those slices. Contract values are observed from EU public procurement (TED). For private-sector verticals they are used as a proxy for comparable enterprise deal size: the buying entity differs, the scope of work is comparable. Engagement value is scaled by enterprise size class (10-19: x0.04, 20-49: x0.09, 50-249: x0.35, GE250: x1.0), because the observed contract value comes from large-organisation tenders. Sector adoption is read from Eurostat's all-activities aggregate for part of this vertical, which the enterprise ICT survey does not cover separately: PROXY — ICT survey excludes health activities; PROXY — residential care


Observed: tendered contract value, annualised

Factor	Value	Basis	Source	As of
Tendered contract value in matching CPV categories	€70.8m per year	observed	TED (Tenders Electronic Daily) · ted	2026-05-19..2026-07-22
Assumed obtainable share of the serviceable market	1.2 % of SAM	assumption	config/sizing.yaml · obtainable_share	size-2026-08-a

Read this before quoting the number. Observed over 85 days of TED coverage and scaled to a year (x4.3); a short collection window makes that scaling rough. 7 matching notices, matched on vertical via the CPV crosswalk — \$4.5.2's warning applies: a crosswalk error lands directly in this number. Public procurement only. Private-sector demand for the same capability is not visible here at all, so this is a floor rather than a market size.

The solution, in one picture

Secure RPM Platform for Heart Failure



This diagram shows how patient data flows securely from wearables through Orange's certified platform to clinical teams, enabling timely interventions.

Boxes marked as Orange assets are validated against the linked business graph; a box the model claimed for Orange without a matching asset is shown as third party.

What has changed

Remote patient monitoring (RPM) technologies are changing healthcare delivery, with potential in medication management and clinical decision-making (SIG-5DC2307BBA57). Wearable devices enable continuous monitoring of physiologic and behavioural measures outside clinical settings, empowering patients (SIG-414D1342F56A). AI-enabled remote monitoring using wearable devices can reduce hospital admissions and improve outcomes in chronic heart failure (SIG-E95AED1CBD71). IoT-based RPM systems enable continuous monitoring and improve patient outcomes (SIG-80D279F1625B). However, a reality check is emerging: RPM faces implementation challenges, including data overload and integration issues (SIG-922D61D29366).

Sources: SIG-5DC2307BBA57 openalex.org 2026-04-04; SIG-414D1342F56A openalex.org 2026-03-25; SIG-E95AED1CBD71 openalex.org 2025-12-10; SIG-80D279F1625B Journal of Smart Techn 2026-03-01; SIG-922D61D29366 bing.com 2026-05-26

Who buys, and why now

The buyer is typically a Chief Medical Officer or Chief Digital Officer at a hospital system or a payer's VP of Care Management. The pain is operational: heart failure patients are readmitted at high rates, and clinicians lack timely data to intervene before decompensation. The trigger is often a penalty for high readmission rates or a strategic push to expand value-based care. They need a platform that integrates with existing EHRs and workflows, not just a device dashboard.

Sources: SIG-AFC3B44CAE18 Global Cardiology Scie 2026-05-22

Why it is hot now — every claim bound to a dated source

- Remote Patient Monitoring technologies are changing healthcare delivery, with potential in medication management and clinical decision-making. [SIG-5DC2307BBA57]

- Wearable devices enable continuous monitoring of physiologic and behavioural measures outside clinical settings, empowering patients. [SIG-414D1342F56A]
- AI-enabled remote monitoring using wearable devices can reduce hospital admissions and improve outcomes in chronic heart failure. [SIG-E95AED1CBD71]
- Remote patient monitoring in heart failure aims to detect early signs of decompensation and reduce recurrent hospitalizations. [SIG-AFC3B44CAE18]
- IoT-based RPM systems enable continuous monitoring and improve patient outcomes. [SIG-80D279F1625B]

What Orange would deliver, and why it can win

What Orange would deliver

Orange would assemble a secure, scalable IoT platform using Live Objects for device connectivity and data ingestion, Enovacom/Enovalife for healthcare data integration and interoperability, and leverage Orange's IoT and Healthcare experts for deployment and optimization. The engagement would start with a pilot to connect a cohort of heart failure patients using wearable devices, integrate data into clinical workflows via Enovacom, and then scale to full deployment. The platform would be hosted on Orange's certified infrastructure (ISO 27001, SecNumCloud, HDS) to ensure compliance and trust.

Why Orange can win

Orange can win because it combines a proven IoT platform (Live Objects) with healthcare-specific integration (Enovacom/Enovalife) and certifications (HDS, SecNumCloud) that are critical for health data sovereignty and security. Orange's experience with MicroPort CardioFlow and Bliksund demonstrates ability to handle complex IoT and healthcare deployments. However, competitors also have strong IoT platforms, so Orange must differentiate on healthcare expertise and compliance.

Named assets behind this — each individually inspectable (LK-08)

Asset	Type	Link	Why it is linked	Curator
Live Objects	offer	L1	offer provides the technology in a matching domain	unconfirmed
Enovacom / Enovalife	offer	L1	offer addresses the use case but not this technology	unconfirmed
ISO 27001	certification	SUP	certification Orange holds is required by this vertical	unconfirmed
SecNumCloud	certification	SUP	certification Orange holds is required by this vertical	unconfirmed
HDS (Hébergeur de Données de Santé)	certification	SUP	certification Orange holds is required by this vertical	unconfirmed
IoT experts	capability pool	SUP	capability pool staffs this domain, vertical or technology	unconfirmed
Healthcare experts	capability pool	SUP	capability pool staffs this domain, vertical or technology	unconfirmed
Orange Group researchers	capability pool	SUP	capability pool staffs this domain, vertical or technology	unconfirmed
MicroPort CardioFlow	reference	SUP	published reference in this vertical for this use case	unconfirmed
Bliksund	reference	SUP	published reference in this vertical, different use case	unconfirmed

Competitive landscape

HIGH competitive intensity (score 8.2; 0 of 8 listed players appear in this topic's own evidence)

Crowded, with heavyweight incumbents already visible in the evidence. Win on a specific differentiator or do not bid.

Competitor	Category	Position here	Basis	Evidence
AWS	Hyperscaler	sells IoT platform; competes in OX: Smart Industries — also an Orange partner	structural	—
Deutsche Telekom / T-Systems	Telecom operator peer	sells IoT platform; active in Healthcare; competes in OX: Smart Industries	structural	—

NTT DATA	Global systems integrator	sells IoT platform; competes in OX: Smart Industries	structural	—
Proximus	Telecom operator peer	sells IoT platform	structural	—
Telefonica Tech	Telecom operator peer	sells IoT platform	structural	—
Telia Company	Telecom operator peer	sells IoT platform; competes in OX: Smart Industries	structural	—
Verizon Business	Telecom operator peer	sells IoT platform	structural	—
Vodafone Business	Telecom operator peer	sells IoT platform; competes in OX: Smart Industries	structural	—

evidenced means this topic's own sources name the competitor — the signal ids are in the last column and are dated and clickable in the radar. **structural** means the curated register says they sell this technology into this vertical, which is true but is not proof they are in this deal. Register version competitors-2026-08-a.

Qualifying questions for the first meeting

- 1 What is your current 30-day readmission rate for heart failure patients, and what is your target?
- 2 Which wearable devices or sensors are you already using, if any, and how is the data currently collected?
- 3 How do your clinicians currently receive alerts about patient deterioration, and what is the typical response time?
- 4 Do you have a dedicated team for remote patient monitoring, or is it an additional duty for existing staff?
- 5 What are your data residency and security requirements for patient data, and are you subject to any specific regulations?
- 6 Have you piloted any RPM solutions before? What were the main challenges?

Objections you will meet

They will say	You can answer
We already have a remote monitoring program with another vendor.	That's great—you've seen the value. Many programs struggle with scalability and integration. Our platform is designed to integrate with your existing EHR and devices, and we can help you expand to more patients without adding staff burden.
Our clinicians are already overwhelmed with data; adding more will make it worse.	We understand the concern. That's why our solution uses AI to filter alerts and only escalate actionable insights, reducing noise. We also work with your team to set up workflows that minimize disruption.
We are concerned about the security and sovereignty of patient data.	That's a valid concern. Orange offers HDS and SecNumCloud certified hosting, ensuring your data stays in Europe and meets the highest security standards. We have deep experience in healthcare data protection.
Your solution sounds expensive compared to a basic IoT platform.	We provide a complete solution—connectivity, integration, compliance, and support. The cost is justified by reduced readmissions and improved outcomes. We can also structure a pilot to prove value before scaling.

Next action, by role (FR-17)

Role	Do this next
Presales / Proposal	Bid brief: for a tender from a regional health authority, assemble a proposal that combines Live Objects for device connectivity, Enovacom/Enovalife for clinical data integration, and highlights HDS, ISO 27001, and SecNumCloud certifications, referencing MicroPort CardioFlow and Bliksund as proof points.
Sales	In a conversation with a European hospital network's chief medical officer, say: 'Our IoT platform Live Objects and healthcare integration solution Enovacom/Enovalife, backed by HDS and ISO 27001 certifications, can help you reduce heart failure readmissions through continuous remote monitoring.'
Strategist / Innovator	Deep-dive brief: assess the fit of Live Objects and Enovacom/Enovalife for a scalable IoT RPM platform, leveraging IoT and Healthcare experts and Orange Group researchers, and map HDS, ISO 27001, and SecNumCloud certifications to healthcare compliance requirements.

Evidence

Every claim in this brief resolves to one of these. Tier 1 is an authoritative primary source; tier 4 is vendor-published material, discounted in scoring (§4.3.7).

Signal	Date	Publisher	T	Title and link
SIG-59A1A2E51F4D	2026-07-15	JAMA Cardiology	1	Challenges Implementing Remote Patient Monitoring for Hypertension—Reply
SIG-726480369831	2026-07-15	JAMA Cardiology	1	Challenges Implementing Remote Patient Monitoring for Hypertension
SIG-AFC3B44CAE18	2026-05-22	Global Cardiology Science...	1	Remote Patient Monitoring in Heart Failure
SIG-C6AE223DC81E	2026-04-23	ResearchHub Technologies,...	1	Advancements in Telemedicine and Remote Patient Monitoring
SIG-5DC2307BBA57	2026-04-04	openalex.org	1	A scoping review on remote patient monitoring technologies
SIG-0205DE7D82FE	2026-04-01	openalex.org	1	ZigBee Based Low Latency IoT and AI Integrated Framework for Real Time Telehealth Monitoring
SIG-414D1342F56A	2026-03-25	openalex.org	1	Wearable devices and cardiovascular health: revolutionizing remote monitoring and disease preve...
SIG-80D279F1625B	2026-03-01	Journal of Smart Technolo...	1	Remote Patient Monitoring Based on IoT Technologies
SIG-DBBEFE8CCC78	2026-02-27	openRxiv	1	Remote Patient Monitoring in Heart Failure: A Systematic Review, Meta-Analysis, and Trial Seque...
SIG-E95AED1CBD71	2025-12-10	openalex.org	1	Artificial intelligence-based remote monitoring for chronic heart failure: design and rationale...
SIG-BCCCCB520B0E1	2025-10-21	Institute of Electrical a...	1	Design and Integration of IoT-Enabled Health Sensors for Remote Patient Monitoring
SIG-5A5443D644A0	2025-10-18	openalex.org	1	Invasive and Non-Invasive Remote Patient Monitoring Devices for Heart Failure: A Comparative Re...
SIG-BE515E05C7A6	2025-08-29	EEPES 2025	1	A Prototype of Integrated Remote Patient Monitoring System
SIG-5EC51EEB6EC8	2025-08-21	openalex.org	1	From Clinic to Cloud: Efficacy of AIAssisted Remote Monitoring of Patients With Implantable Ca...
SIG-CD3D330696E2	2025-05-02	2025 International Confer...	1	IoT in Healthcare: Enhancing Remote Patient Monitoring
SIG-077BFFEF1A9B	2025-04-07	Artificial Intelligence f...	1	Chapter 3 AI for remote patient monitoring in healthcare
SIG-922D61D29366	2026-05-26	bing.com	2	Remote patient monitoring faces a reality check

How this brief was made

Computed, not written. Attractiveness, right to win, competitive intensity and every figure in the market-opportunity section are computed from stored inputs and can be re-derived (DR-05, NFR-01). No language model produced a number anywhere in this document (§4.4.4).

Written, then checked. The narrative sections and the solution diagram were generated from this topic's evidence and from the named asset and competitor lists. Factual sections must cite signal ids attached to this topic; sections that failed that check, or that contained a generated quantity or an unsupplied organisation, were removed rather than rewritten.

Removed by those checks in this brief: summary (contained a generated quantity); competitive_landscape (no claim survived evidence binding); risks_and_unknowns (missing from the model output); diagram (2 box(es) claimed to be an Orange asset that was not supplied — shown as third-party instead)

What	Version	When
Scores — weight set	w-2026-08-a	2026-08-18T19:08:26+00:00
Market sizing — assumptions	size-2026-08-a	2026-08-18T21:06:15+00:00
Competitor register	competitors-2026-08-a	2026-08-18T21:06:18+00:00
Narrative — prompt / model	describe-v1 / deepseek-chat	2026-08-18T20:41:47+00:00
Pipeline	0.1.0	2026-08-18

Generated 2026-08-19 04:58 UTC. Scores computed under a different weight set are not comparable with these (SC-10), and neither are market sizes computed under a different sizing version.