

# Deploy wearable panic buttons for hospital staff to enable rapid response to workplace violence, as demonstrated by a recent hospital system deployment.

Healthcare × Worker safety monitoring × Industrial wearables · OS168 v1 · refreshed 2026-08-18

| ATTRACTIVENESS                   | RIGHT TO WIN                         | COMPETITION                              | SERVICEABLE MARKET                          | HORIZON                                            | PORTFOLIO              |
|----------------------------------|--------------------------------------|------------------------------------------|---------------------------------------------|----------------------------------------------------|------------------------|
| <b>54</b><br>is the world moving | <b>40</b><br>can we play, can we win | <b>MEDIUM</b><br>0 named in the evidence | <b>€702m</b><br>partial evidence · per year | <b>NEXT</b><br>pilots published no volume<br>pr... | <b>L1</b><br>5 signals |

Attractiveness and right to win are scored and displayed separately and are never combined (SC-12). Competition is a fourth quantity, not a discount on either.

## The opportunity

This opportunity is to deploy wearable panic buttons for hospital staff, enabling rapid response to workplace violence incidents. It is for hospital systems and healthcare facilities that face rising workplace safety concerns. The opportunity exists now because a hospital system has already demonstrated the effectiveness of this approach, and connected safety solutions are helping lean safety teams do more.

## Market opportunity

| Method                                             | Total (TAM)                      | Serviceable (SAM)               | Obtainable (SOM)               | Confidence |
|----------------------------------------------------|----------------------------------|---------------------------------|--------------------------------|------------|
| Bottom-up: enterprises x adoption x contract value | <b>€1.1bn</b><br>€93.5m – €5.4bn | <b>€702m</b><br>€57.5m – €3.3bn | <b>€8.4m</b><br>€690k – €40.1m | partial    |
| Observed: tendered contract value, annualised      | €70.8m                           | €70.8m                          | €850k                          | observed   |

All figures are annual, in EUR. Ranges compound the uncertainty of each factor below; the base case is the middle column of each.

### Bottom-up: enterprises x adoption x contract value

| Factor                                             | Value                                                             | Basis      | Source                                        | As of                  |
|----------------------------------------------------|-------------------------------------------------------------------|------------|-----------------------------------------------|------------------------|
| Enterprises in Healthcare (EU27_2020)              | 46,762 enterprises                                                | observed   | Eurostat · sbs_sc_oww                         | 2024                   |
| Enterprises adopting Industrial wearables          | 20.6 % of enterprises (10+ employees)                             | proxy      | Eurostat · isoc_eb_iotn2 · E_IOTDSEC          | 2021                   |
| Annual value of one engagement                     | €970k per enterprise per year                                     | observed   | TED (Tenders Electronic Daily) · ted          | 2026-05-19..2026-07-22 |
| Size-weighted buyer base                           | 5,698 enterprise-equivalents at large-enterprise engagement value | assumption | config/sizing.yaml · size_class_value_weights | size-2026-08-a         |
| Assumed obtainable share of the serviceable market | 1.2 % of SAM                                                      | assumption | config/sizing.yaml · obtainable_share         | size-2026-08-a         |

**Read this before quoting the number.** Adoption rate is a declared proxy. Internet of Things by NACE Rev. 2 activity series E\_IOTDSEC is used as a proxy for Industrial wearables: IoT for premises safety as nearest series. Part of this vertical is not covered separately by the enterprise ICT survey, so the all-activities rate was used for those slices. Contract values are observed from EU public procurement (TED). For private-sector verticals they are used as a proxy for comparable enterprise deal size: the buying entity differs, the scope of work is comparable. Engagement value is scaled by enterprise size class (10-19: x0.04, 20-49: x0.09, 50-249: x0.35, GE250: x1.0), because the observed contract value comes from large-organisation tenders. 1 of 2 declared geographies are outside the European reference data (US); the estimate covers the European footprint only. Sector adoption is read from Eurostat's all-activities aggregate for part of this vertical, which the enterprise ICT survey does not cover separately: PROXY — ICT survey excludes health activities; PROXY — residential care


### Observed: tendered contract value, annualised

| Factor                                             | Value           | Basis      | Source                                | As of                  |
|----------------------------------------------------|-----------------|------------|---------------------------------------|------------------------|
| Tendered contract value in matching CPV categories | €70.8m per year | observed   | TED (Tenders Electronic Daily) · ted  | 2026-05-19..2026-07-22 |
| Assumed obtainable share of the serviceable market | 1.2 % of SAM    | assumption | config/sizing.yaml · obtainable_share | size-2026-08-a         |

**Read this before quoting the number.** Observed over 85 days of TED coverage and scaled to a year (x4.3); a short collection window makes that scaling rough. 7 matching notices, matched on vertical via the CPV crosswalk — \$4.5.2's warning applies: a crosswalk error lands directly in this number. Public procurement only. Private-sector demand for the same capability is not visible here at all, so this is a floor rather than a market size. 1 of 2 declared geographies are outside the European reference data (US); the estimate covers the European footprint only.

## The solution, in one picture

### Hospital Staff Safety Wearable Solution



■ Orange asset ■ Partner ■ Customer-owned ■ Third party / to be sourced

This solution connects wearable panic buttons to a private mobile network and alert management platform, enabling rapid response to staff safety incidents.

Boxes marked as Orange assets are validated against the linked business graph; a box the model claimed for Orange without a matching asset is shown as third party.

## What has changed

The market is shifting toward proactive, technology-enabled workplace safety. A hospital system has publicly demonstrated the use of wearable panic buttons to improve workplace safety, validating the concept. Connected safety solutions are emerging as a way for lean safety teams to accomplish more with limited resources. Training on safety wearables is recognized as key to preventing musculoskeletal disorders, indicating a broader adoption of wearables in occupational health.

Sources: SIG-AA09597A70C1 ASIS International 2026-06-23; SIG-61DF8EAD0238 Occupational Health & 2026-08-11; SIG-89A593BDD983 Occupational Health & 2026-06-18

## Who buys, and why now

The buyer is typically the hospital's Chief Security Officer or Director of Safety, who is responsible for staff safety and regulatory compliance. The pain is felt by frontline nurses and clinical staff who face the risk of violence from patients or visitors. The trigger to act is often a violent incident, a staff complaint, or a regulatory citation. They need a solution that provides immediate alerting and location tracking to enable rapid response.

## Why it is hot now — every claim bound to a dated source

- A hospital system is using wearable panic buttons to improve workplace safety. [SIG-AA09597A70C1]
- A hospital system has adopted wearable panic buttons to improve workplace safety. [SIG-AA09597A70C1]

- A hospital system improved workplace safety using wearable panic buttons. [SIG-AA09597A70C1]
- Training on safety wearables is key to preventing musculoskeletal disorders. [SIG-89A593BDD983]
- Connected safety solutions help lean safety teams accomplish more. [SIG-61DF8EAD0238]

## What Orange would deliver, and why it can win

### What Orange would deliver

Orange would deliver an end-to-end solution leveraging its IoT expertise and healthcare domain knowledge. The engagement would start with a consultation to understand the hospital's safety workflows and infrastructure. Then, Orange would deploy a private mobile network (L1) to ensure reliable indoor connectivity, integrate wearable panic buttons (likely from a partner) that connect to the network, and provide a management platform (possibly built on Orange's IoT capabilities) for alert management and analytics. Orange would also ensure compliance with healthcare data hosting standards (HDS) and security certifications (ISO 27001, SecNumCloud).

### Why Orange can win

Orange can win because it brings a unique combination of IoT expertise, healthcare domain knowledge, and sovereign, certified infrastructure. The private mobile network (L1) ensures reliable, low-latency connectivity inside hospitals, which is critical for panic button alerts. Orange's certifications (ISO 27001, SecNumCloud, HDS) address the strict security and data privacy requirements of healthcare. The reference of Bliksund, though not in healthcare, demonstrates Orange's capability in mission-critical communications.

### Named assets behind this — each individually inspectable (LK-08)

| Asset                               | Type            | Link | Why it is linked                                           | Curator     |
|-------------------------------------|-----------------|------|------------------------------------------------------------|-------------|
| Private mobile networks             | offer           | L1   | offer addresses the use case but not this technology       | unconfirmed |
| ISO 27001                           | certification   | SUP  | certification Orange holds is required by this vertical    | unconfirmed |
| SecNumCloud                         | certification   | SUP  | certification Orange holds is required by this vertical    | unconfirmed |
| HDS (Hébergeur de Données de Santé) | certification   | SUP  | certification Orange holds is required by this vertical    | unconfirmed |
| IoT experts                         | capability pool | SUP  | capability pool staffs this domain, vertical or technology | unconfirmed |
| Healthcare experts                  | capability pool | SUP  | capability pool staffs this domain, vertical or technology | unconfirmed |
| Orange Group researchers            | capability pool | SUP  | capability pool staffs this domain, vertical or technology | unconfirmed |
| MicroPort CardioFlow                | reference       | SUP  | published reference in this vertical, different use case   | unconfirmed |
| Bliksund                            | reference       | SUP  | published reference in this vertical, different use case   | unconfirmed |

## Competitive landscape

**MEDIUM** competitive intensity (score 3.0; 0 of 8 listed players appear in this topic's own evidence)

A real field, including at least one player the customer will already know. Expect to be compared.

| Competitor                   | Category                   | Position here                                                | Basis      | Evidence |
|------------------------------|----------------------------|--------------------------------------------------------------|------------|----------|
| Honeywell                    | Industrial / OT specialist | sells Industrial wearables; competes in OX: Smart Industries | structural | —        |
| Atos / Eviden                | Global systems integrator  | active in Healthcare                                         | structural | —        |
| Deutsche Telekom / T-Systems | Telecom operator peer      | active in Healthcare; competes in OX: Smart Industries       | structural | —        |
| OVHcloud                     | Sovereign cloud provider   | active in Healthcare                                         | structural | —        |
| Boldyn Networks              | Network equipment vendor   | active in Healthcare                                         | structural | —        |

|           |                           |                                                           |            |   |
|-----------|---------------------------|-----------------------------------------------------------|------------|---|
| Palantir  | Data and AI platform      | active in Healthcare; competes in OX: Smart Industries    | structural | — |
| AWS       | Hyperscaler               | competes in OX: Smart Industries — also an Orange partner | structural | — |
| Accenture | Global systems integrator | competes in OX: Smart Industries                          | structural | — |

**evidenced** means this topic's own sources name the competitor — the signal ids are in the last column and are dated and clickable in the radar. **structural** means the curated register says they sell this technology into this vertical, which is true but is not proof they are in this deal. Register version competitors-2026-08-a.

## Qualifying questions for the first meeting

- 1 Have you experienced any violent incidents or staff safety concerns in the past year that prompted a review of your safety protocols?
- 2 What is your current process for staff to call for help in an emergency, and how long does it typically take for a response?
- 3 Do you have reliable indoor connectivity throughout your facility, including in basements and stairwells, that could support real-time alerts?
- 4 Are you subject to any regulatory requirements or accreditation standards that mandate or encourage the use of technology for staff safety?
- 5 Who would be the primary owner of a staff safety solution—security, IT, or clinical operations—and how would they collaborate?
- 6 Have you evaluated any wearable safety devices before, and if so, what were the main barriers to adoption?

## Objections you will meet

| They will say                                                                      | You can answer                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| We already have a mobile app for emergency alerts; why do we need wearables?       | That's a fair point. Mobile apps require staff to have their phones on them and to unlock them to send an alert, which can be slow in a crisis. Wearables provide a dedicated, always-accessible button that can be pressed instantly, and they can be integrated with location tracking to pinpoint the exact location of the incident.                                  |
| We're concerned about the cost and the staff's willingness to wear another device. | Cost is a valid concern, but the cost of a violent incident—in terms of staff injury, turnover, and liability—can be far higher. As for adoption, training is key, as evidenced by the importance of training for safety wearables in preventing MSDs. We would work with you on a training and change management plan to ensure staff see the value and use the devices. |
| How do we know this works in a hospital environment?                               | A hospital system has already demonstrated the effectiveness of wearable panic buttons for workplace safety, as reported in industry news. Our solution builds on that proven concept, and we bring our expertise in private mobile networks to ensure reliable connectivity in complex hospital buildings.                                                               |

## Risks and unknowns

The main risk is that the wearable panic button hardware is not a named Orange asset, so Orange would need to partner with a device manufacturer, which could introduce integration challenges. The evidence does not specify the exact technology or deployment model of the hospital system's solution, so there is uncertainty about the best architecture. Additionally, the return on investment for hospitals is not quantified, and the willingness of hospital staff to wear the devices is unknown.

## Next action, by role (FR-17)

| Role                   | Do this next                                                                                                                                                                                                                                                                                                        |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Presales / Proposal    | Prepare a bid brief for a hospital system's wearable panic button project, highlighting Orange's IoT expertise, Private mobile networks, and HDS certification, and reference the MicroPort CardioFlow and Bliksund deployments as proof points of our ability to deliver connected safety solutions.               |
| Sales                  | In a conversation with a hospital system's head of security, say: 'We've seen how wearable panic buttons can improve workplace safety for hospital staff, and with our Private mobile networks and HDS-certified infrastructure, we can help you deploy a solution that ensures rapid response and data security.'  |
| Strategist / Innovator | Deep-dive into the hospital system's wearable panic button deployment to understand the technical and operational requirements, and assess how Orange's IoT experts and Healthcare experts can leverage Private mobile networks and HDS certification to build a differentiated offering for the healthcare sector. |

Evidence

Every claim in this brief resolves to one of these. Tier 1 is an authoritative primary source; tier 4 is vendor-published material, discounted in scoring (§4.3.7).

| Signal           | Date       | Publisher                    | T | Title and link                                                                                     |
|------------------|------------|------------------------------|---|----------------------------------------------------------------------------------------------------|
| SIG-414D1342F56A | 2026-03-25 | openalex.org                 | 1 | Wearable devices and cardiovascular health: revolutionizing remote monitoring and disease preve... |
| SIG-548EBD3DF0D9 | 2026-03-20 | openalex.org                 | 1 | Smart wearable and implantable biosensors for continuous health monitoring: materials, biocompa... |
| SIG-61DF8EAD0238 | 2026-08-11 | Occupational Health & Saf... | 2 | How Connected Safety Helps Lean Safety Teams Do More - Occupational Health & Safety                |
| SIG-AA09597A70C1 | 2026-06-23 | ASIS International           | 2 | Industry News: Workplace Safety Rises with Hospital System's Wearable Panic Buttons - ASIS Inte... |
| SIG-89A593BDD983 | 2026-06-18 | Occupational Health & Saf... | 2 | Why Safety Wearables Training Is Key to Preventing MSDs - Occupational Health & Safety             |

How this brief was made

**Computed, not written.** Attractiveness, right to win, competitive intensity and every figure in the market-opportunity section are computed from stored inputs and can be re-derived (DR-05, NFR-01). No language model produced a number anywhere in this document (§4.4.4).

**Written, then checked.** The narrative sections and the solution diagram were generated from this topic's evidence and from the named asset and competitor lists. Factual sections must cite signal ids attached to this topic; sections that failed that check, or that contained a generated quantity or an unsupplied organisation, were removed rather than rewritten.

Removed by those checks in this brief: competitive\_landscape (no claim survived evidence binding); diagram (2 box(es) claimed to be an Orange asset that was not supplied — shown as third-party instead)

| What                        | Version                     | When                      |
|-----------------------------|-----------------------------|---------------------------|
| Scores — weight set         | w-2026-08-a                 | 2026-08-18T19:08:26+00:00 |
| Market sizing — assumptions | size-2026-08-a              | 2026-08-18T21:06:14+00:00 |
| Competitor register         | competitors-2026-08-a       | 2026-08-18T21:06:18+00:00 |
| Narrative — prompt / model  | describe-v1 / deepseek-chat | 2026-08-19T04:57:42+00:00 |
| Pipeline                    | 0.1.0                       | 2026-08-18                |

Generated 2026-08-19 04:58 UTC. Scores computed under a different weight set are not comparable with these (SC-10), and neither are market sizes computed under a different sizing version.