



Lifestyle Compounding Pharmacy
3840 Commons Ave NE
Albuquerque NM 87109
(505) 524-2522

Myers' Cocktail

Generic Name:

Intravenous (IV) Nutrient Therapy – Myers' Cocktail

Brand Names:

Not applicable (compounded preparation)

Synonyms:

IV Vitamin Therapy, IV Nutrient Infusion, Nutrient Cocktail

Components and Composition per 10mL:

Ingredient	Concentration
Magnesium chloride	96 mg
Calcium gluconate	40 mg
Vitamin C (Ascorbic acid)	644 mg
Riboflavin B2	32 mg
Niacinamide B3	16
Vitamin B12 (hydroxocobalamin)	1 mg
Pyridoxine (Vitamin B6)	16 mg



Lifestyle Compounding Pharmacy
3840 Commons Ave NE
Albuquerque NM 87109
(505) 524-2522

Dexpanthenol (Vitamin B5)

40 mg

Note: Doses may vary depending on patient needs, provider preference, and protocol.

Route of Administration:

Intravenous infusion (IV), typically over 30–60 minutes.

Indications (Anecdotal and Off-Label):

Note: These uses are not FDA-approved and are based on anecdotal evidence and practitioner reports.

- Chronic fatigue syndrome
 - Fibromyalgia
 - Migraine and tension headaches
 - Acute asthma attacks
 - Seasonal allergies
 - Upper respiratory tract infections
 - Immune system support
 - General wellness and hydration
 - Athletic performance and recovery
 - Depression or anxiety adjunctive support
-



Lifestyle Compounding Pharmacy
3840 Commons Ave NE
Albuquerque NM 87109
(505) 524-2522

Mechanism of Action:

The Myers' Cocktail delivers a combination of vitamins and minerals directly into the bloodstream via IV, bypassing the gastrointestinal tract and allowing for higher serum concentrations. The proposed mechanisms include:

- Replenishment of nutrient deficiencies
 - Support of cellular metabolism and energy production
 - Modulation of the immune response
 - Antioxidant activity (e.g., vitamin C)
 - Smooth muscle relaxation (e.g., magnesium)
-

Contraindications:

- Known hypersensitivity to any component
 - Renal insufficiency or failure (especially with magnesium or potassium-containing variants)
 - Hypermagnesemia or hypercalcemia
 - Congestive heart failure (fluid overload risk)
 - G6PD deficiency (if high-dose vitamin C is included)
-



Lifestyle Compounding Pharmacy
3840 Commons Ave NE
Albuquerque NM 87109
(505) 524-2522

Precautions:

- Monitor for electrolyte imbalances
 - Risk of vein irritation or phlebitis
 - Risk of hypotension with rapid infusion
 - Not a substitute for medical therapy in acute or chronic conditions
-

Adverse Effects:

Common:

- Warm or flushing sensation
- Mild lightheadedness or dizziness
- Metallic taste in mouth

Rare but serious:

- Hypotension
- Local site infection or phlebitis
- Anaphylaxis (extremely rare)
- Kidney stones (theoretical risk with high-dose vitamin C)



Lifestyle Compounding Pharmacy
3840 Commons Ave NE
Albuquerque NM 87109
(505) 524-2522

Drug Interactions:

- Diuretics: May alter electrolyte levels
 - Calcium or magnesium-containing medications: Risk of additive effects
 - Anticoagulants: Vitamin K interference is not common but may occur if other IV therapies are combined
-

Monitoring Parameters:

- Vital signs during infusion
 - Renal function and electrolytes in high-risk patients
 - Signs of allergic reaction or infusion site irritation
-

Pregnancy Category:

Not formally classified – use caution; not recommended without physician oversight.

Regulatory Status:

- Not FDA-approved as a standardized medication
 - Considered a compounded preparation
 - Must be administered under medical supervision
-