

# CWVS: Critical Window Variable Selection

## CWVS\_Example

[1] Simulate data for analysis:

- Setting the reproducibility seed and initializing packages for data simulation:


```
set.seed(4679)
library(CWVS)
library(boot) #Inverse logit transformation
```

- Setting the global data values:

```
n<-5000 #Sample size
m<-27 #Number of exposure time periods
x<-matrix(1,
nrow=n,
ncol=1) #Covariate design matrix
z<-matrix(rnorm(n=(n*m)),
nrow=n,
ncol=m) #Exposure design matrix
for(j in 1:m){
z[,j]<-(z[,j] - median(z[,j]))/IQR(z[,j]) #Data standardization (interquartile range)
}
```

- Setting the values for the statistical model parameters:

```
beta_true<- -0.30
theta_true<-rep(0.00, times=m)
gamma_true<-c(rep(0, times=12),
rep(1, times=4),
rep(0, times=11))
alpha_true<-gamma_true*theta_true
logit_p_true<-x%*%beta_true +
z%*%alpha_true
probs_true<-inv.logit(logit_p_true)
hist(probs_true)
```



- Simulating the analysis dataset:

```
y<-rbinom(n=n,
          size=1,
          prob=probs_true)
```

[2] Fit CWVS to identify/estimate critical windows of susceptibility:

```
results<-CWVS(mcmc_samples = 10000,
              y = y, x = x, z = z,
              metrop_var_phi1_trans = 1.00,
              metrop_var_phi2_trans = 1.00,
              metrop_var_A11_trans = 0.05,
              metrop_var_A22_trans = 1.00)
```

```
## Progress: 10%
## phi1 Acceptance: 38%
## phi2 Acceptance: 37%
## A11 Acceptance: 93%
## A22 Acceptance: 16%
## *****
## Progress: 20%
## phi1 Acceptance: 40%
## phi2 Acceptance: 33%
## A11 Acceptance: 92%
## A22 Acceptance: 10%
## *****
## Progress: 30%
```

```

## phi1 Acceptance: 40%
## phi2 Acceptance: 33%
## A11 Acceptance: 92%
## A22 Acceptance: 9%
## *****
## Progress: 40%
## phi1 Acceptance: 39%
## phi2 Acceptance: 34%
## A11 Acceptance: 92%
## A22 Acceptance: 11%
## *****
## Progress: 50%
## phi1 Acceptance: 39%
## phi2 Acceptance: 36%
## A11 Acceptance: 91%
## A22 Acceptance: 16%
## *****
## Progress: 60%
## phi1 Acceptance: 39%
## phi2 Acceptance: 35%
## A11 Acceptance: 91%
## A22 Acceptance: 15%
## *****
## Progress: 70%
## phi1 Acceptance: 39%
## phi2 Acceptance: 35%
## A11 Acceptance: 91%
## A22 Acceptance: 14%
## *****
## Progress: 80%
## phi1 Acceptance: 40%
## phi2 Acceptance: 35%
## A11 Acceptance: 91%
## A22 Acceptance: 12%
## *****
## Progress: 90%
## phi1 Acceptance: 40%
## phi2 Acceptance: 35%
## A11 Acceptance: 91%
## A22 Acceptance: 11%
## *****
## Progress: 100%
## phi1 Acceptance: 40%
## phi2 Acceptance: 35%
## A11 Acceptance: 91%
## A22 Acceptance: 11%
## *****


```

```


plot(results$beta[1, 1001:10000],
      type="l",
      ylab="beta",
      xlab="Sample")
abline(h=beta_true,
       col="red",

```

```
lwd=2) #True value
```



```
plot(rowMeans(results$alpha[,1001:10000]),  
      pch=16,  
      ylab="alpha",  
      xlab="Time")  
points(alpha_true,  
       col="red")
```



```
plot(rowMeans(results$gamma[,1001:10000]),
     pch=16,
     ylab="gamma",
     xlab="Time")
points(gamma_true,
     col="red")
```

