

# 1. Description

## 1.1. Project

| Project Name    | Project           |
|-----------------|-------------------|
| Board Name      | custom            |
| Generated with: | STM32CubeMX 6.8.0 |
| Date            | 03/11/2023        |


### 1.2. MCU

| MCU Series     | STM32F4       |
|----------------|---------------|
| MCU Line       | STM32F407/417 |
| MCU name       | STM32F407VETx |
| MCU Package    | LQFP100       |
| MCU Pin number | 100           |

## 1.3. Core(s) information

| Core(s) | Arm Cortex-M4 |
|---------|---------------|

# 2. Pinout Configuration




# 3. Pins Configuration

| Pin Number | Pin Name               | Pin Type | Alternate      | Label |
|------------|------------------------|----------|----------------|-------|
| LQFP100    | (function after reset) |          | Function(s)    |       |
| 6          | VBAT                   | Power    |                |       |
| 8          | PC14-OSC32_IN          | I/O      | RCC_OSC32_IN   |       |
| 9          | PC15-OSC32_OUT         | I/O      | RCC_OSC32_OUT  |       |
| 10         | VSS                    | Power    |                |       |
| 11         | VDD                    | Power    |                |       |
| 12         | PH0-OSC_IN             | I/O      | RCC_OSC_IN     |       |
| 13         | PH1-OSC_OUT            | I/O      | RCC_OSC_OUT    |       |
| 14         | NRST                   | Reset    |                |       |
| 19         | VDD                    | Power    |                |       |
| 20         | VSSA                   | Power    |                |       |
| 21         | VREF+                  | Power    |                |       |
| 22         | VDDA                   | Power    |                |       |
| 27         | VSS                    | Power    |                |       |
| 28         | VDD                    | Power    |                |       |
| 47         | PB10 *                 | I/O      | GPIO_Output    | D2    |
| 48         | PB11 *                 | I/O      | GPIO_Output    | D3    |
| 49         | VCAP_1                 | Power    |                |       |
| 50         | VDD                    | Power    |                |       |
| 51         | PB12 *                 | I/O      | GPIO_Output    | D4    |
| 52         | PB13 *                 | I/O      | GPIO_Output    | D5    |
| 53         | PB14 *                 | I/O      | GPIO_Output    | D6    |
| 54         | PB15 *                 | I/O      | GPIO_Output    | D7    |
| 72         | PA13                   | I/O      | SYS_JTMS-SWDIO |       |
| 73         | VCAP_2                 | Power    |                |       |
| 74         | VSS                    | Power    |                |       |
| 75         | VDD                    | Power    |                |       |
| 76         | PA14                   | I/O      | SYS_JTCK-SWCLK |       |
| 81         | PD0 *                  | I/O      | GPIO_Output    | RS    |
| 82         | PD1 *                  | I/O      | GPIO_Output    | RW    |
| 83         | PD2 *                  | I/O      | GPIO_Output    | Е     |
| 94         | воото                  | Boot     |                |       |
| 95         | PB8 *                  | I/O      | GPIO_Output    | D0    |
| 96         | PB9 *                  | I/O      | GPIO_Output    | D1    |
| 99         | VSS                    | Power    |                |       |
| 100        | VDD                    | Power    |                |       |

\* The pin is affected with an I/O function

# 4. Clock Tree Configuration



# 5. Software Project

### 5.1. Project Settings

| Name                              | Value   |  |
|-----------------------------------|---|--|
| Project Name                      | Project   |  |
| Project Folder                    | D:\Documents\GithubProjects\STM32_LCD1602\Project |  |
| Toolchain / IDE                   | MDK-ARM V5.32                                     |  |
| Firmware Package Name and Version | STM32Cube FW_F4 V1.27.1                           |  |
| Application Structure             | Advanced  |  |
| Generate Under Root               | No  |  |
| Do not generate the main()        | No  |  |
| Minimum Heap Size                 | 0x200   |  |
| Minimum Stack Size                | 0x400   |  |

### 5.2. Code Generation Settings

| Name  | Value   |
|---|---|
| STM32Cube MCU packages and embedded software                    | Copy all used libraries into the project folder |
| Generate peripheral initialization as a pair of '.c/.h' files   | Yes   |
| Backup previously generated files when re-generating            | No  |
| Keep User Code when re-generating                               | Yes   |
| Delete previously generated files when not re-generated         | Yes   |
| Set all free pins as analog (to optimize the power consumption) | No  |
| Enable Full Assert  | No  |

### 5.3. Advanced Settings - Generated Function Calls

| Rank | Function Name      | Peripheral Instance Name |
|------|--------------------|--------------------------|
| 1    | SystemClock_Config | RCC                      |
| 2    | MX GPIO Init       | GPIO                     |

# 6. Power Consumption Calculator report

#### 6.1. Microcontroller Selection

| Series    | STM32F4       |
|-----------|---------------|
| Line      | STM32F407/417 |
| MCU       | STM32F407VETx |
| Datasheet | DS8626_Rev8   |

#### 6.2. Parameter Selection

| Temperature | 25  |
|-------------|-----|
| Vdd         | 3.3 |

### 6.3. Battery Selection

| Battery           | Li-SOCL2(A3400) |
|-------------------|-----------------|
| Capacity          | 3400.0 mAh      |
| Self Discharge    | 0.08 %/month    |
| Nominal Voltage   | 3.6 V           |
| Max Cont Current  | 100.0 mA        |
| Max Pulse Current | 200.0 mA        |
| Cells in series   | 1               |
| Cells in parallel | 1               |


## 6.4. Sequence

| O4a.m                  | Ctand       | Ct a = 0                  |  |
|------------------------|-------------|---------------------------|--|
| Step                   | Step1       | Step2                     |  |
| Mode                   | RUN         | STOP                      |  |
| Vdd                    | 3.3         | 3.3                       |  |
| Voltage Source         | Battery     | Battery                   |  |
| Range                  | Scale1-High | No Scale                  |  |
| Fetch Type             | FLASH       | n/a                       |  |
| CPU Frequency          | 168 MHz     | 0 Hz                      |  |
| Clock Configuration    | HSE PLL     | Regulator LP Flash-PwrDwn |  |
| Clock Source Frequency | 4 MHz       | 0 Hz                      |  |
| Peripherals            |             |                           |  |
| Additional Cons.       | 0 mA        | 0 mA                      |  |
| Average Current        | 46 mA       | 280 μΑ                    |  |
| Duration               | 0.1 ms      | 0.9 ms                    |  |
| DMIPS                  | 210.0       | 0.0                       |  |
| Та Мах                 | 98.47       | 104.96                    |  |
| Category               | In DS Table | In DS Table               |  |

#### 6.5. Results

| Sequence Time | 1 ms             | Average Current | 4.85 mA     |
|---------------|------------------|-----------------|-------------|
| Battery Life  | 29 days, 4 hours | Average DMIPS   | 210.0 DMIPS |

### 6.6. Chart



# 7. Peripherals and Middlewares Configuration

#### 7.1. RCC

High Speed Clock (HSE): Crystal/Ceramic Resonator Low Speed Clock (LSE): Crystal/Ceramic Resonator

7.1.1. Parameter Settings:

#### **System Parameters:**

VDD voltage (V) 3.3
Instruction Cache Enabled
Prefetch Buffer Enabled
Data Cache Enabled

Flash Latency(WS) 5 WS (6 CPU cycle)

**RCC Parameters:** 

HSI Calibration Value 16
HSE Startup Timout Value (ms) 100
LSE Startup Timout Value (ms) 5000

**Power Parameters:** 

Power Regulator Voltage Scale Power Regulator Voltage Scale 1

#### 7.2. SYS

**Debug: Serial Wire** 

Timebase Source: SysTick

<sup>\*</sup> User modified value

# 8. System Configuration

## 8.1. GPIO configuration

| IP   | Pin                    | Signal             | GPIO mode        | GPIO pull/up pull<br>down | Max<br>Speed | User Label |
|------|------------------------|--------------------|------------------|---------------------------|--------------|------------|
| RCC  | PC14-<br>OSC32_IN      | RCC_OSC32_IN       | n/a              | n/a                       | n/a          |            |
|      | PC15-<br>OSC32_OU<br>T | RCC_OSC32_O<br>UT  | n/a              | n/a                       | n/a          |            |
|      | PH0-<br>OSC_IN         | RCC_OSC_IN         | n/a              | n/a                       | n/a          |            |
|      | PH1-<br>OSC_OUT        | RCC_OSC_OUT        | n/a              | n/a                       | n/a          |            |
| SYS  | PA13                   | SYS_JTMS-<br>SWDIO | n/a              | n/a                       | n/a          |            |
|      | PA14                   | SYS_JTCK-<br>SWCLK | n/a              | n/a                       | n/a          |            |
| GPIO | PB10                   | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D2         |
|      | PB11                   | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D3         |
|      | PB12                   | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D4         |
|      | PB13                   | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D5         |
|      | PB14                   | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D6         |
|      | PB15                   | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D7         |
|      | PD0                    | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | RS         |
|      | PD1                    | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | RW         |
|      | PD2                    | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | E          |
|      | PB8                    | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D0         |
|      | PB9                    | GPIO_Output        | Output Push Pull | Pull-up *                 | High *       | D1         |

### 8.2. DMA configuration

nothing configured in DMA service

## 8.3. NVIC configuration

# 8.3.1. NVIC

| Interrupt Table                         | Enable | Preenmption Priority | SubPriority |  |
|---|--------|----------------------|-------------|--|
| Non maskable interrupt                  | true   | 0                    | 0           |  |
| Hard fault interrupt                    | true   | 0                    | 0           |  |
| Memory management fault                 | true   | 0                    | 0           |  |
| Pre-fetch fault, memory access fault    | true   | 0                    | 0           |  |
| Undefined instruction or illegal state  | true   | 0                    | 0           |  |
| System service call via SWI instruction | true   | 0                    | 0           |  |
| Debug monitor                           | true   | 0                    | 0           |  |
| Pendable request for system service     | true   | 0                    | 0           |  |
| System tick timer                       | true   | 15                   | 0           |  |
| PVD interrupt through EXTI line 16      | unused |                      |             |  |
| Flash global interrupt                  | unused |                      |             |  |
| RCC global interrupt                    | unused |                      |             |  |
| FPU global interrupt                    | unused |                      |             |  |

### 8.3.2. NVIC Code generation

| Enabled interrupt Table                 | Select for init | Generate IRQ<br>handler | Call HAL handler |  |
|---|-----------------|-------------------------|------------------|--|
| Non maskable interrupt                  | false           | true                    | false            |  |
| Non maskable interrupt                  | laise           | tide                    | laise            |  |
| Hard fault interrupt                    | false           | true                    | false            |  |
| Memory management fault                 | false true      |                         | false            |  |
| Pre-fetch fault, memory access fault    | false           | true                    | false            |  |
| Undefined instruction or illegal state  | false           | true                    | false            |  |
| System service call via SWI instruction | false           | true                    | false            |  |
| Debug monitor                           | false           | true                    | false            |  |
| Pendable request for system service     | false           | true                    | false            |  |
| System tick timer                       | false           | true                    | true             |  |

#### \* User modified value

# 9. System Views

9.1. Category view

9.1.1. Current

|               |        |        | Middleware   |            |          |           |
|---------------|--------|--------|--------------|------------|----------|-----------|
|               |        |        |              |            |          |           |
|               |        |        |              |            |          |           |
| System Core   | Analog | Timers | Connectivity | Multimedia | Security | Computing |
| DMA           |        |        |              |            |          |           |
| GPIO ❷        |        |        |              |            |          |           |
| NVIC <b>⊘</b> |        |        |              |            |          |           |
| RCC ♥         |        |        |              |            |          |           |
| sys 📀         |        |        |              |            |          |           |

### 10. Docs & Resources

Type Link

BSDL files https://www.st.com/resource/en/bsdl\_model/stm32f405-415\_407-

417\_bsdl.zip

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f405-415\_407-

417\_ibis.zip

System View https://www.st.com/resource/en/svd/stm32f4\_svd.zip

Description

BSDL files https://www.st.com/resource/en/bsdl\_model/stm32f405-415\_407-

417\_bsdl.zip

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f405-415\_407-

417\_ibis.zip

System View https://www.st.com/resource/en/svd/stm32f4\_svd.zip

Description

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_embedded\_software\_solutions.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_eval-

tools\_portfolio.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_stm8\_functi

onal-safety-packages.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_software\_development\_tools.pdf

Training Material https://www.st.com/resource/en/sales\_guide/sg\_sc2154.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32nucleo.pdf

Flyers https://www.st.com/resource/en/flyer/flstmcsuite.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32trust.pdf

Product https://www.st.com/resource/en/certification\_document/stm32\_authenticat

Certifications ion\_can.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1181-electrostatic-

discharge-sensitivity-measurement-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1709-emc-design-

- guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2606-stm32-microcontroller-system-memory-boot-mode-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2834-how-to-get-the-best-adc-accuracy-in-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2867-oscillator-design-guide-for-stm8afals-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3154-can-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3371-using-the-hardware-realtime-clock-rtc-in-stm32-f0-f2-f3-f4-and-l1-series-of-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3997-audio-playback-and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an3998-pdm-audio-software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4013-stm32-crossseries-timer-overview-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4031-using-the-stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4073-how-to-improve-adc-accuracy-when-using-stm32f2xx-and-stm32f4xx-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4076-two-or-three-shunt-resistor-based-current-sensing-circuit-design-in-3phase-inverters-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4229-how-to-implement-a-vocoder-solution-using-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4230-stm32-microcontroller-random-number-generation-validation-using-the-nist-statistical-test-suite-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4277-using-stm32-device-pwm-shutdown-features-for-motor-control-and-digital-power-conversion-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4488-getting-started-with-stm32f4xxxx-mcu-hardware-development-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4547-migrating-from-stm32f407xx417xx-to-stm32f427xx429xx437xx439xx-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an4640-peripherals-interconnections-on-stm32f4057xx-stm32f4157xx-stm32f42xxx-stm32f43xxx-stm32f446xx-and-stm32f469479xx-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4759-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4821-migrating-from-stm32f405415-line-and-stm32f407417-line-to-stm32l4-series-and-stm32l4-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4838-managing-memory-protection-unit-in-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4850-stm32-mcus-spreadspectrum-clock-generation-principles-properties-and-implementation-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4879-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4908-stm32-usart-automatic-baud-rate-detection-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4995-using-an-

stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5020-digital-camerainterface-dcmi-on-stm32-mcus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5027-interfacing-pdmdigital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5036-thermalmanagement-guidelines-for-stm32-applications-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5073-receiving-spdifaudio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5225-usb-typecpower-delivery-using-stm32-mcus-and-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an5543-enhancedmethods-to-handle-spi-communication-on-stm32-devicesstmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an4899-stm32microcontroller-gpio-hardware-settings-and-lowpower-consumptionstmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an5612-esd-protectionof-stm32-mcus-and-mpus-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application note/an5156-introduction-tostm32-microcontrollers-security-stmicroelectronics.pdf Application Notes https://www.st.com/resource/en/application\_note/an1202\_freertos\_guidefor related Tools freertos-guide-stmicroelectronics.pdf & Software

electromyogram-technique-to-detect-muscle-activity-

Application Notes https://www.st.com/resource/en/application\_note/an1801\_stm32cubeprog for related Tools rammer\_in\_truestudio-installing-stm32cubeprogrammer-in-truestudio-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1602\_semihosting\_in for related Tools \_\_truestudio-how-to-do-semihosting-in-truestudio-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/atollic\_editing\_keyboard for related Tools \_shortcuts-atollic-editing-keyboard-shortcuts-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/iar\_to\_atollic\_truestudio for related Tools \_\_migration\_guide-truestudio-for-arm-migration-guide-iar-embedded-

& Software workbench-to-truestudio-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/stm32cubemx\_installatio

for related Tools n\_in\_truestudio-stm32cubemx-installation-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2656-stm32f10xxx-

for related Tools Icd-glass-driver-firmware-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2790-tft-lcd-

for related Tools interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3078-stm32-for related Tools inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3116-stm32s-adc-

for related Tools modes-and-their-applications-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3174-implementing-

for related Tools receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-

& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3241-qvga-tftlcd-for related Tools direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3307-guidelines-for-

for related Tools obtaining-iec-60335-class-b-certification-for-any-stm32-application-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3364-migration-and-

for related Tools compatibility-guidelines-for-stm32-microcontroller-applications-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3965-

for related Tools stm32f40xstm32f41x-inapplication-programming-using-the-usart-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3966-lwip-tcpip-stack-for related Tools demonstration-for-stm32f4x7-microcontrollers-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an3968-

for related Tools stm32f407stm32f417-inapplication-programming-iap-over-ethernet-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3969-eeprom-

for related Tools emulation-in-stm32f40xstm32f41x-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3988-clock-for related Tools configuration-tool-for-stm32f40xx41xx427x437x-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3990-upgrading-

for related Tools stm32f4discovery-board-firmware-using-a-usb-key-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3997-audio-playback-

for related Tools and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3998-pdm-audio-for related Tools software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4044-floating-point-for related Tools unit-demonstration-on-stm32-microcontrollers-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4323-getting-started-for related Tools with-stemwin-library-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4365-using-stm32f4-for related Tools mcu-power-modes-with-best-dynamic-efficiency-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4435-guidelines-for-for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-

& Software application-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4457-implementing-

for related Tools an-emulated-uart-on-stm32f4-microcontrollers-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an4499-stm32--

for related Tools nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4502-stm32-for related Tools smbuspmbus-embedded-software-expansion-for-stm32cube-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4657-stm32-for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4666-parallel-for related Tools synchronous-transmission-using-gpio-and-dma-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4678-full-duplex-spi-for related Tools emulation-for-stm32f4-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4701-proprietary-for related Tools code-readout-protection-on-microcontrollers-of-the-stm32f4-series-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4739-stm32cube-

for related Tools firmware-examples-for-stm32f4-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4758-proprietary-for related Tools code-readout-protection-on-stm32l4-stm32l4-stm32g4-and-stm32wb-

& Software series-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4759-using-the-

for related Tools hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-

& Software stm32-microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4841-digital-signal-for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4968-proprietary-for related Tools code-read-out-protection-pcrop-on-stm32f72xxx-and-stm32f73xxx-

& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5054-secure-for related Tools programming-using-stm32cubeprogrammer-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5056-integration-

for related Tools guide-for-the-xcubesbsfu-stm32cube-expansion-package-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5360-getting-started-

for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5361-getting-started-

for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5394-getting-started-

for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5418-how-to-build-a-for related Tools simple-usbpd-sink-application-with-stm32cubemx-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5426-migrating-

for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

& Software 550-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/an5464-position-control-

for related Tools of-a-threephase-permanent-magnet-motor-using-xcubemcsdk-or-

& Software xcubemcsdkful-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5564-getting-started-

for related Tools with-projects-based-on-dualcore-stm32wl-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5698-adapting-the-for related Tools xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-

& Software other-safety-standards-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5731-stm32cubemx-

for related Tools and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf

& Software

Errata Sheets https://www.st.com/resource/en/errata sheet/es0182-stm32f405407xx-

and-stm32f415417xx-device-limitations-stmicroelectronics.pdf

Datasheet https://www.st.com/resource/en/datasheet/dm00037051.pdf

Programming https://www.st.com/resource/en/programming\_manual/pm0214-stm32-

Manuals cortexm4-mcus-and-mpus-programming-manual-stmicroelectronics.pdf

Reference https://www.st.com/resource/en/reference\_manual/rm0090-

Manuals stm32f405415-stm32f407417-stm32f427437-and-stm32f429439-

advanced-armbased-32bit-mcus-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn0516-overview-of-the-

& Articles stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-

foc-sdk-v40-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical note/tn1163-description-of-

& Articles wlcsp-for-microcontrollers-and-recommendations-for-its-use-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1204-tape-and-reel-

& Articles shipping-media-for-stm32-microcontrollers-in-bga-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1205-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1206-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1207-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1208-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-

packages-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1433-reference-device-

& Articles marking-schematics-for-stm32-microcontrollers-and-microprocessors-

stmicroelectronics.pdf