How to get the valid URL of a Link field from within a Twig template?

Asked 4 years, 11 months ago Active today Viewed 79k times

45

16

I have a Link field named `field_my_link` (machine name).

Within a Twig template I can get the link's URL value with this:

```
{{ node.field_my_link.uri }}
```

If inside the Link's URL there is an *external* URL, e.g. `http://example.com` it works good.

But, if inside the Link's URL there is stored an *internal* URL, e.g. `"/node/11"` , I get a value like this:

```
"internal:/node/11"
```

with the " `internal:` " prefix.

How can I get the *valid* URL?

For example, if the link's URL is " `http://example.com` " I want " `http://example.com` " (this already works), if the link's URL is " `/node/11` " I want the relative URL " `/node/11` ", if the link's URL is " `<front>` " I want the URL " `/` ", etc.

EDIT

I can get the value I want within a PHP preprocess function, using this:

```
$url = $variables['node']->get('field_my_link')->first()->getUrl();
```

How can I access the same value within the Twig template?

I know I can do this within the preprocess function:

```
$variables['my_url'] = $url;
```

Then access the url within Twig using `{{ my_url }}` , but I would avoid to write a preprocess function each time I have a link field.

theming 8 uri navigation

Share Edit Follow Flag

Share Edit Follow Flag

edited Apr 30 '16 at 8:08

asked Apr 26 '16 at 11:23



Andrea
1,097 1 11 28

12 Answers

Active | Oldest | Votes

56

Your PHP from your latest edit would translate into twig like this:

```
{{ node.field_my_link.0.url }}
```

This works like this, `0` returns the first item of the field item list, `url` gets the url object and because twig will cast this object as a string this will call the magic method toString() and will output the url as a string value.

You only need to use `url`, because twig looks automatically for the method `getxyz()` if there is no property with that name `xyz`.

Share Edit Follow Flag

edited Dec 7 '16 at 18:54



Andrea
1,097 1 11 28

answered Apr 26 '16 at 11:39



4k4
76.4k 6 116 159

Thank you. Now I make a test with this function. Do you know if can I use this function also on links' URIs? What happen if `node.field_my_link.uri` is an external url like `http://www.example.com` ? – Andrea Apr 26 '16 at 12:25

1 I tried with `file_url(node.field_my_link.uri)`, and if `node.field_my_link.uri` is `"http://www.example.com"` it works (it leaves the url unchanged), but if `node.field_my_link.uri` is `"internal:/"` the function returns `"/internal%3A/"` (instead of `"/"`).. – Andrea Apr 26 '16 at 12:32

I just saw your edit.. Sadly it doesn't works, the code `node.field_my_link.entity.uri.value` returns a null value.. Any other ideas? – Andrea Apr 30 '16 at 7:32

1 Yeah, it works. The syntax is a bit scary, but it does its job. – Andrea Apr 30 '16 at 11:53

1 This shouldn't be marked as "solution" as the file_url() function works just with files and not with link fields. The thread starter asked for the raw url output of a "link field". – mogio Dec 6 '16 at 13:30

|

Supplementary answer

0

The answer above can be applied to a Drupal Paragraph:

```
{{ node.field_link.0.url }}
```

...if you replace the entity type `name` node with `paragraph` as so:

```
{{ paragraph.field_link.0.url }}
```

Where in your site, you would have created a Paragraph with a field called link - which would have machine name field_link.

I found that the above `{{ paragraph.field_link.0.url }}` renders to the URL when used link this:

```
<a href="{{ paragraph.field_link.0.url }}">{{ paragraph.field_link.0.title }}
</a>
```

I have defined in the paragraph instance I added in a entity reference node - the usual process for adding paragraphs, of course.

For my purpose, I wanted to create a Call-to-action (CTA) button, using a paragraph, here is all my code below to do that, which illustrates how I've used the twig link and title.

I enclose the whole paragraph markup with the with `<a href="{{ paragraph.field_link.0.url } ... ... />`

And put the link text, the `title` inside: `{{ paragraph.field_link.0.title }}`

file:

```
web/themes/custom/my_theme/templates/paragraphs/paragraph--call-to-
action.html.twig
```

code:

```
{%
  set classes = [
    'paragraph',
    'paragraph--type--' ~ paragraph.bundle|clean_class,
    view_mode ? 'paragraph--view-mode--' ~ view_mode|clean_class,
    not paragraph.isPublished() ? 'paragraph--unpublished'
  ]
%}
{% block paragraph %}

  <div class="mysite-cta-outer">
  <a href="{{ paragraph.field_link.0.url }}">
    <span{{ attributes.addClass(classes).addClass('mysite-cta-fixed') }}>
      {% block content %}
        {{ paragraph.field_link.0.title }}
      {% endblock %}
    </span>
  </a>
  </div>

{% endblock paragraph %}
```

file:

```
web/themes/custom/my_theme/css/styles/_cta.css
```

web/themes/custom/my_theme/css/styles/_cta.css

code:

```
.mysite-cta-outer {
  padding-top: 1.0em;
  padding-left: 1.5em;
}

.field--name-field-main-call-to-action-area {
  margin-bottom: 5em;
}


.mysite-cta-fixed {
  border-radius: 0.5em;
  border: 0.2em solid;
  padding-top: 0.8em;
  padding-bottom: 0.8em;
  width: 15em;
  color: white;
  display: inline-block;
  text-align: center;
}

span.mysite-cta-fixed a
{
  text-decoration: none;
  color: white;
}


span.mysite-cta a
{
    text-decoration: none;
    color: white;
}


.mysite-cta {
  border-radius: 0.5em;
  border: 0.2em solid;
  padding-top: 0.8em;
  padding-bottom: 0.8em;
  padding-left: 2em;
  padding-right: 2em;
  color: white;
  display: inline-block;
}
```

Also, a comment about, `url` vs `uri` as this has been talked about in other answers. For me, as you can see from my code, url is what I use, in the `<a href="{{ paragraph.field_link.0.url }}">` ...

`vardumper` util (from Drupal module `twig_vardumper`) shows the following for `url` and `url` :

```
{{ vardumper( paragraph.field_link.0.url ) }}
```

- output :-



^ that initially put me off using `url` because it was a `Url` class and not text which I assumed had to be output but it is the right one for outputting the URL. So what seems to happen is that twig renders this Url object as text automatically.

And here's `uri` output

```
{{ vardumper( paragraph.field_link.0.uri ) }}
```

output:-

```
^ "internal:#our-story"
```

Which I didn't use for aforementioned explanation.

This took me a few hours for troubleshooting so I'm grateful for the other answers here, though a bit despairing that there are multiple ways to do it, which potentially causes confusion, also somewhat demoralising to spend a lot of time on something so small. The 'dot' notation here is still something mysterious to me as to how to use it fully, and it shouldn't be. I hope to encounter a definitive guide to get results quickly with this. These answers here do help in the meantime!

Share Edit Delete Flag

answered just now



therobyouknow
2,136 3 27 56

1

I needed to add some classes to my link. field_url is a link field. I didn't have *content* in the Twig context.

`{{ node.field_url[0] }}` gives me a \Drupal\Core\Url object.

`{% set link = node.field_url[0] | view %}` This is a filter from the Twig Tweak module. It returns a render array.

I can now output my link like this:

```
<a href="{{ link['#url'] | render }}" class="featured-link featured-link--
small">{{ link['#title'] | render }}</a>
```

Twig tweak is amazing. Here is a link to the cheat sheet where you can see all the functionality.

Share Edit Follow Flag

answered Feb 16 at 9:14



Hodgekins

61 3

0

Actually there is much simpler solution using https://www.drupal.org/project/twig_field_value module

```
<a href="{{ content.FIELD_LINK_NAME|field_value|first['#url']|render }}">
  {{ content.FIELD_LINK_NAME|field_value|first['#title'] }}
</a>
```

This will work for both internal and external links.

Share Edit Follow Flag

answered Feb 8 at 9:45



dekisha

123 1 1 7

1

Here's another way to do this. This example exclude the use of the Title field.

```
{% set link_url = content.field_link.0['#url'] %}
{% set link = link_url ? link_url : content.field_link.0['#title'] %}

{% if link %}
  {{ link.toString() }}
{% endif %}
```

Possible results

```
# Input ---------------- Output -----------
# This is a node (23)    /relative/url
# <front>                /
# https://drupal.org     https://drupal.org
```

Share Edit Follow Flag

answered Jun 29 '20 at 18:06



JFK

190 1 10

1

I *know* it's horrible, but if nothing else works:

```
{{ link|replace({'internal:':''}) }}
```

My situation: accessing a Link field via an overridden views template: `views-view-`

`fields.html.twig`

I had to get the variable from:

```
row._entity.field_machine_name.value.0.uri
```

(I gave up trying to use the `fields` variable, you can seemingly get a *.content* property out of that, but not much else)

….field_machine_name.value is just a flat array, which only has a `uri` key, NOT `url`, and the filters mentioned in other answers (toString(), render etc.) simply don't seem to work here.

Share Edit Follow Flag

answered Dec 30 '19 at 12:56
William Turrell
775 5 20

4

In paragraph, to get the link url and link name -

```
<a href="{{ content.FIELD_LINK_NAME[0]['#url']|render }}">
   {{ content.FIELD_LINK_NAME[0]['#title']|render }}
</a>
```

Share Edit Follow Flag

answered Dec 15 '19 at 9:09
Kashmiri
407 4 4

9

I know it's an old post but with the last version of Drupal 8 (8.6) you can directly display the url for both version (external and internal):

```
node.field_link.0.url
```

And if you need to know if the link is external or not (for my case it was for the target), you can use that:

```
node.field_link.0.url.external
```

Example:

```
<a href="{{ node.field_link.0.url }}" title="Title" target="{{
node.field_link.0.url.external ? '_blank' : '_self' }}"
```

Share Edit Follow Flag

edited Oct 9 '19 at 20:27
piridium
3 2

answered Nov 27 '18 at 10:21
AnTSaSk
191 1 2

1 I like your usage of target = _self for *internal* and *external* _blank. It improves the UX. – Tyeth Apr 27 '20 at 11:19

6

you can also use something like the following, it all depends of the type of object you are extracting and the field name, In my case it was a paragraph with a field named field_link and the following worked:

```
{{ paragraph.field_link.get(0).getUrl().toString() }}
```

Share Edit Follow Flag

answered Sep 24 '19 at 16:00



Israel Morales
293 3 5

You are the man today my friend! Look at this craziness! I added a page_link field on one of my taxonomies. So i have to do this: {% set page_url = content.field_category.0['#options'].entity.field_page_link.get(0).getURL().toString() %} Now it outputs the url instead of the node ID, thank you! – Robbiegod Dec 13 '19 at 22:52

It worked for me to, this is the solution! – Yann Chabot Mar 30 '20 at 15:35

1 You saved me again today! This time a paragraph field and getting the full internal link url. {% set full_link_url = content.field_content_block.0['#paragraph'].field_external_link.get(0).getUrl().toString() %} - BTW, this worked in a node template. – Robbiegod Apr 9 '20 at 15:43

19

You have to cover both cases: external and internal URLs.

First let's check if the URL is **external** and simply print its `*.uri`.

Else if it's **internal** we have to wire its route name and parameters through Drupal's `path($name, $parameters, $options)` function.

```
{% if node.field_link.0.url.external %}
  <a href="{{ node.field_link.uri }}">
    {{ node.field_link.title }}
  </a>
{% else %}
  <a href="{{ path(node.field_link.0.url.routeName,
node.field_link.0.url.routeParameters) }}">
    {{ node.field_link.title }}
  </a>
{% endif %}
```

Share Edit Follow Flag

edited Oct 22 '17 at 7:29

answered Oct 11 '17 at 13:59



leymannx
14k 6 54 96

2 Thank you, this is exactly what I needed: get the url from a link field as a string: `{% set url = path(node.field_link.0.url.routeName, node.field_link.0.url.routeParameters) %}` Then I can create a custom link:` `custom link text` No preprocess needed and no need to go via content.field_link, so no need to do anything in the 'Manage display' for the link field just to get the url. – Flyke Mar 1 '18 at 8:56

I had to do this on a Link Field in a Block. This worked well:

10

```
{{ content.field_my_link[0]['#url']|render }}
```

Share Edit Follow Flag

answered May 1 '17 at 21:38



cbovard

101 1 2

4 It is also fine to use `{{ content.field_my_link[0]['#url'] }}` without *render*, as in twig template, render array are automatically rendered when printed. – eric.chenchao Jun 6 '17 at 2:35

You can access the render array element directly, in your case:

25

```
{{ node.field_my_link[0]['#url'] }}
```

Share Edit Follow Flag

answered Oct 22 '16 at 6:02



Tim

1,037 1 11 26

This one worked for my. – esQmo_ Oct 23 '18 at 21:05

It appears this is now the correct answer. – maskedjellybean Mar 31 '20 at 21:40

This one worked for me. – Alex Jan 27 at 15:29