

API Reference

Life File API

API Version: 1.251203.0

API Base URL: Provided at activation

CONTACT

NAME: Life File LLC

EMAIL: support@lifefile.net

URL: <https://www.lifefile.net>

INDEX

1. ORDER	4
1.1 PUT /order/{orderId}/status	4
1.2 PUT /order/{orderId}/shipping	5
1.3 POST /order	6
1.4 POST order/link	9

Security and Authentication

SECURITY SCHEMES

KEY	TYPE	DESCRIPTION
BasicAuth	http, basic	A specific API authorized User name and Password provided by Life File.

API

1. ORDER

order

1.1 PUT /order/{orderId}/status

Set the status for an Order

Due to workflow constraints, the pharmacies limit significantly the status to which an order could be changed.

REQUEST

PATH PARAMETERS

NAME	TYPE	EXAMPLE	DESCRIPTION
*orderId	int32	24200716	Order ID

REQUEST BODY - application/json

```
{
  status* string
}
```

HEADER PARAMETERS

NAME	TYPE	EXAMPLE	DESCRIPTION
*X-Vendor-ID	int32	11324	Vendor ID
*X-Location-ID	int32	110033	Location ID
*X-API-Network-ID	int32	233582	API Network ID

RESPONSE

STATUS CODE - 200: Success.

RESPONSE MODEL - application/json

```
{
  type      string
  message   string
  data {
  }
}
```

STATUS CODE - 404: Error update order

RESPONSE MODEL - application/json

```
{
  type      string
  message   string
  data {
  }
}
```

STATUS CODE - 500: Error order

RESPONSE MODEL - application/json

```

{
  type      string
  message   string
}

```

1.2 PUT /order/{orderId}/shipping

Set the shipping information for an Order

REQUEST

PATH PARAMETERS

NAME	TYPE	EXAMPLE	DESCRIPTION
*orderId	int32	24200716	Order ID

REQUEST BODY - application/json

```

{
  shipping {
    recipientType      enum      ALLOWED:clinic, patient
    recipientLastName   string    max:30 chars
    recipientFirstName  string    max:30 chars
    recipientPhone      string    max:16 chars
                                Format: (987) 654-3210
    recipientEmail      string    max:100 chars
    addressLine1        string    max:60 chars
    addressLine2        string    max:60 chars
    addressLine3        string    max:60 chars
    city                string    max:100 chars
    state               string    max:2 chars
                                Format: Two letter abbreviation state code: CA
    zipCode             string    max:10 chars
    country             string    max:2 chars
    service             integer   Internal Life File code for the shipping service.
    handlingService     integer   Internal Life File code for the shipping Handling service.
  }
}

```

HEADER PARAMETERS

NAME	TYPE	EXAMPLE	DESCRIPTION
*X-Vendor-ID	int32	11324	Vendor ID
*X-Location-ID	int32	110033	Location ID
*X-API-Network-ID	int32	233582	API Network ID

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - application/json

```

{
  type      enum      ALLOWED:success, error
  message   string
  data {
  }
}

```

```
}
```

STATUS CODE - 404: Not Found

RESPONSE MODEL - application/json

```
{
  type      enum    ALLOWED:success, error
  message   string
  data {
  }
}
```

1.3 POST /order

Create a new Order in Life File. Properties with * (Asterisk) are required

REQUEST

REQUEST BODY - application/json

```
{
  message {
    id*      integer  Unique identifier of the message sequence in the foreign system.
    sentTime string   Order sent at date time
  }
  order {
    general {
      memo          string   max:120 chars
      referenceId   string   max:200 chars
                        Reference ID in the foreign system.
      statusId      string   max:5 chars
                        Life File Order Status ID: 5 alphanumeric characters. This mechanism
                        does not make the order eligible for validation services. However order
                        may still enter scalation configurations.
      masterOrderLinkRequest integer If provided, the system will attempt to link the new order being created to
                        the Life File Order ID provided in this parameter.
      masterOrderLinkScope  enum    ALLOWED:Billing, Shipping, All
                        If a value is received for 'masterOrderLinkRequest', the system will
                        attempt to create the order link using the scope defined in this parameter.

      fax {
        ani  string max:25 chars
                        Fax Automatic Number Identification, a.k.a. Caller ID
        csid string max:50 chars
                        Fax Called Subscriber Identification
        did  string max:25 chars
                        Fax Direct Inward Dialing, a.k.a. Fax Number
      }
    }
    document {
      pdfBase64 string Required if the order data contains Controlled Substances
    }
    prescriber {
      npi*      string max:40 chars
      licenseState string max:2 chars
                        Format: Two letter abbreviation state code: CA
      licenseNumber string max:50 chars
      dea        string max:9 chars
                        PATTERN:[A-Z]{2}[0-9]{7}
      lastName*  string max:30 chars
      firstName  string max:30 chars
    }
  }
}
```

```

middleName      string max:20 chars
address1        string max:60 chars
address2        string max:60 chars
city            string max:100 chars
state           string max:2 chars
                Format: Two letter abbreviation state code: CA
zip             string max:10 chars
phone           string max:16 chars
                Format: (987) 654-3210
fax             string max:16 chars
                Format: (987) 654-3210
email           string max:100 chars
}
practice {
  id integer
}
patient {
  lastName*     string max:30 chars
  firstName*    string max:30 chars
  middleName    string max:20 chars
  gender*       enum    ALLOWED:m, f, a, u
                m = Male, f = Female, a = Animal, u = Unknown
  dateOfBirth*  string  PATTERN:yyyy-mm-dd
  address1      string max:60 chars
  address2      string max:60 chars
  address3      string max:60 chars
  city          string max:100 chars
  state         string max:2 chars
                Format: Two letter abbreviation state code: CA
  zip           string max:10 chars
  country       string max:2 chars
  phoneHome     string max:16 chars
                Format: (987) 654-3210
  phoneMobile   string max:16 chars
                Format: (987) 654-3210
  phoneWork     string max:16 chars
                Format: (987) 654-3210
  email         string max:100 chars
}
shipping {
  recipientType  enum    ALLOWED:clinic, patient
  recipientLastName string max:30 chars
  recipientFirstName string max:30 chars
  recipientPhone string max:16 chars
                Format: (987) 654-3210
  recipientEmail string max:100 chars
  addressLine1  string max:60 chars
  addressLine2  string max:60 chars
  addressLine3  string max:60 chars
  city          string max:100 chars
  state         string max:2 chars
                Format: Two letter abbreviation state code: CA
  zipCode       string max:10 chars
  country       string max:2 chars
  service       integer Internal Life File code for the shipping service.
  handlingService integer Internal Life File code for the shipping Handling service.
}
billing {

```

```

    payorType enum ALLOWED:pat, doc
  }
  rxs [{
    Array of object:
      rxType enum ALLOWED:new, refill
      rxNumber integer
      drugName* string max:254 chars
      drugStrength string max:254 chars
      drugForm string max:255 chars
      lfProductID integer
      foreignPmsId integer
      foreignRxNumber string max:50 chars
      quantity string max:45 chars
      quantityUnits string max:45 chars
      directions string max:65535 chars
      refills integer
      dateWritten string PATTERN:yyyy-mm-dd
      daysSupply integer
      scheduleCode enum ALLOWED:2, 3, 4, 5, L, 0
      clinicalDifferenceStatement string max:65535 chars
      uuid string max:36 chars
        PATTERN:xxxxxxxx-xxxx-4xxx-xxxx-
        xxxxxxxxxxxx
        UUID version 4 to identify new RXs. Required only when rxType is
        'new'.
    }]
  clinical [{
    Array of object:
      type* enum ALLOWED:allergy, disease, medication
      code* string max:20 chars
      description* string
      source enum max:64 chars
        ALLOWED:Doctor, Patient, Patient Agent/Guardian,
        Pharmacist
      reaction string max:255 chars
      startDate string PATTERN:yyyy-mm-dd
      endDate string PATTERN:yyyy-mm-dd
    }]
  }
}

```

HEADER PARAMETERS

NAME	TYPE	EXAMPLE	DESCRIPTION
*X-Vendor-ID	int32	11324	Vendor ID
*X-Location-ID	int32	110033	Location ID
*X-API-Network-ID	int32	233582	API Network ID

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - application/json

```

{
  type enum ALLOWED:success, error
  message string
}

```



```
data {  
}  
}
```

1.4 POST order/link

Link child orders to a master order.

REQUEST

REQUEST BODY - application/json

```
{  
  masterOrderLinkRequest integer  ID of the master order to link.  
  masterOrderLinkScope  enum      ALLOWED:Billing, Shipping, All  
                                Scope of the link ('Billing','Shipping','All').  
  childOrders            [integer]  
}
```

HEADER PARAMETERS

NAME	TYPE	EXAMPLE	DESCRIPTION
*X-Vendor-ID	int32	11481	Vendor ID
*X-Location-ID	int32	110273	Location ID
*X-API-Network-ID	int32	233582	API Network ID

RESPONSE

STATUS CODE - 200: Orders linked successfully.

RESPONSE MODEL - application/json

```
{  
  type      enum      ALLOWED:success, error  
  message   string  
  data {  
  }  
}
```

STATUS CODE - 404: Order not found.

RESPONSE MODEL - application/json

```
{  
  type      enum      ALLOWED:success, error  
  message   string  
  data {  
  }  
}
```

STATUS CODE - 422: Validation errors

RESPONSE MODEL - application/json
