Lists : a general sequence of elements

Marc Coiffier

Contents

The elements of a sequence 1
List combinators 2

```
'utils require import
```

- Required module: utils

Sometimes in life, we want to do a series of tasks in a certain order, or sort objects in a sequence. In mathematical disciplines, lists play a similar semantic role, allowing us to express sequences of related elements.

The elements of a sequence

The simplest kind of list is either an empty list, or a list containing one element, followed by another list. Given a type A of elements, we can define lists of type A in the following context :

```
'List_context {
  Type '.List ->
  A 'a -> .List 'l -> .List ? ? '.cons ->
  .List '.nil -> } def
```

Armed with this context, defining the usual constructors for the List type and its members becomes easy :

```
'List List_context .List ? ? ? "List A" defconstr
A 'a -> List 'l -> 'cons List_context
    .cons ( a l ( .List .cons .nil ) ) ! ! ! "cons a l" defconstr ! !
'nil List_context .nil ! ! ! "nil" defconstr
[ 'List 'nil 'cons ] { export } each
```

The list recursor, $\lambda(\mathrm{l} : \mathit{List}\,\mathrm{A}).\,\mu(\mathrm{l})$, has type $\forall(\mathrm{l} : \mathit{List}\,\mathrm{A})\,(\mathrm{List}^P : \mathit{List}\,\mathrm{A} \to \mathit{Set}_1)$, $(\forall(\mathrm{a} : \mathrm{A})\,(\mathrm{l}_0 : \mathit{List}\,\mathrm{A}),\ \mathrm{List}^P\,\mathrm{l}_0 \to \mathrm{List}^P\,(\mathit{cons}\,\mathrm{a}\,\mathrm{l}_0)) \to \mathrm{List}^P\,\mathit{nil} \to \mathrm{List}^P\,\mathrm{l}$. We can now start to define non-trivial combinators that work on lists, such as "map" and "append" :

List combinators

```
!
'list_map Type 'A -> Type 'B -> A 'x -> B ? 'f -> List ( A ) 'l ->
   l (
     List ( B )
     A 'x -> List ( B ) 'l -> cons ( B f ( x ) l ) ! !
     nil ( B )
   ) 4 lambdas def
```

list_map has type $\forall(\mathrm{A} : Set_0)\,(\mathrm{B} : Set_0),\ (\mathrm{A} \to \mathrm{B}) \to List\,\mathrm{A} \to List\,\mathrm{B}$.

```
'list_append Type 'A -> List ( A ) dup 'x -> 'y -> x (
   List ( A )
   cons ( A )
   y ) ! ! ! def
```

list_append has the type $\forall(\mathrm{A} : Set_0),\ List\,\mathrm{A} \to List\,\mathrm{A} \to List\,\mathrm{A}$.