

ZAP by Checkmarx

Scanning Report

Generated with  ZAP on Wed 5 Nov 2025, at 10:03:53

ZAP Version: 2.16.1

ZAP by [Checkmarx](#)

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
- [Alerts](#)
 - [Risk=Medium, Confidence=High \(2\)](#)
 - [Risk=Low, Confidence=Medium \(2\)](#)
 - [Risk=Informational, Confidence=Medium \(2\)](#)
 - [Risk=Informational, Confidence=Low \(1\)](#)

- [Appendix](#)
 - [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <https://localhost:5000>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: [High](#), [Medium](#), [Low](#), [Informational](#)

Excluded: None

Confidence levels

Included: [User Confirmed](#), [High](#), [Medium](#), [Low](#)

Excluded: [User Confirmed](#), [High](#), [Medium](#), [Low](#), [False Positive](#)

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
Risk		User Confirmed	High	Medium	Low	Total
	High	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	Medium	0 (0.0%)	2 (28.6%)	0 (0.0%)	0 (0.0%)	2 (28.6%)
	Low	0 (0.0%)	0 (0.0%)	2 (28.6%)	0 (0.0%)	2 (28.6%)
	Informational	0 (0.0%)	0 (0.0%)	2 (28.6%)	1 (14.3%)	3 (42.9%)
	1					
Total		0 (0.0%)	2 (28.6%)	4 (57.1%)	1 (14.3%)	7 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

Site	Risk				Informational
	High (= High)	Medium (>= Medium)	Low (>= Low)	(>= Informational)	
https://localhost:5000	0	2	2	3	
	(0)	(2)	(4)	(7)	

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
CSP: Wildcard Directive	Medium	1 (14.3%)
CSP: style-src unsafe-inline	Medium	1 (14.3%)
Cookie Without Secure Flag	Low	1 (14.3%)
Total		7

Alert type	Risk	Count
Cookie without SameSite Attribute	Low	1 (14.3%)
Re-examine Cache-control Directives	Informational	1 (14.3%)
Session Management Response Identified	Informational	2 (28.6%)
User Agent Fuzzer	Informational	34 (485.7%)
Total		7

Alerts

Risk=Medium, Confidence=High (2)

<https://localhost:5000> (2)

[CSP: Wildcard Directive \(1\)](#)

► GET <https://localhost:5000>

[CSP: style-src unsafe-inline \(1\)](#)

► GET <https://localhost:5000>

Risk=Low, Confidence=Medium (2)

<https://localhost:5000> (2)

Cookie Without Secure Flag (1)

► GET https://localhost:5000

Cookie without SameSite Attribute (1)

► GET https://localhost:5000

Risk=Informational, Confidence=Medium (2)

https://localhost:5000 (2)

Session Management Response Identified (1)

► GET https://localhost:5000

User Agent Fuzzer (1)

► GET https://localhost:5000

Risk=Informational, Confidence=Low (1)

https://localhost:5000 (1)

Re-examine Cache-control Directives (1)

► GET https://localhost:5000

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

CSP: Wildcard Directive

Source	raised by a passive scanner (CSP)
CWE ID	693
WASC ID	15
Reference	▪ https://www.w3.org/TR/CSP/ ▪ https://caniuse.com/#search=content+security+policy ▪ https://content-security-policy.com/ ▪ https://github.com/HtmlUnit/htmlunit-csp ▪ https://web.dev/articles/csp#resource-options

CSP: style-src unsafe-inline

Source	raised by a passive scanner (CSP)
CWE ID	693
WASC ID	15
Reference	▪ https://www.w3.org/TR/CSP/ ▪ https://caniuse.com/#search=content+security+policy ▪ https://content-security-policy.com/

- <https://github.com/HtmlUnit/htmlunit-csp>
- <https://web.dev/articles/csp#resource-options>

Cookie Without Secure Flag

Source	raised by a passive scanner (Cookie Without Secure Flag)
CWE ID	614
WASC ID	13
Reference	▪ https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html

Cookie without SameSite Attribute

Source	raised by a passive scanner (Cookie without SameSite Attribute)
CWE ID	1275
WASC ID	13
Reference	▪ https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site

Re-examine Cache-control Directives

Source	raised by a passive scanner (Re-examine Cache-control Directives)
CWE ID	525

WASC ID 13

Reference

- https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control>
- <https://grayduck.mn/2021/09/13/cache-control-recommendations/>

Session Management Response Identified

Source raised by a passive scanner ([Session Management Response Identified](#))

Reference

- <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/>

User Agent Fuzzer

Source raised by an active scanner ([User Agent Fuzzer](#))

Reference

- <https://owasp.org/wstg>