Supporting Information

The quantitative currency of GPCR bias signalling fails its own algebraic identities

Huan Li
Shanghai Liangta Biotech Co., Ltd., Shanghai 201899, P. R. China

October 2026

This Supporting Information documents the complete computational output of the accompanying repository (`gpcr-field-audit`, release v1.0.0): every analysis script, the adjudication tables, the per-source meta-audit table, and the provenance of third-party data. Numbers are transcribed verbatim from `results/`; scripts are plain Python 3 (numpy/scipy/matplotlib/pandas).

Contents

1 Pipeline map: scripts and outputs **2**

2 P5 adjudication (Keshelava 2018) **2**

2.1 Erratum adjudication (code47b; 195 cells, 13 timing exclusions) 2

3 Atlas meta-audit (code67/71) **3**

4 MOR extended-model residuals (code80) **5**

5 Third-party data provenance **5**

1 Pipeline map: scripts and outputs

Script	Computes	Archived output
code47_P5_blind_adjudication_boundary_predictor	P5 blind adjudication of the boundary predictor on Keshelava 2018 (208 cells, seed 20260815, 2000 bootstrap)	Keshelava2018_P5/ tables + verdict JSON
code47b_P5_erratum_readjudication	erratum re-adjudication after timing exclusions (195 cells, 13 excluded)	Keshelava2018_P5_47b_erratum/ tables + verdict JSON; P5_verdict_summary.csv
code63_GPCR_functional_affinity_fracture	functional-affinity fracture across arms	console/tables
code64_D2R_upstream_rate_ordering	D2R upstream rate ordering	console/tables
code65_AT1R_cross_arm_affinity_fracture	AT1R cross-arm affinity fracture	console/tables
code66_MOR_Gillis_internal_consistency	MOR internal consistency on the Gillies ligand series	console/tables
code67_BiasedSignalingAtlas_meta_audit	community-table meta-audit	atlas_per_paper_medians.csv, atlas_pair_violations.csv
code68_D2R_kinetic_mechanism_test	D2R kinetic mechanism test	console/tables
code69_D2R_functional_state_cross_arm_map	D2R functional-state cross-arm map	console/tables
code71_Atlas_full_identity_pipeline	full algebraic-identity pipeline over the Atlas	atlas_pair_violations.csv (2.8 MB)
code72_audit_method_false_positive_selfcheck	false-positive self-check of the audit method	console/tables
code73_robustness_triplet_blind_jackknife	robustness triplet, blind jackknife	console/tables
code77_Atlas_constraint_projection_fracture_probability	constraint projection; fracture probability	console/tables
code80_Gillis_arm_coordinate_extended_model	Gillis arm-coordinate extended model	mor_code80_residuals.csv

2 P5 adjudication (Keshelava 2018)

Dataset: per-cell Fura-2 peaks, 27 experiments × 433 cells × 7 ACh doses × 5 repetitions (Supplementary Data 3 of Keshelava et al., *Nat. Commun.* 9, 876 (2018)); 11 experiments passed the inclusion criteria. Frozen bootstrap seed 20260815, 2000 resamples, *AUC* with 95% CI.

2.1 Erratum adjudication (code47b; 195 cells, 13 timing exclusions)

Robustness arms (archived in the robustness-arm CSV (Chinese-named, Keshelava2018_P5_47b_erratum/)): verdicts are stable under $k = 2$ and $k = 4$ smoothing, under a desensitisation-corrected statistic, and within the single largest experiment (experiment_11.dot, $n = 29$). The original code47 adjudication

Table 2: Unit table (verbatim): discrimination AUCs between adjacent dose steps, per statistic (τ = time above threshold; cnt = threshold crossings; pk = peak).

Statistic	pair	AUC	95% CI	n
τ	D1↔D2	0.629	(0.598, 0.662)	195
τ	D2↔D3	0.659	(0.625, 0.692)	195
τ	D5↔D6	0.568	(0.539, 0.599)	195
τ	D6↔D7	0.520	(0.487, 0.554)	195
cnt	D1↔D2	0.629	(0.598, 0.662)	195
cnt	D2↔D3	0.659	(0.626, 0.691)	195
cnt	D5↔D6	0.570	(0.550, 0.593)	195
cnt	D6↔D7	0.522	(0.501, 0.543)	195
pk	D1↔D2	0.731	(0.692, 0.770)	195
pk	D2↔D3	0.744	(0.716, 0.776)	195
pk	D5↔D6	0.551	(0.531, 0.571)	195
pk	D6↔D7	0.523	(0.509, 0.538)	195

Table 3: Clause verdicts against the frozen decision lines.

Clause	Frozen line	Verdict
P5-1	hit iff 4/4 τ-AUC in $[0.40, 0.60)$; falsified iff $\geq$2 units outside	**falsified** (2/4 units outside the band)
P5-2	hit iff 4/4 count-AUC ≥ 0.60; falsified iff 4/4 < 0.60	intermediate (2/4 units at line)
P5-3	$\geq$3/4 units peak-AUC $\geq 0.60 \rightarrow$ calibration pass	dataset-level weak-decoding limitation (only 2/4 units ≥ 0.60)
overall		**P5 falsified** (boundary predictor dead in this form)

(208 cells, pre-erratum) is archived in `Keshelava2018_P5/` for traceability; its overall verdict was "intermediate".

3 Atlas meta-audit (code67/71)

Per-source median absolute deviation from the algebraic identities, in dex, over all receptor/pathway groups in the BiasedSignalingAtlas community tables (Table 4). The full pair-level violation table (all receptor×pathway×ligand comparisons) is archived as `atlas_pair_violations.csv` (2.8 MB).

Table 4: Per-source-paper median and maximal identity deviation (dex).

DOI	n_{grp}	n_{pairs}	median	max	receptors
10.1111/bph.13854	2	4	1.322	2.209	OPRK_HUMAN
10.1124/jpet.116.232561	2	226	1.077	4.071	CNR2_MOUSE
10.1124/mol.115.101980	4	50	0.982	4.990	CNR1_HUMAN
10.1124/mol.113.088880	5	50	0.827	3.676	ADRB2_HUMAN

Table 4: Per-source-paper median and maximal identity deviation (dex).

DOI	n_{grp}	n_{pairs}	median	max	receptors
10.1074/jbc.M116.757559	7	13	0.682	1.966	CCR2/CCR5_HUMAN
10.1073/pnas.1312515110	3	3	0.676	1.357	CXCR4_HUMAN
10.1073/pnas.1908662116	4	28	0.531	1.496	OPRM_MOUSE
10.3389/fphar.2020.00188	1	1	0.529	0.529	OPRK_HUMAN
10.1016/j.bcp.2018.04.021	8	48	0.526	1.843	AGTR1_HUMAN
10.1073/pnas.2000712117	6	1240	0.452	4.569	OPRD/OPRK/OPRM_HUMAN
10.1007/s00018-013-1461-7	2	16	0.429	0.722	OPRD_HUMAN
10.1111/bph.14913	5	214	0.418	4.556	OPRD/OPRK/OPRM (H+M)
10.1124/mol.110.068106	2	57	0.400	1.796	DRD2_HUMAN
10.1016/j.bmc.2017.08.037	2	91	0.355	1.654	DRD2_HUMAN
10.1038/ncomms13958	8	288	0.326	4.054	CNR2_HUMAN/MOUSE
10.1074/jbc.M115.704122	1	15	0.287	0.610	NPSR1_HUMAN
10.1074/jbc.M112.408534	3	18	0.283	0.614	ACM2_HUMAN
10.1038/s41598-017-15258-z	2	13	0.270	0.664	OPRM_HUMAN
10.1124/mol.115.099192	2	42	0.267	0.737	CNR1_HUMAN
10.1016/j.phrs.2017.08.008	3	15	0.263	0.765	CNR1_HUMAN
10.1016/j.phrs.2018.02.032	5	225	0.262	1.275	APJ_HUMAN
10.1021/acs.jmedchem.8b00047	1	136	0.255	0.844	AA1R_HUMAN
10.1038/nchembio.2527	2	13	0.220	0.342	DRD2_HUMAN
10.3390/molecules24244542	4	351	0.210	0.847	OPRD/OPRM (H+M)
10.1124/mol.115.099150	3	27	0.205	1.822	OPRX_HUMAN
10.1002/pep2.24070	4	288	0.196	1.714	OPRD_MOUSE/OPRM_HUMAN
10.1038/s41467-018-03941-2	2	132	0.194	1.480	GLP1R_HUMAN
10.3390/ijms20102417	5	46	0.183	0.560	CCR1_HUMAN
10.1126/scisignal.aaz3140	5	157	0.178	1.452	OPRM_HUMAN/MOUSE
10.1124/jpet.114.220293	2	110	0.178	0.652	DRD2_HUMAN
10.1016/j.lfs.2016.02.069	1	6	0.167	0.328	EDNRA_HUMAN
10.1016/j.bcp.2014.05.008	3	15	0.163	0.728	AA2BR_HUMAN/MOUSE
10.1038/s41467-019-11875-6	30	5399	0.162	3.325	ADRB2/OPRD/OPRM (H+RAT)
10.1016/j.euroneuro.2018.12.013	3	13	0.160	0.329	OPRD_HUMAN
10.1021/acschemneuro.9b00429	5	20	0.157	0.316	CNR1_HUMAN
10.1038/s41598-017-01078-8	2	2	0.153	0.249	LSHR_HUMAN
10.1038/s41598-020-65636-3	7	73	0.148	1.809	ADRB1_HUMAN
10.1016/j.bcp.2015.11.013	2	30	0.147	1.300	AA1R_HUMAN
10.1124/mol.115.098848	6	562	0.138	3.363	OPRM_HUMAN
10.1124/mol.113.089649	2	930	0.137	0.739	OPRK_HUMAN
10.1161/HYPERTENSIONAHA.114.03099	3	3	0.132	0.762	APJ_HUMAN
10.1021/jm500457x	2	49	0.120	0.417	DRD2_HUMAN

Table 4: Per-source-paper median and maximal identity deviation (dex).

DOI	n_{grp}	n_{pairs}	median	max	receptors
10.1126/scisignal.aar4309	4	12	0.119	0.986	OPRK_HUMAN
10.1007/s00210-014-1054-5	5	417	0.117	0.568	ADRB2_HUMAN
10.1021/acs.jmedchem.8b01912	4	18	0.116	0.265	FPR1/FPR2_HUMAN
10.1124/mol.116.103283	2	210	0.115	0.588	AA3R_HUMAN
10.1124/mol.116.106153	4	40	0.112	0.688	HRH3_HUMAN
10.1021/acs.jmedchem.7b00363	2	110	0.110	0.745	DRD2_HUMAN
10.1126/science.1232808	4	4	0.109	0.331	5HT1B/5HT2B_HUMAN
10.1124/mol.110.067454	1	21	0.107	0.273	ADA1A_HUMAN
10.1124/mol.110.065664	2	30	0.102	0.335	GLP1R_HUMAN
10.1126/scisignal.aat1631	8	524	0.101	1.532	AGTR1_HUMAN
10.1021/acsptsci.0c00022	3	217	0.100	0.693	GLP1R_HUMAN
10.1074/jbc.M113.504381	2	49	0.096	0.250	OPRK_HUMAN
10.3389/fphar.2018.01202	3	45	0.083	0.454	CNR2_HUMAN
10.1021/acs.jmedchem.6b01857	2	141	0.081	0.340	DRD2_HUMAN
10.1021/acs.jmedchem.6b01875	2	240	0.080	0.803	DRD2_HUMAN
10.1038/s41401-018-0200-x	2	342	0.078	0.316	ADRB2_HUMAN
10.1074/jbc.M115.659250	8	17	0.074	0.823	GHSR_HUMAN
10.1016/j.bcp.2017.03.014	4	12	0.067	0.190	AA2BR_HUMAN
10.1016/j.bcp.2016.05.014	6	168	0.064	0.818	OPRM_HUMAN/MOUSE
10.1016/j.neuropharm.2019.107718	4	36	0.063	0.177	OPRM_HUMAN
10.1021/acsptsci.9b00083	2	342	0.050	0.327	CALRL_HUMAN
10.1016/j.bcp.2017.03.018	4	147	0.042	0.304	GLP1R_HUMAN
10.1021/jm401318w	2	218	0.040	0.296	DRD2_HUMAN
10.1101/2020.11.09.375162	18	3608	0.001	0.364	CNR1/CNR2_HUMAN

4 MOR extended-model residuals (code80)

The Gillis arm-coordinate extended model is fitted to the MOR ligand series; per-(nanobody, ligand, channel) residuals with standard deviations, model-1 residuals and arm shifts are archived verbatim in `mor_code80_residuals.csv` (67 rows). Example rows: Nb33 / Morphine: $\log\tau$ residual $+0.031 \pm 0.102$, $\log R$ residual -0.021 ± 0.092; Nb33 / Oxycodone: $\log\tau$ $+0.192 \pm 0.146$.

5 Third-party data provenance

Shipped here: `keshelava2018/peak_values.csv` (Supplementary Data 3 of Keshelava et al. 2018, CC BY 4.0; authors' MATLAB script carries a legacy dose ladder — our usage follows the Methods ladder, documented in the manuscript Methods). Referenced but not re-hosted: BiasedSignalingAtlas community tables (code67/71/77); Gillies et al., *Cell Syst.* 11, 445–460 (2020) supplements (∼98 MB); D2R/AT1R source studies cited in the manuscript. Full notes in `data_external/PROVENANCE.md`.