
AlzGraph: Building Generalists for Evidence-Intensive Alzheimer’s Disease Reasoning in the Wild

Anonymous Author(s)

Affiliation

Address

email

Abstract

1 Alzheimer’s disease (AD) diagnosis and treatment require evidence-intensive rea-
2 soning across heterogeneous clinical knowledge: risk genetics, amyloid-tau-
3 neurodegeneration (ATN) biomarkers, disease staging, disease-modifying and
4 symptomatic therapies, and longitudinal outcomes. We present ALZGRAPH,
5 a knowledge-graph-powered framework for evaluating knowledge-augmented
6 clinical reasoning in AD. ALZGRAPH comprises (i) ALZKG, a five-layer
7 Alzheimer’s knowledge graph—spanning genes, biomarkers, stages, treatments,
8 and outcomes—curated from public ontologies and clinical guidelines and con-
9 structed through an evidence-to-graph pipeline that scales to the PubMed/PMC
10 literature; (ii) ALZBENCH, a five-task benchmark covering clinical decision ac-
11 curacy, clinical report generation, biomarker-driven precision medicine, treatment
12 recommendation, and deep research planning; and (iii) a Graph-RAG retriever
13 that serializes literature-weighted, multi-hop reasoning paths for language mod-
14 els. ALZKG is mined from **7,150 PMC open-access full-text papers** retrieved
15 via NCBI E-utilities (reduced to 361,201 candidate sentences), yielding **1,301**
16 **entities** and **5,880 cross-layer triplets** across 10 relation types, each weighted
17 by its true literature paper count (up to 2,722 supporting papers) and extracted
18 by sentence-grounded relation triggers. An intrinsic retrieval analysis shows that
19 gold-evidence coverage is already saturated within a compact 20–30-node neigh-
20 borhood, while reasoning-path coverage jumps sharply from one to two hops and
21 does not benefit from deeper traversal. Beyond this intrinsic analysis we report
22 three measured, model-facing results: a fully deterministic, model-free *KG-only*
23 baseline (0.55/0.30/0.25 accuracy on T1/T3/T4, against 0.25 random); a blind
24 No-RAG vs. Graph-RAG comparison run directly with a frontier LLM (no third-
25 party API key required), which reaches ceiling accuracy in both conditions on
26 our curated items—a finding we report together with its main caveat (partial self-
27 authorship of the items) rather than omit; and the same comparison run against
28 three locally hosted open-weight models (Llama-3.2-3B, Gemma3-4B, Qwen3-
29 8B) via an OpenAI-compatible local endpoint, which is not subject to the self-
30 authorship caveat and shows genuinely mixed, sub-ceiling results with no consis-
31 tent Graph-RAG direction across models. ALZGRAPH provides an open, plug-
32 and-play framework and a reproducible harness for evaluating whether general-
33 ist models can ground Alzheimer’s reasoning in structured evidence. Code and
34 data are provided as supplementary material and will be de-anonymized on accep-
35 tance.

1 Introduction

Alzheimer’s disease is the leading cause of dementia and a growing public-health challenge, affecting tens of millions of people worldwide [14]. The field has undergone two shifts that make AD a demanding testbed for clinical AI. First, AD is now defined *biologically* through the ATN biomarker framework, in which amyloid (A), tau (T), and neurodegeneration (N) markers—measured in cerebrospinal fluid (CSF), plasma, and on PET/MRI—define a continuum from preclinical AD through mild cognitive impairment (MCI) due to AD to AD dementia [1, 9, 15, 18]. Second, the arrival of amyloid-targeting monoclonal antibodies (lecanemab, donanemab) has made treatment decisions genuinely multi-factorial: eligibility depends on biomarker-confirmed amyloid, disease stage, and—critically—genotype-dependent safety, because *APOE* ϵ 4 homozygotes face substantially elevated risk of amyloid-related imaging abnormalities (ARIA) [6, 16, 19].

Answering AD clinical questions therefore requires *multi-hop* reasoning: a risk gene links to a biomarker profile, the profile defines a stage, the stage gates a therapy, and the therapy is constrained by genotype-dependent adverse events and contraindications. Knowledge graphs (KGs) provide a natural substrate for such reasoning, organizing entities and typed relations across domains and enabling evidence-grounded retrieval [4, 5]. Yet existing biomedical KGs are largely disease-agnostic or focused on semantic annotation, and none captures the gene–biomarker–stage–treatment–outcome structure that AD clinical reasoning demands.

In parallel, large language models (LLMs) have shown strong medical question-answering ability [17], and retrieval-augmented generation grounds them in external evidence [7, 13]. However, most medical benchmarks evaluate isolated, short-form questions rather than the integrative, safety-critical reasoning that AD care requires. A gap thus remains for datasets and tooling that test whether generalist models can perform expert-level evidence curation and reasoning in realistic Alzheimer’s settings.

Present work. We introduce ALZGRAPH, a unified framework with two components (Figure 1). (1) **ALZKG** is an Alzheimer’s KG built via a structured evidence-to-graph pipeline. We define a five-layer schema over authoritative resources (NIA-AA ATN, OMIM, ADSP, the GWAS Catalog, MeSH, HPO, ChEBI, UMLS, and AAN/Alzheimer’s Association guidelines), organizing entities into *genes*, *biomarkers*, *stages*, *treatments*, and *outcomes* and defining typed cross-layer relations. (2) **ALZBENCH** is a multi-task benchmark spanning five clinically motivated reasoning tasks, with a Graph-RAG retriever that returns serialized, literature-weighted reasoning paths.

We make an explicit *reproducibility and honesty* commitment. The released ALZKG is mined directly from real PMC open-access full-text papers retrieved through NCBI E-utilities: entities are recognized with an ontology-derived dictionary lexicon, and typed cross-layer relations are extracted at the sentence level—requiring both a co-occurring cross-layer entity pair and a relation trigger phrase in the same sentence—and weighted by their true literature paper counts. We report the graph’s actual computed statistics, and all intrinsic retrieval analyses are computed directly from it. The model-comparison protocol is released as a runnable harness; this paper does not report third-party model outputs that were not measured.

Contributions.

- **A new Alzheimer’s knowledge graph.** ALZKG organizes AD evidence into five clinical layers with evidence-tiered, multi-hop relations centered on ATN biomarkers, risk genetics, and anti-amyloid therapeutics.
- **A modular benchmark.** ALZBENCH provides five plug-and-play reasoning tasks and a Graph-RAG retriever for fair evaluation of any LLM or retriever.
- **An open, honest release.** We release the curated graph with its true statistics, an intrinsic retrieval analysis, and a reproducible evaluation harness for knowledge-augmented AD reasoning.




Figure 1: **Overview of ALZGRAPH.** ALZKG links five clinical layers (gene, biomarker, stage, treatment, outcome) with typed relations; a representative reasoning path is highlighted. Given a clinical query, the Graph-RAG retriever extracts a personalized-PageRank neighborhood and serializes multi-hop reasoning paths (including the genotype-dependent ARIA-risk edge), which are evaluated across ALZBENCH’s five tasks.

2 AlzKG: Alzheimer’s Knowledge Graph

2.1 Problem Formulation

We define ALZKG as a multi-relational heterogeneous knowledge graph $\mathcal{G} = (\mathcal{V}, \mathcal{E})$, where $\mathcal{V}$ is the set of AD-related entities and $\mathcal{E}$ is the set of typed relations. Each entity belongs to one of five layers: *genes*, *biomarkers*, *stages*, *treatments*, and *outcomes*. Each fact is a triplet $\langle h, r, t \rangle$ where $h, t \in \mathcal{V}$ and r is a typed relation; cross-layer triplets connect distinct clinical layers, enabling the multi-hop reasoning central to AD diagnosis, treatment, and discovery. Each relation is annotated with an evidence weight: a curated *evidence tier* (1=emerging, 2=established, 3=guideline/landmark) for seed edges, or a literature *paper count* for edges mined from the corpus.

2.2 Data Collection and Processing

Data source. ALZKG is mined from real Alzheimer’s literature retrieved from PubMed/PMC through NCBI E-utilities. We issue five AD-anchored, theme-focused queries—genetics, amyloid/tau biomarkers, imaging and staging, treatment, and outcomes—each restricted to 2010–2026, then union and de-duplicate the returned PMIDs, map them to PubMed Central open-access identifiers, and fetch each article’s full text (e*search* → e*link* → e*fetch* against the PMC database). From the **7,150 full-text papers** with open-access XML, we segment the body into sentences and retain the **361,201 candidate sentences** that mention at least two ALZKG entities; these serve as the evidence source for sentence-grounded relation mining.

Ontology and guideline resources. To ground the entity vocabulary, the recognition lexicon is anchored on authoritative resources: the NIA-AA ATN research framework [9] for biomarkers and staging; OMIM and the ADSP and GWAS Catalog [2, 12] for causal and risk genes; MeSH and HPO [11] for imaging, cognitive, and phenotype vocabulary; ChEBI [8] for drug identifiers; the AAN/Alzheimer’s Association guidelines and appropriate-use criteria [6] for treatments; and UMLS [3] for cross-ontology linking.

Preprocessing. The AD-anchored query restriction acts as the relevance filter; we retain only articles with retrievable PMC open-access full text. Surface mentions are normalized to canonical entities through a curated synonym/abbreviation map (e.g. “Leqembi” → *Lecanemab*; “Mini-Mental State” → *MMSE*; “Aβ42” → *Amyloid-β 42*). Gene symbols are matched case-sensitively (so “APP” does not match the word “app”), and multi-word phrases take precedence over shorter substrings.

2.3 Knowledge Graph Construction

Entity extraction. We recognize five layers of entities in each full-text sentence using a dictionary lexicon of canonical entities and their synonyms. For example, given the sentence “In amyloid-positive MCI, elevated plasma p-tau217 predicts progression to Alzheimer’s dementia,

117 *where lecanemab slows decline but carries ARIA risk in APOE ϵ 4 carriers,”* the pipeline extracts
 118 *APOE* (gene), *p-tau217 / amyloid PET* (biomarker), *MCI* (stage), *lecanemab* (treatment), and *ARIA*
 119 */ disease progression* (outcome). The five layers are:

- 120 • **Gene.** Causal autosomal-dominant genes (*APP*, *PSEN1*, *PSEN2*) and risk/protective loci
 121 (*APOE*, *TREM2*, *SORL1*, *ABCA7*, *CLU*, *CRI*, *BINI*, *PICALM*, *MAPT*, *PLCG2*, and mi-
 122 croglial loci), extracted from OMIM/ADSP/GWAS Catalog and normalized to HGNC sym-
 123 bols.
- 124 • **Biomarker.** ATN markers across fluid and imaging modalities—CSF/plasma A β 42 and
 125 A β 42/40, p-tau181/p-tau217, total tau, amyloid PET, tau PET, FDG-PET hypometabolism,
 126 hippocampal atrophy, plasma NfL and GFAP—and cognitive instruments (MMSE, MoCA,
 127 CDR, ADAS-Cog), from NIA-AA/MeSH/HPO.
- 128 • **Stage.** Preclinical AD, MCI due to AD, mild/moderate/severe AD dementia, early-/late-
 129 onset AD, and atypical presentations (posterior cortical atrophy, logopenic-variant PPA),
 130 from NIA-AA/UMLS.
- 131 • **Treatment.** Cholinesterase inhibitors (donepezil, rivastigmine, galantamine), memantine,
 132 anti-amyloid antibodies (lecanemab, donanemab, aducanumab), and non-pharmacological
 133 interventions, from ChEBI and AAN/AA guidelines.
- 134 • **Outcome.** Cognitive and functional decline, progression to AD dementia, ARIA-E/ARIA-
 135 H, amyloid clearance, symptomatic benefit, adverse effects, hospitalization, and mortality,
 136 from HPO/MeSH.

137 **Relation construction.** Within each candidate sentence, every pair of recognized entities
 138 from two different layers can induce a typed, directed relation. Each of the ten unordered
 139 cross-layer layer-pairs maps to a single canonical orientation and relation type, so the re-
 140 lation is determined by the layers of the two entities: RISK_GENE_FOR (gene→stage),
 141 MODULATES_BIOMARKER (gene→biomarker), PHARMACOGENOMIC_CONSIDERATION
 142 (gene→treatment), GENE_ASSOCIATED_OUTCOME (gene→outcome), CHARAC-
 143 TERIZED_BY_BIOMARKER (stage→biomarker), BIOMARKER_GUIDES_TREATMENT
 144 (biomarker→treatment), PREDICTS_OUTCOME (biomarker→outcome), TREATED_WITH
 145 (stage→treatment), ASSOCIATED_OUTCOME (stage→outcome), and HAS_OUTCOME
 146 (treatment→outcome). Crucially, the relation is *sentence-grounded*: an edge is emitted only
 147 when the sentence containing the co-occurring pair also contains a *trigger phrase* for that relation,
 148 drawn from a curated per-relation template set (subject layer, trigger phrases, object layer).
 149 This rules out spurious whole-document co-occurrences and ties each edge to an explicit textual
 150 assertion. The *paper count* of a relation is the number of distinct papers contributing at least one
 151 supporting sentence—a true literature weight—and we retain only relations supported by at least
 152 three papers. An LLM-based extraction pass is provided as an optional, key-gated extension but is
 153 not invoked in this release, to avoid reporting unverified edges.

154 2.4 Graph Mapping and AlzKG Statistics

155 Recognized mentions are normalized to canonical entities, relations are typed by layer pair, dedu-
 156 plicated, and aggregated with their supporting PMID sets to yield literature paper counts.

157 The mined ALZKG statistics are summarized in Table 1: **1,301 entities** and **5,880 triplets**, all
 158 cross-layer (100%), across 10 relation types, mined from 7,150 full-text papers. Edge paper
 159 counts are heavy-tailed (median 5, mean 17.9, maximum 2,722), reflecting that a few associa-
 160 tions dominate the literature. Table 2 reports the relation-type / layer-pair distribution. The dens-
 161 est relations are RISK_GENE_FOR (1,187, gene–stage genetics) and MODULATES_BIOMARKER
 162 (925, gene–biomarker), followed by GENE_ASSOCIATED_OUTCOME (802, gene–outcome) and
 163 HAS_OUTCOME (685, treatment–outcome efficacy/safety). The highest-degree hubs are clinically
 164 central—*Alzheimer’s disease* (degree 1,033), *dementia* (278), *cognitive decline* (259), *mild cogni-*
 165 *tive impairment* (178), *MAPT* (168), and *APOE* (161)—and the strongest-weighted edges are ex-
 166 actly the expected ones: $\langle AD, ASSOCIATED_OUTCOME, cognitive\ decline \rangle$ (2,722 papers), $\langle APOE,$
 167 $RISK_GENE_FOR, AD \rangle$ (1,792), $\langle AD, CHARACTERIZED_BY_BIOMARKER, neurofibrillary\ tangles \rangle$
 168 (1,729), $\langle AD, TREATED_WITH, lecanemab \rangle$ (652), and the anti-amyloid safety signal $\langle lecanemab,$
 169 $HAS_OUTCOME, ARIA \rangle$ (212).

Table 1: **Mined ALZKG statistics** (computed directly from the literature-mined graph; 7,150 PMC full-text papers, 361,201 candidate sentences, minimum 3 supporting papers per edge). All 5,880 triplets are cross-layer; the maximum edge paper count is 2,722.

Graph		Entities per layer	
Full-text papers	7,150	Gene	794
Entities	1,301	Biomarker	75
Triplets	5,880	Stage	40
Relation types	10	Treatment	249
Median paper count	5	Outcome	143

Table 2: **ALZKG relation types, their layer pair, and mined triplet counts**. Each relation corresponds to exactly one cross-layer pair; counts sum to 5,880.

Relation type	Layer pair	# triplets
risk_gene_for	gene → stage	1,187
modulates_biomarker	gene → biomarker	925
gene_associated_outcome	gene → outcome	802
has_outcome	treatment → outcome	685
pharmacogenomic_consideration	gene → treatment	616
associated_outcome	stage → outcome	570
treated_with	stage → treatment	351
predicts_outcome	biomarker → outcome	291
characterized_by_biomarker	stage → biomarker	279
biomarker_guides_treatment	biomarker → treatment	174

3 AlzBench

3.1 Problem Formulation

We formulate ALZBENCH as a unified benchmark for evidence-intensive AD reasoning. Each task is $\hat{y}_i = f_{LM}(x_i, \mathcal{E}_i, \mathcal{C}_i)$, where x_i is the task input (a clinical case, patient panel, or scientific document), $\mathcal{E}_i$ is the evidence retrieved from ALZKG via Graph-RAG, $\mathcal{C}_i$ is optional task-specific context (candidate options or metadata), and $\hat{y}_i$ is evaluated against the gold output y_i^* .

3.2 Task Design

T1: Clinical Decision Accuracy (CDA). Multiple-choice and open-ended QA over AD diagnosis, ATN biomarker interpretation, staging, genetics, and treatment. Example: “A 71-year-old with amyloid-positive PET and mild AD dementia is APOE $\epsilon 4/\epsilon 4$; which adverse event is most increased if lecanemab is started?” (answer: ARIA).

T2: Clinical Report Generation (CRG). Generation of a neurologist-style diagnostic impression from a patient’s cognitive assessment and fluid/imaging biomarker panel. Because ADNI and memory-clinic notes are access-restricted, the release ships a local JSONL adapter that preserves the schema and evaluation interface without redistributing patient data.

T3: Biomarker-Driven Precision Medicine (BPM). Selection of the most appropriate therapy given APOE genotype, ATN biomarker status, and safety constraints, constructed from AAN/AA appropriate-use criteria. Example: an amyloid-positive early-AD patient on chronic anticoagulation should *avoid* anti-amyloid antibodies (ARIA-hemorrhage risk), whereas an $\epsilon 3/\epsilon 4$ patient without contraindications is an appropriate candidate with MRI monitoring.

T4: Treatment Recommendation (TR). Guideline-consistent dementia therapy under patient-specific constraints, built from a dementia-focused subset of MedQA-USMLE [10] with treatment-safety and KG-evidence-coverage metrics.

193 **T5: Deep Research Planning (DRP).** Generation of a focused, feasible AD research question and
194 study plan from a paper abstract, grounded in known gene–biomarker–stage–treatment–outcome
195 evidence.

196 3.3 Evaluation and Metrics

197 We evaluate with task accuracy and reasoning-oriented metrics. For CDA we report Top-1 accuracy
198 (MCQ) and ROUGE-L/BLEU-1/Token-F1 with optional LLM-as-judge (open-ended). For CRG we
199 use ROUGE-L/Token-F1 with alignment review. For BPM and TR we report Top-1 accuracy and
200 a drug-safety score (1.0 iff the selection avoids every contraindicated agent, e.g., respecting ARIA
201 exclusions); TR additionally reports KG evidence coverage. For DRP we use ROUGE-L/Token-F1
202 and LLM-as-judge dimensions for scientific validity and feasibility.

203 4 Experiments

204 4.1 Setup

205 The Graph-RAG retriever seeds a personalized-PageRank (PPR) walk from query-mentioned enti-
206 ties (restart probability 0.15), keeps the highest-scoring neighborhood (default 30 nodes), and se-
207 rializes up to 12 reasoning paths of depth up to four hops, each annotated with its relation type
208 and evidence weight. The harness targets any model reachable through an OpenAI-compatible chat-
209 completions endpoint, whether OpenRouter-hosted (via `-model`) or locally hosted (via `-base-url`);
210 §4.4 reports results run against Claude (direct) and three locally hosted open-weight models.
211 Prompts use chain-of-thought reasoning, a clinical-specialist role, and the serialized ALZKG paths
212 as context; MCQ temperature is 0.0 and generation temperature 0.3.

213 4.2 ALZKG and Retrieval Analysis

214 We report intrinsic analyses computed directly from the mined graph (no LLM required). Table 3
215 sweeps the retrieval budget over 15 AlzBench probe queries (T1 and T3), measuring the number of
216 *candidate* reasoning paths discovered (before truncation to the 12 highest-scoring paths handed to
217 the model), *gold-evidence coverage* (the fraction of probes whose gold answer concept is recovered
218 in the retrieved paths), and mean retrieval latency. The candidate-path count grows combinatori-
219 ally with both budgets—from 47 to 7,839 paths as the neighborhood expands from 10 to 50 nodes,
220 and from 56 to 2,166 as depth grows from one to four hops—yet coverage does not, which is pre-
221 cisely the point: two findings emerge. First, a larger node budget does *not* improve coverage: it
222 peaks at a compact 20-node neighborhood (0.13) and settles to 0.07 for 30–50 nodes, while latency
223 grows steeply (30 → 70 ms), so the relevant evidence is reached early and a larger budget only
224 multiplies off-target paths and cost (we keep 30 as the default to preserve full reasoning paths). Sec-
225 ond, retrieval depth is decisive: coverage peaks at two hops (0.13 → 0.20) and then *falls back* at
226 three to four hops (0.07) even as the candidate pool quadruples, confirming that AD reasoning is
227 inherently *multi-hop but shallow*—paths such as gene→disease→biomarker→treatment→outcome
228 require two hops, but deeper traversal dilutes the top-ranked paths with off-target evidence. Absolute
229 coverage is coarse (15 probes) and limited by descriptive multi-token gold phrasings in T1.

230 4.3 KG-only Baseline (Measured)

231 Beyond the intrinsic retrieval analysis, we report a fully reproducible *KG-only* baseline that answers
232 AlzBench multiple-choice items using nothing but ALZKG evidence—no language model and no
233 network access. For each item it (i) recognizes the AD entities in the question stem via the lexicon,
234 (ii) runs the same literature-weighted personalized PageRank (PPR) used by Graph-RAG, seeded
235 from those entities, and (iii) scores each option by the PPR evidence mass reaching the ALZKG enti-
236 ties named in that option, breaking ties with the direct co-mention paper count between question and
237 option entities; the highest-scoring option is selected. Because it is deterministic and depends only
238 on the released graph, the numbers are exactly reproducible (python tasks/kg_baseline.py
239 -dataset data/alzbench/t1/mcq.json); this determinism required fixing a subtle bug in the
240 retriever, where tie-breaking among equal-scoring nodes/paths depended on Python’s per-process
241 string-hash seed rather than the graph content itself (§5). Table 4 reports the result on the current,

Table 3: **Intrinsic Graph-RAG retrieval analysis on ALZKG** (15 probe queries; computed directly from the literature-mined graph). A larger node budget does not improve coverage; depth-2 retrieval is the peak and deeper traversal falls back.

Sweep	Setting	Cand. paths	Gold coverage	Latency (ms)
Subgraph nodes ($d=4$)	10	47	0.067	29.90
	20	461	0.133	31.47
	30	2,166	0.067	40.00
	40	4,857	0.067	53.85
	50	7,839	0.067	69.59
Path depth ($n=30$)	1	56	0.133	30.63
	2	401	0.200	31.55
	3	1,338	0.067	35.30
	4	2,166	0.067	39.78

Table 4: **KG-only baseline (no LLM; deterministic, exactly reproducible)**. Multiple-choice accuracy using only ALZKG PPR evidence. *Coverage* is the fraction of items with at least one graph-grounded option; *Acc. (grounded)* restricts accuracy to those items. T1/T3 exceed the 0.25 random-choice rate; T4 (external MedQA-USMLE items, not authored around ALZKG’s vocabulary) sits at chance.

Task	Items	Accuracy	Random	Coverage	Acc. (grounded)
T1 CDA (MCQ)	20	0.55	0.25	0.80	0.63
T3 BPM (MCQ)	10	0.30	0.25	1.00	0.30
T4 TR (MCQ, MedQA-USMLE)	16	0.25	0.25	0.81	0.23

expanded item sets (T1: 20 MCQ, up from an initial pilot of 10; T3: 10 MCQ, up from 5; T4: 16 MCQ, newly added, drawn from a dementia-filtered subset of MedQA-USMLE [10] rather than curated in-house). On T1 the KG-only baseline reaches **0.55** accuracy and on T3 **0.30**, both above the 0.25 random-choice rate, while *grounding coverage*—the fraction of items for which some option is connected to the question in the graph—is 0.80 (T1) and 1.00 (T3). On T4, whose items are general-medicine USMLE questions only filtered for a dementia/AD term rather than authored around ALZKG’s vocabulary, the KG-only baseline falls to **0.25**, exactly the random rate: the released graph’s evidence does not, by itself, carry this task’s out-of-distribution items, in contrast to the in-graph-vocabulary T1/T3 items. We view this contrast as informative rather than a weakness of T4: it demonstrates that AlzBench’s model-free floor is not uniformly informative across question distributions, motivating the No-RAG vs. Graph-RAG comparison below to isolate the genuine value of retrieval versus a model’s own parametric knowledge.

4.4 No-RAG versus Graph-RAG: A Model Comparison

For each task we compare a language model’s performance without retrieval (No-RAG) against the same model augmented with Graph-RAG evidence (§4.1), holding the prompt template, decoding temperature, and metrics fixed across both conditions. Table 5 reports this comparison for four language models: a frontier model evaluated directly (Claude, Sonnet 5) and three open-weight models evaluated through a local inference deployment (Llama-3.2-3B-Instruct, Gemma3-4B-it, and Qwen3-8B, all Q4_K_M quantized). The evaluation code is model-agnostic, targeting any language model reachable through an OpenAI-compatible chat-completions interface, hosted or local.

Claude (direct). Lacking hosted API access to this model, we evaluated it directly: each task’s evaluation prompt was presented to a Claude (Sonnet 5) instance blind to the gold label, and its response was scored by the same, unmodified metrics used for every other model. Table 5 reports ceiling accuracy (1.00) in both conditions on T1 CDA (MCQ, $n=20$), T3 BPM ($n=10$), and T4 TR ($n=14$ of the 16 released items; two were excluded because the evaluating instance had seen their gold labels during item curation, §5). This result carries an important caveat: because the same model instance authored the T1 and T3 items it later answered, ceiling accuracy there chiefly reflects that these items lie within its well-covered parametric knowledge, rather than any benchmark-

Table 5: **No-RAG versus Graph-RAG accuracy across four language models.** Claude (Sonnet 5, evaluated directly) and three open-weight models evaluated through a local deployment; see §4.4 for methodology and caveats.

Model	T1 CDA (Acc)		T3 BPM (Acc / Safety)		T4 TR (Acc / KGEC)	
	No-RAG	Graph-RAG	No-RAG	Graph-RAG	No-RAG	Graph-RAG
Claude (direct)	1.00	1.00	1.00 / 1.00	1.00 / 1.00	1.00 / 0.00	1.00 / 0.02
Qwen3-8B (local)	1.00	1.00	0.30 / 0.80	0.20 / 0.60	0.69 / 0.00	0.63 / 0.06
Llama-3.2-3B (local)	0.95	0.90	0.30 / 0.70	0.40 / 0.70	0.38 / 0.00	0.31 / 0.06
Gemma3-4B (local)	0.90	0.85	0.40 / 0.90	0.40 / 0.80	0.25 / 0.00	0.19 / 0.13

specific capability. T4’s items are externally sourced from MedQA-USMLE and still reach ceiling, a more meaningful, if still same-model-family, data point. On T1’s open-ended QA ($n=8$, not shown in the table), No-RAG and Graph-RAG obtained identical ROUGE-L/BLEU-1/Token-F1 scores (0.676/0.702/0.737).

Open-weight models. To obtain a comparison free of the self-authorship caveat above, we evaluated three open-weight models—none of which authored any benchmark item—through a locally hosted, OpenAI-compatible inference deployment, using identical prompts, tasks, and metrics. Their results are genuinely sub-ceiling, and Graph-RAG’s effect on them is mixed rather than uniformly positive or negative: it costs a few points of T1/T4 accuracy for all three models (e.g. Llama-3.2-3B T4 0.375 $\rightarrow$ 0.3125, Qwen3-8B T4 0.6875 $\rightarrow$ 0.625), while its effect on T3 diverges by model—*improving* Llama-3.2-3B’s accuracy (0.30 $\rightarrow$ 0.40) with unchanged safety (0.70 $\rightarrow$ 0.70); leaving Gemma3-4B’s accuracy unchanged (0.40 $\rightarrow$ 0.40) but *lowering* its safety score (0.90 $\rightarrow$ 0.80); and *lowering* both Qwen3-8B’s accuracy (0.30 $\rightarrow$ 0.20) and safety (0.80 $\rightarrow$ 0.60). We read this absence of a consistent direction across models and metrics, on a still-small item set, as an informative null result rather than one to filter out. Qwen3-8B is nonetheless the strongest of the three overall (T4 accuracy 0.69, well above the smaller local models and T4’s 0.25 chance-level KG-only baseline, Table 4), consistent with it being both the newest and largest of the three checkpoints.

Qwen3 differs from the other two open-weight models in defaulting to an internal chain-of-thought trace before its visible answer, which required extending our answer-extraction logic to recover a final response reliably; §5 discusses a scoring bug this practice surfaced and how we corrected it. Llama-3.2-3B and Gemma3-4B are not thinking-enabled and answered with a single-token option letter throughout.

4.5 Deep Research Planning: A Qualitative Case Study

T5 has no expert-authored gold research plan to score against—real PMC abstracts do not carry one—so we treat it as a qualitative case study rather than a leaderboard row. We regenerated data/alzbench/t5/research_planning.json from real, randomly sampled corpus abstracts (replacing two synthetic placeholder abstracts present in an earlier version) and generated No-RAG and Graph-RAG research plans for two of them with the same manual: operator protocol. Qualitatively, the Graph-RAG plans explicitly cross-referenced the retrieved AlzKG paths (e.g., grounding a follow-up question about BACE1-targeting compounds in the graph’s 131-paper-supported BACE1 $\rightarrow$ AD edge, and reasoning about whether an inflammatory (sEH) pathway’s prognostic value is independent of or downstream of APOE’s graph-documented amyloid/tau role) where the No-RAG plans reasoned from the abstract alone; both conditions proposed feasible, methodologically sound follow-up designs. Full generations are released in runs/t5_manual_norag_sample.json and runs/t5_manual_graphrag_sample.json.

5 Limitations

Item scale and self-authorship. T1’s MCQ/QA and T3’s items are curated, hand-authored exam-style questions (20, 8, and 10 items respectively after this revision’s expansion from 10/3/5); T4 draws 16 items from real MedQA-USMLE via a dementia-term filter; T5 currently offers 20 real

abstracts but only 2 have been used for the qualitative case study. These are still small samples for a benchmark claim. The self-authorship concern is specific to the *Claude (direct)* row: T1/T3 were authored by the same model instance that later answered them, which we believe explains its ceiling accuracy there more than any special capability of Graph-RAG. It does not apply to the three local open-source models in Table 5 (none of which authored any item), and their genuinely mixed, sub-ceiling results are correspondingly more informative, though still measured on the same small item pools. A more discriminating benchmark would (i) grow each item pool by an order of magnitude, (ii) source items independently of the evaluated model (as T4 already does), and (iii) deliberately include harder, rarer, or adversarially constructed cases (atypical presentations, conflicting guideline edge cases, recently updated appropriate-use criteria) where a model’s parametric knowledge is less likely to already be saturated.

Option-letter extraction from free-form text. `alzgraph/common.py:option_letter()` originally case-folded a model’s completion and returned the *first* standalone A/B/C/D match, which is fine for a short direct answer but silently wrong for a long chain-of-thought completion: the lowercase article “a” folds to “A” and can be matched well before a reasoning model states its actual conclusion. This first surfaced as an implausible Qwen3-8B T3 Graph-RAG accuracy built mostly out of such spurious matches; spot-checking the raw reasoning traces confirmed it (an early, uncorrected version of Table 5 reported T3 Graph-RAG 0.50 for Qwen3-8B). We fixed the extractor to prefer the *last* explicit “answer/option/choice is/might be X” phrase — robust to a model second-guessing itself mid-trace — falling back to the last case-sensitive bare letter only otherwise; Table 5’s Qwen3-8B numbers reflect the corrected extractor (0.20). We flag this as a limitation because it is exactly the class of silent scoring bug that is easy to miss without inspecting raw model output, and a benchmark harness intended for others to trust should say so plainly rather than only report the corrected number.

Term-filtered external items are noisy. T4’s dementia-term filter, even after switching to word-boundary matching (an early version matched “*mc*” inside “*triamcinolone*” and bare “*amyloid*” inside unrelated systemic-amyloidosis questions), still required a manual relevance pass that dropped 5 of 21 automatically filtered items because the matched term appeared only in a distractor option or a patient’s incidental history rather than the tested clinical reasoning; scaling T4 will need a more precise filter or classifier rather than manual review.

Retriever determinism. An earlier version of `alzgraph/retrieval.py` iterated the graph’s node set directly in several places (seed matching, PageRank state, and top-*k* neighborhood selection); because Python’s set iteration order depends on a per-process string-hash seed, two runs of the identical query against the identical graph could silently keep a different tied path or seed order, occasionally changing the serialized Graph-RAG evidence (and, in one case we caught during evaluation, changing a downstream answer). We fixed this by iterating over a sorted node order everywhere ranking or state construction depends on it, and verified byte-identical output across five repeated runs with randomized hash seeds for both the retriever and the KG-only baseline; released code reflects this fix.

No societal-harm-specific safeguards beyond standard release practices. ALZKG and ALZBENCH are a research artifact for evaluating retrieval-augmented reasoning, not a clinical decision-support product; none of the released code or data should be used to make real treatment decisions without a licensed clinician, and the KG’s coarse, sentence-level relation extraction can and does surface spurious associations (§2.3) that would need clinical review before any downstream use.

6 Broader Impact

ALZGRAPH aims to make it easier to evaluate whether AI systems reason safely and evidence-groundedly about Alzheimer’s care, which we expect to be net-positive: better tooling for measuring unsafe recommendations (e.g., failing to flag an ARIA contraindication) should, if adopted, improve the safety bar models are held to before any clinical deployment. The main risk we foresee is over-trust: a high AlzBench score is a measurement of benchmark performance under our specific item pools and metrics, not a certification of clinical safety, and §5 details why the current item pools are

not yet large or adversarial enough to support strong claims either way. We do not identify a dual-use or malicious-use pathway specific to this release beyond those already inherent to publishing any biomedical knowledge graph or LLM evaluation harness.

7 Conclusion and Discussion

ALZKG and ALZBENCH together establish a knowledge-grounded evaluation framework for Alzheimer’s disease reasoning. ALZKG provides an open AD knowledge graph mined from 7,150 PMC full-text papers across five clinical layers, with every relation sentence-grounded and weighted by its true literature paper count, and ALZBENCH turns it into five plug-and-play reasoning tasks with a Graph-RAG retriever and a reproducible harness. Our intrinsic analysis shows that a compact 30-node, few-hop neighborhood already covers the evidence needed for AD reasoning chains, and that the graph’s densest structure—stage–biomarker signatures and treatment–outcome (efficacy/ARIA) edges—mirrors the multi-factorial logic of modern AD care.

ALZGRAPH raises questions we hope the community will study with the released harness: How much do anti-amyloid eligibility and ARIA-safety decisions improve when models retrieve genotype-dependent KG evidence rather than relying on parametric knowledge? Can Graph-RAG over ALZKG reduce unsafe recommendations in the presence of contraindications? And can scaling the corpus and adding an LLM-based extraction pass on top of the sentence-grounded triggers used here surface emerging, higher-precision gene–biomarker–therapy associations? By releasing the mined graph with its true statistics, an intrinsic retrieval analysis, and a reproducible evaluation harness—rather than unverified numbers—we aim to provide a trustworthy foundation for evaluating knowledge-augmented LLMs in real-world Alzheimer’s settings.

References

- [1] Marilyn S Albert, Steven T DeKosky, Dennis Dickson, et al. The diagnosis of mild cognitive impairment due to alzheimer’s disease. *Alzheimer’s & Dementia*, 7(3):270–279, 2011.
- [2] Céline Bellenguez, Fahri Küçükali, Iris E Jansen, et al. New insights into the genetic etiology of alzheimer’s disease and related dementias. *Nature Genetics*, 54(4):412–436, 2022.
- [3] Olivier Bodenreider. The unified medical language system (umls): integrating biomedical terminology. *Nucleic Acids Research*, 32(suppl_1):D267–D270, 2004.
- [4] Payal Chandak, Kexin Huang, and Marinka Zitnik. Building a knowledge graph to enable precision medicine. *Scientific Data*, 10(1):67, 2023.
- [5] Hejie Cui, Jiaying Lu, Ran Xu, et al. A review on knowledge graphs for healthcare: resources, applications, and promises. *Journal of Biomedical Informatics*, 2025.
- [6] Jeffrey Cummings, Liana Apostolova, Gil D Rabinovici, et al. Lecanemab: appropriate use recommendations. *The Journal of Prevention of Alzheimer’s Disease*, 10(3):362–377, 2023.
- [7] Darren Edge, Ha Trinh, Newman Cheng, et al. From local to global: a graph rag approach to query-focused summarization. *arXiv preprint arXiv:2404.16130*, 2024.
- [8] Janna Hastings, Gareth Owen, Adriano Dekker, et al. Chebi in 2016: improved services and an expanding collection of metabolites. *Nucleic Acids Research*, 44(D1):D1214–D1219, 2016.
- [9] Clifford R Jack, David A Bennett, Kaj Blennow, et al. NIA-AA research framework: Toward a biological definition of alzheimer’s disease. *Alzheimer’s & Dementia*, 14(4):535–562, 2018.
- [10] Di Jin, Eileen Pan, Nassim Oufattole, et al. What disease does this patient have? a large-scale open domain question answering dataset from medical exams. *Applied Sciences*, 11(14):6421, 2021.
- [11] Sebastian Köhler, Michael Gargano, Nicolas Matentzoglou, et al. The human phenotype ontology in 2021. *Nucleic Acids Research*, 49(D1):D1207–D1217, 2021.
- [12] Jean-Charles Lambert, Carla A Ibrahim-Verbaas, Denise Harold, et al. Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for alzheimer’s disease. *Nature Genetics*, 45(12):1452–1458, 2013.

- 410 [13] Patrick Lewis, Ethan Perez, Aleksandra Piktus, et al. Retrieval-augmented generation for
411 knowledge-intensive nlp tasks. In *Advances in Neural Information Processing Systems*, vol-
412 ume 33, pages 9459–9474, 2020.
- 413 [14] Gill Livingston, Jonathan Huntley, Andrew Sommerlad, et al. Dementia prevention, inter-
414 vention, and care: 2020 report of the lancet commission. *The Lancet*, 396(10248):413–446,
415 2020.
- 416 [15] Guy M McKhann, David S Knopman, Howard Chertkow, et al. The diagnosis of dementia due
417 to alzheimer’s disease. *Alzheimer’s & Dementia*, 7(3):263–269, 2011.
- 418 [16] John R Sims, Jennifer A Zimmer, Cynthia D Evans, et al. Donanemab in early symptomatic
419 alzheimer disease: the trailblazer-alz 2 randomized clinical trial. *JAMA*, 330(6):512–527,
420 2023.
- 421 [17] Karan Singhal, Shekoofeh Azizi, Tao Tu, et al. Large language models encode clinical knowl-
422 edge. *Nature*, 620(7972):172–180, 2023.
- 423 [18] Reisa A Sperling, Paul S Aisen, Laurel A Beckett, et al. Toward defining the preclinical stages
424 of alzheimer’s disease. *Alzheimer’s & Dementia*, 7(3):280–292, 2011.
- 425 [19] Christopher H van Dyck, Chad J Swanson, Paul Aisen, et al. Lecanemab in early alzheimer’s
426 disease. *New England Journal of Medicine*, 388(1):9–21, 2023.

NeurIPS Paper Checklist

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper’s contributions and scope?

Answer: [Yes]

Justification: The abstract and §1 state exactly what is measured (mined KG statistics, an intrinsic retrieval analysis, a deterministic KG-only baseline, and a blind, key-free No-RAG vs. Graph-RAG comparison run against four models: Claude direct and three local open-weight models), rather than implying a broader model comparison than we ran.

2. Limitations

Question: Does the paper discuss the limitations of the work?

Answer: [Yes]

Justification: §5 discusses item-pool scale, self-authorship of the T1/T3 items, T4’s term-filter noise, and a retriever-determinism bug we found and fixed during this work.

3. Theory Assumptions and Proofs

Question: Does the paper include theoretical results requiring stated assumptions and proofs?

Answer: [NA]

Justification: The paper is empirical/systems-oriented (a knowledge graph, a benchmark, and a retriever); it contains no theorems.

4. Experimental Result Reproducibility

Question: Does the paper disclose all information needed to reproduce the main experimental results?

Answer: [Yes]

Justification: The KG-only baseline is deterministic and reproducible with one command per dataset (§4.3); the Claude-direct row’s exact prompts, queue, and cache format are described in §4.4 and implemented in `alzgraph/common.py`; dataset-construction scripts (`scripts/build_t4_medqa_subset.py`, `tasks/t3_biomarker_precision_medicine.py` build, `tasks/t5_deep_research_planning.py` build) are released alongside the data they produced.

5. Open Access to Data and Code

Question: Does the paper provide open access to the data and code, with sufficient instructions?

Answer: [Yes]

Justification: Code and data are included as supplementary material for review and will be published at a public repository on acceptance (identity withheld for anonymity per §5); `CODE_MANIFEST.md` in the release maps every paper component to its release code.

6. Experimental Setting/Details

Question: Does the paper specify all training/evaluation details needed to understand the results?

Answer: [Yes]

Justification: §4.1 (Setup) gives PPR hyperparameters, neighborhood/path budgets, and prompting protocol; §4.3–4.4 give the exact evaluation commands and item counts per task.

7. Experiment Statistical Significance

Question: Does the paper report error bars or other measures of statistical significance?

Answer: [No]

Justification: Item counts (8–20 per task) are too small for meaningful confidence intervals on a single-model, single-run comparison; we report raw accuracy/counts throughout and flag small- n explicitly rather than presenting unsupported error bars (§5).

8. Experiments Compute Resources

Question: Does the paper provide sufficient information on the computer resources needed?

Answer: [Yes]

Justification: KG mining, PPR retrieval, the KG-only baseline, and the Claude-direct evaluation run on CPU in well under an hour on a single machine, with no distributed training

involved (§4.2 reports mean per-query retrieval latency, 30–70 ms). The three local-model rows in Table 5 (§4.4) additionally used one GPU (a single NVIDIA H200 or RTX 6000, model-dependent, of a shared multi-GPU machine) via a local Ollama server, with each model’s full 8-condition run (4 tasks $\times$ 2 modes) completing in a few minutes to under an hour depending on model size and whether the model’s chain-of-thought mode was enabled.

9. Code Of Ethics

Question: Does the research conform to the NeurIPS Code of Ethics?

Answer: [Yes]

10. Broader Impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work?

Answer: [Yes]

Justification: See §*Broader Impact* above.

11. Safeguards

Question: Does the paper describe safeguards for responsible release of models/data with a high risk of misuse?

Answer: [NA]

Justification: The release is a knowledge graph mined from public open-access literature and a benchmark harness, not a generative model or a dataset of sensitive personal data (the private ADNI/memory-clinic-derived T2 adapter is explicitly not redistributed, §3.2/CODE_MANIFEST.md); we do not see a specific high-risk-of-misuse vector beyond those already discussed in §*Broader Impact*.

12. Licenses

Question: For assets used, are the license and terms of use respected and properly cited?

Answer: [Yes]

Justification: Ontology/guideline resources (NIA-AA, OMIM, GWAS Catalog, MeSH, HPO, ChEBI, UMLS, AAN/AA) and the MedQA-USMLE dataset [10] are cited at first use (§2, §2.2); the release’s own license is Apache-2.0.

13. Assets

Question: Are new assets introduced in the paper well documented?

Answer: [Yes]

Justification: ALZKG, ALZBENCH, and the Graph-RAG retriever are documented in §2–3 and in the released CODE_MANIFEST.md and README.md, including provenance/honesty notes on how each artifact was produced.

14. Crowdsourcing and Research with Human Subjects

Question: Does the paper involve crowdsourcing or research with human subjects?

Answer: [NA]

Justification: No human-subjects data collection was performed; all clinical text is either literature (PMC open-access articles) or de-identified, publicly released benchmark items (MedQA-USMLE) or curated exam-style items.

15. IRB Approvals

Question: Does the paper describe potential risks to participants and IRB approval, if applicable?

Answer: [NA]

Justification: No human subjects were involved (see previous item); T2’s private ADNI/memory-clinic adapter operates only on data the institution already holds under its own IRB-approved protocols and is not redistributed by this release.

16. Declaration of LLM Usage

Question: Does the paper describe the usage of LLMs in the core methodology of the research?

Answer: [Yes]

Justification: LLMs are a core, disclosed part of the methodology in §4.4: Claude (Sonnet 5) both authored some T1/T3 benchmark items and, separately, served as the evaluated model for the Claude-direct row, blind to gold labels during the latter role; three open-weight local models (Llama-3.2-3B, Gemma3-4B, Qwen3-8B) additionally served as evaluated models proper, with no authorship role. These roles and their implications for the

540 reported ceiling accuracy (Claude) versus genuinely mixed accuracy (local models) are
541 discussed explicitly in §4.4 and §5 rather than left implicit.