

by Ruen-Rone Lee ICL/ITRI



Goal

- Interact with five model (independently)
- Control the camera
- Implement transformation, viewing, and projection matrices (MVP)
- Switch between 5 models
- Switch between solid and wireframe mode
- Finish all the TODO in main.cpp and vertex shader
 - Keep scene ratio when window reshaped
 - Add floor plane in world scene






Assignment 1


- ◆ Announce date: 2021/04/13
- **◆ Deadline: 2021/05/04 23:59(UTC+8)**
- Late work will be penalized by 20/week.
- Copy & paste others' code will get 0.
- Hand in your homework to eeclass in the following form (-5 for penalty)
 - studentID_HW1.zip
 - studentID_HW1_Report.pdf



In studentID_HW1.zip

Depend on your device





For Windows

For Mac



Submission Guide

- Please submit to course webpage at NTHU eeclass system
 - Notice: E-mail submission will not be accepted
- Submission should include
 - Source codes (including solution and project files)
 - Executable binary (can be run on PC/windows)
 - Documentation (explain how you did it and how to operate it)
 - Notice: please do not submit any 3D models to save the disk space
- Contact with TAs if you have problem in submission



Key Mapping

- Please follow the spec bellow, or you would not get the score of item.
- You must make sure your key mapping is exactly same to ours.
- W: switch between solid and wireframe mode
- Z/X: switch the model
- O: switch to Orthogonal projection
- P: switch to NDC Perspective projection
- **◆** T: switch to translation mode
- S: switch to scale mode
- R: switch to rotation mode



Key Mapping

- E: switch to translate eye position mode
- C: switch to translate viewing center position mode
- U: switch to translate camera up vector position mode
- **♦ I: print information**
 - Translation Matrix, Rotation Matrix, Scaling Matrix, Viewing Matrix, Projection Matrix



Key Mapping

- ◆ If you switch mode by T, S, R, E, C, and U
- Apply change on Z axis when scroll the wheel
- Apply change on X axis when mouse drag horizontally
- Apply change on Y axis when mouse drag vertically
- Only rotation should apply X axis when mouse drag vertically, and Y axis when mouse drag horizontally

Report

- Some screen shot
- Description of your program control instructions
- Other special things you have done



Grading Policy

Item	Score
Correctly render model in Orthogonal projection	10%
Correctly render model in NDC perspective	5%
Translation, Rotation, Scaling models	30%
Camera Control	30%
Switch models (5 models in Line 566 of main.cpp)	5%
render quad	5%
Switch between solid and wireframe mode	5%
Print information	5%
Report	5%
Total	100%

Reference

- Event handlings
- **◆** Tinyobj loader

