



Computer Graphics



by Ruen-Rone Lee



Assignment #2

Draw some 3D models with Viewing Transformations Plus Lighting








Per Pixel Lighting



Purpose of the assignment


- Know how to manipulate 3D models with vertex normal and material data
- Know how to apply lighting equation
- Know how to manipulate the light source and derive the lighting as you expect
- Know the difference between vertex lighting and per-pixel lighting
- Know the difference when using different types of light sources



- ◆ You are required to write a program that can accept 3D test models as in assignment #1 and render the 3D models with smooth shading (without ground floor polygon)
- The models should be rendered with given light sources
- Three different light sources, directional light, positional light, and spot light, should be implemented.

- Light source position should be able to change manually
 - Please check TA's instruction in how to control the light source
- Vertex lighting is required
 - All the lighting calculations are performed in vertex shader.
- Per pixel lighting is also required
 - All the lighting calculations are preformed in fragment shader.

 Display different lighting model (per-vertex and per-pixel) with different light source types (directional, positional, spot) side-byside for comparing the rendering effects



- Use keyboard and mouse to control the objects transformation as implemented in assignment #1
- Use a key to switch between different lights source types for both per-vertex lighting and per-pixel lighting simultaneously
 - Show the current light source type on console window
- Display help file for how to control the actions of your program as in assignment #1

Input Model Format

- Wavefront 3D Graphics model description file with extension .obj and material file .mtl
 - Material file will have the material name follow by newmtl and the ambient, diffuse, and specular coefficients of Ka, Kd, and Ks, respectively
 - Please ignore the other material values and set the specular exponent properly by yourself
- Model file contains not only the vertex positions but also the vertex normals




Hints

- Normal transformation is necessary to derive correct lighting result
- Normalization to the transformed normals is also necessary to obtain correct lighting result
- Per pixel lighting can be achieved by passing the transformed vertex normals to rasterizer for generating per-pixel normals and then do the lighting calculations in fragment shader
 - E.g., replace the vertex colors in assignment #1 by vertex normals

Hints

- Draw two models side-by-side
 - Set the viewport before the draw command



Hints

- Some 3D models with vertex normals are provided for verifying your design during program development.
- Please download the test models from eeclass



Due Date

- 3 weeks after the announcement of second assignment (should be 5/25)
- Late submission is allowed with less score
- No score if you did not submit you assignment
- Plagiary is strictly forbidden
 - If you copy from others, your score will become zero
 - The score to the one who provide the original copy will also be downgraded



Submission Guide

- Please submit your works per TA's instructions
 - Notice: E-mail submission will not be accepted
- Submission should include
 - Source codes (including solution and project files)
 - Executable binary (can be run on PC/windows)
 - Documentation (explain how you did it and how to operate it)
 - Notice: please do not submit any 3D models to save the disk space (i.e., you have to use relative path instead of absolute path)
- Contact with TAs if you have problem in submission



Q&A



