兴河 AI Assistant 服务端API #AI

声明：本文档仅用于自定义客户端对接兴河AI Server

兴河弟弟

1、登录

请求：

```
POST /envCheck HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 44
Content-Type: text/plain;charset=UTF-8
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

{"account":"dGVzdA==","password":"MTIzNDU2"} //均为base64

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:31:32 GMT
server: uvicorn
content-length: 63
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": {
        "models": [
            {
                "name": "gemini|gemini-2.5-flash-preview-05-20"
            },
            {
                "name": "gemini|gemini-2.0-flash-001"
            },
            {
                "name": "ollama|qwen2.5:3b"
            },
            {
                "name": "deepseek|deepseek-chat"
            },
            {
                "name": "deepseek|deepseek-reasoner"
            }
        ],
        "ASR_SERVER_URL": "ws://127.0.0.1:10096/",
        "TTS_SERVER_URL": "http://127.0.0.1:5050/",
        "ExAPI": {
            "exapi_uri": "http://127.0.0.1:60086"
        },
        "use_live2d": 1,
        "hashid": "bdee858efbeb41515c4300c4a432ff6f" //身份token，正常请求都需要携
带
    }
}
```

响应

2、注册

请求

```
POST /main_insert_user HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 89
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"

{"serverUrl":"http://
127.0.0.1:8000","token":"111","account":"test1","password":"123456"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:31:32 GMT
server: uvicorn
content-length: 63
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{"status":"success","content":"注册成功，请返回登录"}
```

3、发送消息

请求

```
POST /stream HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 900
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
secret_key:

{"messages":[{"role":"system","content":"\"在于用户的交流中，你要高度拟人，拥有各种情
绪，当触发动作时，使用set_motion工具调用对应的动作。当触发表情时，使用changeExpression工
具调用对应的表情\\n1、模型名称:(师妹)动作:(烦恼、)表情:()\\n2、模型名称:(魔法裙)动作:(捧
脸、)表情:(失落、)\\n\\n你会唱歌，歌曲目录为(倒流时间、天空没有极限、九万字-张靓颖-刘宇宁、
唯一、11、重来、)\\n你会更换背景，背景目录为(蓝色花海、花与山、)\\n视觉设置：你有眼睛，可以
通过see_camera工具使用摄像头看到外部世界。可以通过see_desktop工具看到电脑的桌面。\""},
{"role":"user","content":"你
好","timestamp":1748849598239}],"model_name":"ollama|
qwen2.5:3b","ableTools":false,"onlineSearch":false,"fileListStr":"","useRag":f
alse,"ragId":""}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:33:18 GMT
```

```
server: uvicorn
content-type: text/event-stream; charset=utf-8
access-control-allow-origin: *
access-control-allow-credentials: true
Transfer-Encoding: chunked
```

嗨！很高兴见到你。有什么我可以帮助你的吗？

4、开启工具时的发送消息

请求

```
POST /stream HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 914
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
secret_key:
```

{"messages":[{"role":"system","content":"\"在于用户的交流中，你要高度拟人，拥有各种情绪，当触发动作时，使用set_motion工具调用对应的动作。当触发表情时，使用changeExpression工具调用对应的表情\\n1、模型名称:(师妹)动作:(烦恼、)表情:()\\n2、模型名称:(魔法裙)动作:(捧脸、)表情:(失落、)\\n\\n你会唱歌，歌曲目录为(倒流时间、天空没有极限、九万字-张靓颖-刘宇宁、唯一、11、重来、)\\n你会更换背景，背景目录为(蓝色花海、花与山、)\\n视觉设置：你有眼睛，可以

通过see_camera工具使用摄像头看到外部世界。可以通过see_desktop工具看到电脑的桌面。\""},
{"role":"user","content":"做个可爱的动作","timestamp":1748849793197}],"model_name":"ollama|qwen2.5:3b","ableTools":true,"onlineSearch":false,"fileListStr":"","useRag":false,"ragId":""}

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:36:32 GMT
server: uvicorn
content-type: text/event-stream; charset=utf-8
access-control-allow-origin: *
access-control-allow-credentials: true
Transfer-Encoding: chunked
```

<ToolCalling id='1748849795735189'>set_motion正在执行...</ToolCalling><ToolComplete id='1748849795735189'>set_motion工具执行完成</ToolComplete>我尝试给你的形象做一个可爱的动作，但是似乎没有找到合适的动作。让我们换一个任务吧！你想试试其他什么？比如唱歌、换衣服，或者做一些别的事情。
你可以告诉我更多你需要的帮助。<messages>[{"role": "system", "content": "\"\u5728\u4e8e\u7528\u6237\u7684\u4ea4\u6d41\u4e2d\uff0c\u4f60\u8981\u9ad8\u5ea6\u62df\u4eba\uff0c\u62e5\u6709\u5404\u79cd\u60c5\u7eea\uff0c\u5f53\u89e6\u53d1\u52a8\u4f5c\u65f6\uff0c\u4f7f\u7528set_motion\u5de5\u5177\u8c03\u7528\u5bf9\u5e94\u7684\u52a8\u4f5c\u3002\u5f53\u89e6\u53d1\u8868\u60c5\u65f6\uff0c\u4f7f\u7528changeExpression\u5de5\u5177\u8c03\u7528\u5bf9\u5e94\u7684\u8868\u60c5\\n1\u3001\u6a21\u578b\u540d\u79f0:(\u5e08\u59b9)\u52a8\u4f5c:(\u70e6\u607c\u3001)\u8868\u60c5:()\\n2\u3001\u6a21\u578b\u540d\u79f0:(\u9b54\u6cd5\u88d9)\u52a8\u4f5c:(\u6367\u8138\u3001)\u8868\u60c5:(\u5931\u843d\u3001)\\n\n\u4f60\u4f1a\u5531\u6b4c\uff0c\u6b4c\u66f2\u76ee\u5f55\u4e3a:(\u5012\u6d41\u65f6\u95f4\u3001\u5929\u7a7a\u6ca1\u6709\u6781\u9650\u3001\u4e5d\u4e07\u5b57-\u5f20\u9753\u9896-\u5218\u5b87\u5b81\u3001\u552f\u4e00\u300111\u3001\u91cd\u6765\u3001)\\n\u4f60\u4f1a\u66f4\u6362\u80cc\u666f\uff0c\u80cc\u666f\u76ee\u5f55\u4e3a:(\u84dd\u8272\u82b1\u6d77\u3001\u82b1\u4e0e\u5c71\u3001)\\n\u89c6\u89c9\u8bbe\u7f6e\uff1a\u4f60\u6709\u773c\u775b\uff0c\u53ef\u4ee5\u901a\u8fc7see_camera\u5de5\u5177\u4f7f\u7528\u6444\u50cf\u5934\u770b\u5230\u5916\u90e8\u4e16\u754c\u3002\u53ef\u4ee5\u901a\u8fc7see_desktop\u5de5\u5177\u770b\u5230\u7535\u8111\u7684\u684c\u9762\u3002\""}, {"role": "user", "content": "\u505a\u4e2a\u53ef\u7231\u7684\u52a8\u4f5c", "timestamp": 1748849793197}, {"role": "assistant", "content": "", "tool_calls": [{"name": "set_motion", "args": {"input_motion": "\u53ef\u7231\u52a8\u4f5c"}, "id": "298a2787-

ced2-4b30-9e63-a844c208d805", "type": "tool_call"}], "timestamp":
1748849795735}, {"role": "tool", "content": {"output":
"\u627e\u4e0d\u5230\u52a8\u4f5c"}, "tool_call_id": "298a2787-ced2-4b30-9e63-
a844c208d805", "timestamp": 1748849795753}, {"role": "assistant", "content":
"\u6211\u5c1d\u8bd5\u7ed9\u4f60\u7684\u5f62\u8c61\u505a\u4e00\u4e2a\u53ef\u723
1\u7684\u52a8\u4f5c\uff0c\u4f46\u662f\u4f3c\u4e4e\u6ca1\u6709\u627e\u5230\u540
8\u9002\u7684\u52a8\u4f5c\u3002\u8ba9\u6211\u4eec\u6362\u4e00\u4e2a\u4efb\u52a
1\u5427\uff01\u4f60\u60f3\u8bd5\u8bd5\u5176\u4ed6\u4ec0\u4e48\uff1f\u6bd4\u598
2\u5531\u6b4c\u3001\u6362\u8863\u670d\uff0c\u6216\u8005\u505a\u4e00\u4e9b\u522
b\u7684\u4e8b\u60c5\u3002\n\u4f60\u53ef\u4ee5\u544a\u8bc9\u6211\u66f4\u591a\u4
f60\u9700\u8981\u7684\u5e2e\u52a9\u3002", "tool_calls": [], "timestamp":
1748849796593}]</messages>

5、多模态的发送消息【图片】

请求

```
POST /stream HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 477366
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
secret_key:

{"messages":[{"role":"system","content":"\"在于用户的交流中，你要高度拟人，拥有各种情
```

绪，当触发动作时，使用set_motion工具调用对应的动作。当触发表情时，使用changeExpression工具调用对应的表情\\n1、模型名称:(师妹)动作:(烦恼、)表情:()\\n2、模型名称:(魔法裙)动作:(捧脸、)表情:(失落、)\\n\\n你会唱歌，歌曲目录为(倒流时间、天空没有极限、九万字-张靓颖-刘宇宁、唯一、11、重来、)\\n你会更换背景，背景目录为(蓝色花海、花与山、)\\n视觉设置：你有眼睛，可以通过see_camera工具使用摄像头看到外部世界。可以通过see_desktop工具看到电脑的桌面。\""},
{"role":"user","content":"描述下这个图片","displayTimestamp":"15:38","timestamp":1748849913908,"images":["iVBORw0KGgoAAAANSUhEUgAAAgAAAAIACAIAAAB7GkOt.....AA="]}],"model_name":"gemini|gemini-2.0-flash-001","ableTools":false,"onlineSearch":false,"fileListStr":"","useRag":false,"ragId":""}

//由22获取ragId, useRag=true即可使用知识库。
//onlineSearch 为true即可使用联网搜素

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:38:33 GMT
server: uvicorn
content-type: text/event-stream; charset=utf-8
access-control-allow-origin: *
access-control-allow-credentials: true
Transfer-Encoding: chunked

这个图片里是一位年轻的亚洲女性，她有着乌黑的头发，梳成高马尾，用白色的发圈固定。她穿着一件白色的高领内搭和一件黑色的V领外套。她的皮肤白皙，五官精致，眼神清澈。整体给人一种清新自然的感觉。
```

6、获取当前已配置的模型类型

请求

```
GET /getAllModels HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
```

```
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:42:00 GMT
server: uvicorn
content-length: 61
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":["gemini","deepseek","ollama"]}
```

7、用模型类别获取已配置的具体模型

请求

```
POST /get_models_by_type HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 23
Content-Type: application/json
```

```
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"model_type":"gemini"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:44:04 GMT
server: uvicorn
content-length: 650
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": {
        "service_endpoint": "https://generativelanguage.googleapis.com",
        "api_key": "AIzaSyCcIMYbheoSU4tVYijV0vWcqUqNvBifjHs",
        "models": [
            {
                "id": 11,
                "model_type": "gemini",
                "model_name": "gemini-2.5-flash-preview-05-20",
                "service_endpoint": "https://
generativelanguage.googleapis.com",
                "api_key": "AIzaSyC...UqNvBifjHs",
                "account": "test",
                "tool_call": 1,
                "see_image": 0,
                "text_gen": 1
```

```
            },
            {
                "id": 12,
                "model_type": "gemini",
                "model_name": "gemini-2.0-flash-001",
                "service_endpoint": "https://
generativelanguage.googleapis.com",
                "api_key": "AIzaSyC...vWcqUqNvBifjHs",
                "account": "test",
                "tool_call": 1,
                "see_image": 0,
                "text_gen": 1
            }
        ]
    }
}
```

8、

请求

响应

9、删除模型

请求

```
POST /deleteModel HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 58
Content-Type: application/json
```

```
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"model_type":"deepseek","model_name":"deepseek-reasoner"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:46:10 GMT
server: uvicorn
content-length: 71
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":"deepseek|deepseek-reasoner删除完成"}
```

10、添加模型

请求

```
POST /addModel HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 196
Content-Type: application/json
Host: 127.0.0.1:8000
```

```
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"model_type":"deepseek","model_name":"deepseek-
reasoner","service_endpoint":"https://api.deepseek.com/
v1","api_key":"sk-6b3...4661ec121","tool_call":1,"see_image":0,"text_gen":1}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:48:01 GMT
server: uvicorn
content-length: 71
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":"deepseek|deepseek-reasoner添加完成"}
```


11、添加提示词

请求

```
POST /setPrompt HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 31
Content-Type: application/json
```

```
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"title":"111","content":"111"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:49:30 GMT
server: uvicorn
content-length: 62
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":{"title":"111","content":"111"}}
```

12、获取提示词列表

请求

```
GET /getPrompt HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
```

```
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:50:19 GMT
server: uvicorn
content-length: 944
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": {
        "prompt": [
            {
                "id": 8,
                "title": "形象系统提示词",
                "content": "在于用户的交流中，你要高度拟人，拥有各种情绪，当触发动作时，
使用set_motion工具调用对应的动作。当触发表情时，使用changeExpression工具调用对应的表情
\n1、模型名称：(米迦)动作：(思考、打招呼、讨厌、微笑、害羞脸红、傲娇、)表情：()\n2、模型名称：
(魔法裙)动作：(思考、不高兴、可爱、)表情：(严肃、闭眼、无奈、微笑、)\n\n你会唱歌，歌曲目录为
(倒流时间、天空没有极限、九万字-张靓颖-刘宇宁、唯一、11、重来、)\n你会更换背景，背景目录为
(蓝色花海、花与山、)\n视觉设置：你有眼睛，可以通过see_camera工具使用摄像头看到外部世界。可
以通过see_desktop工具看到电脑的桌面。",
                "account": "test"
            },
            {
                "id": 9,
                "title": "111",
                "content": "111",
                "account": "test"
```

```
            }
        ]
    }
}
```

13、修改提示词

请求

```
POST /updatePrompt HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 41
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"id":9,"title":"111","content":"111222"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:50:19 GMT
server: uvicorn
content-length: 72
content-type: application/json
access-control-allow-origin: *
```

```
access-control-allow-credentials: true

{"status":"success","content":{"id":9,"title":"111","content":"111222"}}
```

14、删除提示词

请求

```
POST /deletePrompt HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 8
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"

{"id":9}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:53:03 GMT
server: uvicorn
content-length: 39
content-type: application/json
```

```
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":{"id":9}}
```

15、获取MCP列表

请求

```
GET /getMcpServers HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:54:04 GMT
server: uvicorn
content-length: 1887
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
```

```
    "content": [
        {
            "id": 3,
            "mcp_name": "macos系统工具",
            "mcp_server": "http://127.0.0.1:1234/sse",
            "mcp_serialized_path": "macos系统工具.pkl",
            "is_use": 1,
            "account": "test",
            "tools": [
                {
                    "toolName": "launch_app",
                    "toolDescription": "FunctionType:MCP\n                     描述：启动
程序\n:param app_name: 要启动的程序名称\n:return: 执行结果\n\n\n           :param
app_name:\n                  :return: 结果"
                },
                {
                    "toolName": "close_app",
                    "toolDescription": "FunctionType:MCP\n                     描述：关闭
程序\n:param app_name: 要关闭的应用名称\n:return: 关闭结果\n\n\n           :param
app_name:\n                 :return: 结果"
                },
                {
                    "toolName": "set_volume",
                    "toolDescription": "FunctionType:MCP\n                     描述：\n设
置macos的音量\n:param volume: 0 到 100 之间的整数。\n:return: 设置结果
\n\n\n          :param volume:\n                  :return: 结果"
                },
                {
                    "toolName": "full_screen",
                    "toolDescription": "FunctionType:MCP\n                     描述：\n模
拟按下 Control + Command + F 组合键。\n这个组合键在 macOS 中通常用于切换全屏模式。
\n:param placeholder: 占位可不填\n:return: 返回结果\n\n\n           :param
placeholder:\n                  :return: 结果"
                },
                {
                    "toolName": "swipe_space",
                    "toolDescription": "FunctionType:MCP\n                     描述：
\nmacos上进行屏幕切换的工具\n:param direction: 有两个参数left、right\n:return:切换结
果\n\n\n          :param direction:\n                  :return: 结果"
                },
                {
                    "toolName": "lock_screen",
                    "toolDescription": "FunctionType:MCP\n                     描述：\n执
```

```
行锁屏\n:param: placeholder: 占位变量可不填\n:return: 锁屏结果\n\n\n          :param
placeholder:\n          :return: 结果"
              },
              {
                  "toolName": "alert_dialog",
                  "toolDescription": "FunctionType:MCP\n               描述:\n弹
窗提示用户\n:param message: 弹窗的内容\n:return: 显示结果\n\n\n          :param
message:\n               :return: 结果"
              }
          ]
      }
    ]
}
```

16、添加MCP服务器

请求

```
POST /createMcpServer HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 77
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

{"mcpName":"server-sequential-thinking","mcpSSE":"http://127.0.0.1:2325/sse"}

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:56:06 GMT
server: uvicorn
content-length: 3585
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": [
        {
            "toolName": "sequentialthinking",
            "toolDescription": "FunctionType:MCP\n                    描述:A
detailed tool for dynamic and reflective problem-solving through thoughts.
\nThis tool helps analyze problems through a flexible thinking process that
can adapt and evolve.\nEach thought can build on, question, or revise previous
insights as understanding deepens.\n\nWhen to use this tool:\n- Breaking down
complex problems into steps\n- Planning and design with room for revision\n-
Analysis that might need course correction\n- Problems where the full scope
might not be clear initially\n- Problems that require a multi-step solution\n-
Tasks that need to maintain context over multiple steps\n- Situations where
irrelevant information needs to be filtered out\n\nKey features:\n- You can
adjust total_thoughts up or down as you progress\n- You can question or revise
previous thoughts\n- You can add more thoughts even after reaching what seemed
like the end\n- You can express uncertainty and explore alternative
approaches\n- Not every thought needs to build linearly - you can branch or
backtrack\n- Generates a solution hypothesis\n- Verifies the hypothesis based
on the Chain of Thought steps\n- Repeats the process until satisfied\n-
Provides a correct answer\n\nParameters explained:\n- thought: Your current
thinking step, which can include:\n* Regular analytical steps\n* Revisions of
previous thoughts\n* Questions about previous decisions\n* Realizations about
needing more analysis\n* Changes in approach\n* Hypothesis generation\n*
Hypothesis verification\n- next_thought_needed: True if you need more
thinking, even if at what seemed like the end\n- thought_number: Current
number in sequence (can go beyond initial total if needed)\n- total_thoughts:
Current estimate of thoughts needed (can be adjusted up/down)\n- is_revision:
A boolean indicating if this thought revises previous thinking\n-
revises_thought: If is_revision is true, which thought number is being
```

reconsidered\n- branch_from_thought: If branching, which thought number is the branching point\n- branch_id: Identifier for the current branch (if any)\n- needs_more_thoughts: If reaching end but realizing more thoughts needed\n\nYou should:\n1. Start with an initial estimate of needed thoughts, but be ready to adjust\n2. Feel free to question or revise previous thoughts\n3. Don't hesitate to add more thoughts if needed, even at the \"end\"\n4. Express uncertainty when present\n5. Mark thoughts that revise previous thinking or branch into new paths\n6. Ignore information that is irrelevant to the current step\n7. Generate a solution hypothesis when appropriate\n8. Verify the hypothesis based on the Chain of Thought steps\n9. Repeat the process until satisfied with the solution\n10. Provide a single, ideally correct answer as the final output\n11. Only set next_thought_needed to false when truly done and a satisfactory answer is reached\n\n   :param thought: Your current thinking step\n   :param nextThoughtNeeded: Whether another thought step is needed\n   :param thoughtNumber: Current thought number\n   :param totalThoughts: Estimated total thoughts needed\n   :param isRevision: Whether this revises previous thinking\n   :param revisesThought: Which thought is being reconsidered\n   :param branchFromThought: Branching point thought number\n   :param branchId: Branch identifier\n   :param needsMoreThoughts: If more thoughts are needed\n   :return: 结果"
        }
    ]
}

17、删除MCP服务器

请求

```
POST /deleteMcpServer HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 40
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
```

```
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"mcpName":"server-sequential-thinking"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:57:06 GMT
server: uvicorn
content-length: 35
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":null}
```

18、获取可用工具列表

请求

```
GET /getExternalTools HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
```

```
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
secret_key:
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 07:59:12 GMT
server: uvicorn
content-length: 4041
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": {
        "querySet": [
            {
                "name": "launch_app",
                "description": "FunctionType:MCP\n            描述:启动程序
\n:param app_name: 要启动的程序名称\n:return: 执行结果\n\n\n        :param
app_name:\n              :return: 结果",
                "need_user": 0
            },
            {
                "name": "see_desktop",
                "description": "获取当前用户的桌面截图，看当前用户的电脑正在做什么
\n          :param placeholder: 占位符可不填\n              :return: 返回对当前桌面
图像的描述",
                "need_user": 0
            }
        ]
    }
}
```

19、设置工具自动执行

请求

```
POST /setNeedUserTool HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 21
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"name":"launch_app"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:00:17 GMT
server: uvicorn
content-length: 52
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":{"name":"launch_app"}}
```

20、取消工具自动执行

请求

```
POST /deleteNeedUserTool HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 21
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"


{"name":"launch_app"}
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:00:08 GMT
server: uvicorn
content-length: 52
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":{"name":"launch_app"}}
```

21、创建知识库

请求

```
POST /uploadRAGFiles HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 474844
Content-Type: multipart/form-data; boundary=----
WebKitFormBoundaryxvvFAEdKncBNBJfL
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"

------WebKitFormBoundaryxvvFAEdKncBNBJfL
Content-Disposition: form-data; name="ragName"

123
------WebKitFormBoundaryxvvFAEdKncBNBJfL
Content-Disposition: form-data; name="files"; filename="视频专网信息安全脆弱性检测
方法.doc"
Content-Type: application/msword


------WebKitFormBoundaryxvvFAEdKncBNBJfL--
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:03:32 GMT
server: uvicorn
content-length: 269
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": {
        "rag_id": "5121698e-b0bf-4817-a7bd-331e05e98473",
        "ragName": "123",
        "files": [
            {
                "fileName": "视频专网信息安全脆弱性检测方法.doc",
                "filePath": "vectorDatabase/localStore/test/123/视频专网信息安全
脆弱性检测方法.doc"
            }
        ]
    }
}
```

22、获取已有知识库列表

请求

```
GET /RAGFiles HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
```

```
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:04:54 GMT
server: uvicorn
content-length: 325
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": [
        {
            "files": [
                {
                    "fileName": "视频专网信息安全脆弱性检测方法.doc",
                    "filePath": "vectorDatabase/localStore/test/123/视频专网信息
安全脆弱性检测方法.doc"
                }
            ],
            "rag_id": "5121698e-b0bf-4817-a7bd-331e05e98473",
            "create_time": "2025-06-02 16:03:33",
            "rag_name": "123",
            "account": "test"
        }
    ]
}
```

23、删除知识库

请求

```
GET /deleteRAGFiles?rag_id=5121698e-b0bf-4817-a7bd-331e05e98473 HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
```

```
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:05:48 GMT
server: uvicorn
content-length: 80
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":{"rag_id":"5121698e-b0bf-4817-
a7bd-331e05e98473"}}
```

24、获取等待用户批准的工具调用

请求

```
GET /getCallTools HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
```

```
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:07:08 GMT
server: uvicorn
content-length: 301
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{
    "status": "success",
    "content": {
        "querySet": [
            {
                "call_id": 1748851628680571,
                "create_time": "16:07:08",
                "tool_name": "playMusic",
                "tool_description": "用户想听唱歌时调用\n                :param
musicName: 歌曲名称\n                :return: 播放结果",
                "params": "{'musicName': '九万字'}",
                "control": 1
            }
        ]
    }
}
```

25、批复工具调用

请求

```
POST /setCallTool HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 40
Content-Type: application/json
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"

{"call_id":1748851771274467,"control":1} //1为允许 2为拒绝
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:09:34 GMT
server: uvicorn
content-length: 71
content-type: application/json
access-control-allow-origin: *
access-control-allow-credentials: true

{"status":"success","content":{"call_id":1748851771274467,"control":1}}
```

26、视觉图片上传

请求

```
POST /uploadCamera HTTP/1.1
Accept: */*
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: zh-CN,zh;q=0.9
Authorization: Bearer 111
Cache-Control: no-cache
Connection: keep-alive
Content-Length: 147753
Content-Type: multipart/form-data; boundary=----
WebKitFormBoundaryg38EYRzAQG8MI6Wq
Host: 127.0.0.1:8000
Origin: http://127.0.0.1:8088
Pragma: no-cache
Referer: http://127.0.0.1:8088/
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-site
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/130.0.0.0 Safari/537.36 QuarkPC/4.1.0.360
hashid: bdee858efbeb41515c4300c4a432ff6f
sec-ch-ua: "Not?A_Brand";v="99", "Chromium";v="130"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "macOS"

------WebKitFormBoundaryg38EYRzAQG8MI6Wq
Content-Disposition: form-data; name="file"; filename="camera-capture.jpg"
Content-Type: image/jpeg


...


//这个请求执行之后，与LLM发送消息，使用see_camera工具识别图片后回复。
```

响应

```
HTTP/1.1 200 OK
date: Mon, 02 Jun 2025 08:14:06 GMT
server: uvicorn
content-length: 55
content-type: application/json
```

```
access-control-allow-origin: *
access-control-allow-credentials: true


{"status":"success","content":"camera.png上传成功"}
```

其余接口暂不开放API