Mock Assessment - Answer Summary

Key numbers

Item	Value
Requisition	16118 (Laptop XX_KAWTHER_LAPTOP_T2, Qty 2, 500, Need-by 15-NOV-2026)
Purchase Order	6768, STANDARD, APPROVED (Abbott Laboratories, Inc., site CORP HQ)
Receipt	9146 (Qty 2, Receipt Date 09-OCT-2026)
AP Invoice	KAWTHER-MOCK-001, ID 653144, Amount 1,000.00, Validated
Accounting entry	8190746 (Final), GL transfer status Y (09-OCT-26)
GL Journal	Oct-26 Purchase Invoices USD, je_header_id 7189999, Debit = Credit = 5,500.00
Workflow	Item type XXLEAVE, process XXLEAVE_PROC, Item Key 7 = Complete (Approve path)

Question 1 - Procure to Pay (20 marks)

Part	Main steps	Result
A. Requisition (4)	Purchasing > Requisitions > Requisitions. Type Purchase, item, Qty 2, Price 500, Need-by 15-NOV-2026. Destination/Requester/Org fields, Distributions (charge account). Save.	Requisition 16118
B. Approval (2)	Approve / Submit for approval. Check status.	Status Approved
C. Purchase Order (4)	Purchasing > AutoCreate: Requisition 16118 > Find > select line > Automatic. New Document: Supplier Abbott Laboratories, Site CORP HQ. Create. Shipments: Need-By 15-NOV-2026, Qty 2. Save and Approve.	PO 6768 APPROVED
D. Receipt (3)	Receiving > Receipts, Org V1, PO 6768. Tick the line (Qty 2), Save. If APP-PO-14798: change Receiving Controls on the PO shipment (Days Early 60) and re-approve.	Receipt 9146
E. Invoice (3)	Payables > Invoices > Entry > Invoices. PO Number 6768, Invoice Num KAWTHER-MOCK-001, Amount 1,000, Payment Method Check. Lines/Match to PO line 1 shipment 1. Save. Actions > Validate.	Invoice Validated
F. Accounting & GL (4)	Actions > Create Accounting > Final. SQL check (xla_ae_headers via event). If transfer N: open GL period Oct-26, then Other > Requests > Run > Transfer Journal Entries to GL (Process Category Invoices, Post in GL No). Journal Import runs. GL >	Entry 8190746, status Y; Journal 7189999

	Journals > Enter: Source Payables, Period Oct-26. Review Lines (Debit = Credit).	


SQL used


```
SELECT segment1, authorization_status FROM po_requisition_headers_all WHERE segment1 =
'16118';
SELECT segment1, type_lookup_code, authorization_status FROM po_headers_all WHERE segment1
= '6768';
SELECT receipt_num, shipment_header_id FROM rcv_shipment_headers WHERE receipt_num =
'9146';
SELECT invoice_id, invoice_num, ap_invoices_pkg.get_posting_status(invoice_id) FROM
ap_invoices_all WHERE invoice_num = 'KAWTHER-MOCK-001';
SELECT ae_header_id, accounting_entry_status_code, gl_transfer_status_code FROM
xla_ae_headers WHERE ae_header_id = 8190746;
```

Issues and resolutions

Issue	Cause	Resolution
APP-PO-14798	Receipt date outside early tolerance	Receiving Controls changed, PO re-approved
FRM-40202 / APP-SQLAP-10080	Invoice match already saved	Existing invoice KAWTHER-MOCK-001 used
GL transfer N, OOAP0019	Oct-26 Future-Entry; Future Enterable Periods 4 > periods defined	Ledger option set to 2, Oct-26 opened, Transfer Journal Entries to GL run


User KAWTHER_MOCK was created from System Administrator > Security > User > Define, linked to Person “Stock, Ms. Pat”, with the seven responsibilities (Inventory, Purchasing, Payables, General Ledger, Workflow Administrator Web Applications, System Administrator, Application Developer).









SQL verification: FND_USER returns the new user with its USER_ID, and FND_USER_RESP_GROUPS_DIRECT lists the assigned responsibilities.




Logged in as KAWTHER_MOCK and selected the Purchasing, Vision Operations (USA) responsibility.




Requisition line for the Laptop Computer item: Quantity 2, Unit Price 500, Need-by date 15-Nov-2026 (total 1,000).




122.175.43.246:3338 - Remote Desktop Connection
File Edit View Folder Tools Actions Window Help
Navigator - Purchasing, Vision Operations (USA)
Functions Documents Processes
Buyer Work Center:
Purchasing Buyers Workcenter
+ Buyer Work Center
Supplier Item Catalog
Item Search
Top Ten List
Requisitions - [New]
Operating Unit Vision Operations
Number 16118
Description
Type Purchase Requi
Status Incomplete
Preparer Stock, Ms. Pat
Total USD 1,000.00
Lines Source Details Details Currency
Num Note to Buyer Buyer RFQ Required Supplier Item Document Type
Distributions - [New]
Accounts Project
Num Quantity Charge Account Recovery Rate GL Date Budget Account
1 2 01-000-1410-0000-000
Account Description
Charge Operations-No Department-Inventory Mat
Accrual Operations-No Department-Accounts Pa
Budget
Variance Operations-Vision Operations In-Invoice F

Document	**Number**
Requisition	**16118**

Requisition saved successfully. Requisition Number: 16118. Expected output: requisition created.



Screenshot 6 (Requisition Summary وفيها Status = Approved)

Requisition 16118 was submitted for approval and its status is Approved.

```
  1016386             20420                          1                0
09-OCT-26             1016283 09-OCT-26         1016283 09-OCT-26
            0



 rows selected.

QL> SELECT segment1, authorization_status FROM po_requisition_headers_all WHERE segment1 = '16118';


EGMENT1             AUTHORIZATION_STATUS
------------------- -------------------------
6118                APPROVED

QL>
```


Database check: authorization_status = APPROVED for requisition 16118.




:po=6768




PO 6768 lines validated: Item XX_KAWTHER_LAPTOP_T2, Quantity 2, Unit Price 500, Total 1,000, matching requisition 16118.



PO 6768 lines validated: Item XX_KAWTHER_LAPTOP_T2, Quantity 2, Unit Price 500, Total 1,000, matching requisition 16118



PO 6768 shipment: Quantity 2, Need-By 15-Nov-2026, Ship-To Auckland. The PO was saved and submitted for approval



Screenshot 11 (Purchase Order Summary: Status = Approved)

PO 6768 was approved. Status: Approved

SQL> SELECT segment1, type_lookup_code, authorization_status FROM po_headers_all WHERE segment1 = '6

768';

SEGMENT1 TYPE_LOOKUP_CODE AUTHORIZATION_STATUS

---------- ---------- ----------


6768 STANDARD APPROVED


<<Database check: type STANDARD, authorization_status APPROVED.>.

Database verification: PO 6768 exists in PO_HEADERS_ALL with TYPE_LOOKUP_CODE = STANDARD and AUTHORIZATION_STATUS = APPROVED.


Q1-D Receipt:

Comnnt:






eceiving transaction for PO 6768: Item XX_KAWTHER_LAPTOP_T2, Quantity 2 Each, Destination Type Inventory, Receipt Date 09-OCT-2026.



Receipt saved successfully. Receipt Number: 9146, Receipt Date 09-OCT-2026, Received By Stock, Ms. Pat, Supplier Abbott Laboratories, Inc., against PO 6768.



```
SQL> SELECT receipt_num, shipment_header_id, receipt_source_code
  2  FROM rcv_shipment_headers
  3  WHERE receipt_num = '9146';


RECEIPT_NUM                    SHIPMENT_HEADER_ID RECEIPT_SOURCE_CODE
------------------------------ ------------------ -------------------------
9146                                      7772385 VENDOR
9146                                        51585 VENDOR
9146                                       814299 VENDOR
9146                                        30969 VENDOR
9146                                      2932844 VENDOR
9146                                      1153862 VENDOR
9146                                      3457462 VENDOR
9146                                      4044612 VENDOR
9146                                      2067029 VENDOR
9146                                        39339 VENDOR

10 rows selected.


SQL>
```

Database check: receipt 9146 exists in RCV_SHIPMENT_HEADERS.


Q1-E Payables Invoice:




nvoice matched to PO 6768, Line 1, Shipment 1, Laptop. Ordered 2, Received 2, Billed 2. Invoice Amount 1,000.00 equals Line Total 1,000.00.




Invoice KAWTHER-MOCK-001 (ID 653144), Supplier Abbott Laboratories, Inc., Amount 1,000.00. Line matched to PO 6768, Line 1, Shipment 1.




Distributions for invoice KAWTHER-MOCK-001: Line 1, Type Accrual, Amount 1,000.00, Account 01-000-2210-0000-000. Invoice Total equals Distribution Total.




Invoice validated successfully. Status: Validated.




Invoice KAWTHER-MOCK-001 validated (Status: Validated, Holds 0). Create Accounting completed: “Accounting has been successfully created for this transaction.”




Invoice KAWTHER-MOCK-001 Accounted: Yes.




Database check: accounting entry 8190746 created for invoice 653144. Entry status F (Final). GL transfer status N (not yet transferred to GL).




Create Accounting request submitted. Parameters: Mode Final, Report Summary, Transfer to General Ledger Yes, Post in General Ledger No. Request ID 7578931.



Requests: Create Accounting (7578931) and Accounting Program (7578932) completed with Warning, Journal Import (7578933) completed Normal. Update Subledger Accounting Balances (7578936) ended in Error, which does not affect the journal transfer.



Database check: only SEP-26 is Open for GL (101) and Payables (200). OCT-26 is not open/defined. Entry 8190746 (dated 09-OCT-2026) could not be transferred (status N).



Database check: GL period Oct-26 has status F (Future Entry), only Jul/Aug/Sep-26 are Open. Entry 8190746 has accounting date 09-OCT-26, period Oct-26, GL transfer status N.

```
      8190746 09-OCT-26 Oct-26          N
> glus
SQL> SELECT name, period_set_name, future_enterable_periods_limit
< glus  2  FROM gl_ledgers
  3  WHERE ledger_id = 1;

> glul
NAME                           PERIOD_SET_NAME FUTURE_ENTERABLE_PERIODS_LIMIT
------------------------------ --------------- ------------------------------
< glul Vision Operations (USA)        Accounting                                     4

> gloo SQL>
SQL> SELECT period_name, start_date, end_date, adjustment_period_flag
> gloo  2  FROM gl_periods
  3  WHERE period_set_name = (SELECT period_set_name FROM gl_ledgers WHERE ledger_id = 1)
< gloo  4  AND start_date >= DATE '2026-09-01'
  5  ORDER BY start_date;

> glop
PERIOD_NAME     START_DAT END_DATE  A
--------------- --------- --------- -
< glop SEP-26          01-SEP-26 30-SEP-26 N
Oct-26          01-OCT-26 31-OCT-26 N
> gloo Nov-26          01-NOV-26 30-NOV-26 N
Dec-26          01-DEC-26 31-DEC-26 N
adj-26          31-DEC-26 31-DEC-26 Y
< gloo
SQL>
> gluc
```

```
< glucmt() 09-OCT-2026 10:21:19

> gloobl() 09-OCT-2026 10:21:19

> gloroc() 09-OCT-2026 10:21:19

> glucmt() 09-OCT-2026 10:21:19
```

Database check: ledger Vision Operations (USA) has Future Enterable Periods = 4, but the calendar “Accounting” only defines Nov-26 and Dec-26 after Oct-26 (adj-26 is an adjustment period). Opening Oct-26 fails with OOAP0019.

```
NAME                           PERIOD_SET_NAME FUTURE_ENTERABLE_PERIODS_LIMIT
------------------------------ --------------- ------------------------------
Vision Operations (USA)        Accounting                                   4

SQL>
SQL> SELECT period_name, start_date, end_date, adjustment_period_flag
  2  FROM gl_periods
  3  WHERE period_set_name = (SELECT period_set_name FROM gl_ledgers WHERE ledger_id = 1)
  4  AND start_date >= DATE '2026-09-01'
  5  ORDER BY start_date;

PERIOD_NAME     START_DAT END_DATE  A
--------------- --------- --------- -
SEP-26          01-SEP-26 30-SEP-26 N
Oct-26          01-OCT-26 31-OCT-26 N
Nov-26          01-NOV-26 30-NOV-26 N
Dec-26          01-DEC-26 31-DEC-26 N
adj-26          31-DEC-26 31-DEC-26 Y


SQL> SELECT name, future_enterable_periods_limit
  2  FROM gl_ledgers
  3  WHERE ledger_id = 1;

NAME                           FUTURE_ENTERABLE_PERIODS_LIMIT
------------------------------ ------------------------------
Vision Operations (USA)                                    2

SQL>
```


Balancing Segment Value Assignments	Assign balancing segment values to the ledger.
Subledger Accounting Options	Define rules to generate your accounting entries from subledger transactions.
Operating Units	Define and maintain operating units for your primary ledger.
Intercompany Accounts	Define intercompany accounts to account for transactions across legal entities.

Database check: Number of Future Enterable Periods for ledger Vision Operations (USA) is now 2, matching the periods defined in the calendar after Oct-26.





Open Next Period submitted for GL period Oct-26. Concurrent Request ID 7578941.

Open Period request 7578941 completed normally (the earlier 7578938 failed with OOAP0019 before the ledger setting was corrected). Open Period Balances request 7578942 is queued.




Open Period (7578941) and Open Period Balances (7578942) completed normally. GL period Oct-26 is now Open.






Create Accounting resubmitted after opening Oct-26. Parameters: Mode Final, Transfer to General Ledger Yes, Post in General Ledger No. Request ID 7578943



Transfer Journal Entries to GL submitted. Parameters: Ledger Vision Operations (USA), Process Category Invoices, End Date 09-OCT-2026, Post in General Ledger No. Request ID 7578946



Transfer Journal Entries to GL (7578946) completed normally, followed by Journal Import (7578947). Entries from Payables were transferred to General Ledger.

```
no rows selected

SQL> SELECT ae_header_id, gl_transfer_status_code, gl_transfer_date
  2  FROM xla_ae_headers
  3  WHERE ae_header_id = 8190746;

AE_HEADER_ID GL_TRANSFER_STATUS_CODE        GL_TRANSF
------------ ------------------------------ ---------
     8190746 Y                              09-OCT-26

SQL> |
```

Database check: entry 8190746 has GL transfer status Y, transfer date 09-OCT-26. The entry was transferred to General Ledger.


```
JOURNAL_NAME
--------------------------------------------------------------------------------
RUNNING_TOTAL_DR RUNNING_TOTAL_CR
---------------- ----------------
Apr-17 Purchase Invoices USD
           10690            10690


SQL> SET LINESIZE 200
SQL> COL journal_name FORMAT A45
SQL> SELECT DISTINCT h.je_header_id, h.name AS journal_name, h.period_name, h.running_total_dr, h.ru
nning_total_cr
  2  FROM gl_je_headers h, gl_import_references r, xla_ae_lines l
  3  WHERE r.je_header_id = h.je_header_id
  4  AND r.gl_sl_link_id = l.gl_sl_link_id
  5  AND r.gl_sl_link_table = l.gl_sl_link_table
  6  AND l.ae_header_id = 8190746;


JE_HEADER_ID JOURNAL_NAME                                  PERIOD_NAME     RUNNING_TOTAL_DR RUNNING_TOTAL_CR
------------ --------------------------------------------- --------------- ---------------- ----------------
     7189999 Oct-26 Purchase Invoices USD                  Oct-26                      5500             5500

SQL> |
```

Journal lines for Oct-26 Purchase Invoices: lines ____ (Debit 1,000.00) and ____ (Credit 1,000.00) come from invoice KAWTHER-MOCK-001 (Accounts Payable 01-000-2210-0000-000). Total Debit = Total Credit = 5,500.00.



GL journal imported from Payables: Source Payables, Category Purchase Invoices, Period Oct-26, Batch Payables A 3896491 7578947, Debit 5,500.00 = Credit 5,500.00. Batch Status: Unposted. It includes the entry for invoice KAWTHER-MOCK-001 (1,000.00).



GL Journal “Oct-26 Purchase Invoices USD” (Batch Payables A 3896491 7578947, Description: Journal Import 7578947) was created by Journal Import from Payables, Period Oct-26, Category Purchase Invoices.
Line 1: Debit 3,500.00, account 01-000-2210-0000-000 (Accrual). Line 2: Credit 5,500.00, account 01-000-2210-0000-000 (Accounts Payable). Line 3: Debit 2,000.00, account 01-110-6100-0000-000 (Expense).
Total Debit = Total Credit = 5,500.00. The entry of invoice KAWTHER-MOCK-001 (1,000.00 Debit Accrual / 1,000.00 Credit Accounts Payable) is included in these summarized lines. Debits equal credits, so the journal is balanced.


Q1:

Step	Document / Result
A Requisition	16118
B Approval	Approved
C PO	6768 (STANDARD, APPROVED)
D Receipt	9146
E AP Invoice	KAWTHER-MOCK-001 (ID 653144) Amount 1,000, Validated
F Accounting / GL	Entry 8190746 (Final) > Transferred to GL (Y, 09-OCT-26) > Journal 7189999 (Oct-26 Purchase Invoices USD), Dr = Cr = 5,500


Question 2 - Oracle Workflow: Employee Leave Approval :

Part	Main steps	Result
A. Definition (5)	Workflow Builder > Quick Start Wizard: Item Type XXLEAVE, Process XXLEAVE_PROC. Attributes: Requester, Manager, Start Date, End Date. Messages: Submitted, Approval (result type Approval), Approved, Rejected. Notifications: Submit Leave, Manager Approval, Leave Approved, Leave Rejected. Draw: Start > Submit Leave > Manager Approval > Approved/Rejected > End.	Process diagram
B. Configuration (3)	Performer Type Constant, Value KAWTHER_MOCK on each notification. Result type Approval on Manager Approval; transitions Approve and Reject.	Verify: Successfully validated design
C. Deploy (2)	File > Save As > File (XXLEAVE.wft); File > Save As > Database (apps / EBSDB).	Visible in Developer Studio
D. Execute & Test (3)	Developer Studio > Initiate Workflow (Item Key 7). Notification to KAWTHER_MOCK. Respond Approve. Status Monitor > Activity History.	Workflow Complete, Leave Approved
E. Documentation (2)	Diagram + screenshots of Workflow Builder, the notification and the completed workflow.	Included


Q2: Oracle Workflow:



Quick Start Wizard: new Item Type XXLEAVE (XX Employee Leave Approval) and new Process XXLEAVE_PROC (Leave Approval Process), following the XX naming convention.





Item Type XXLEAVE created with the process XXLEAVE_PROC.





Item Type Attributes created for XXLEAVE: Requester, Manager (Text) and Start Date, End Date (Date). The process “Leave Approval Process” contains the Start and End activities.


Message XXLEAVE_APPROVAL (“Leave Approval Request”) defined with result type Approval (Approve / Reject). The manager’s response determines the next workflow transition.


File Edit View Window Help
Navigator
Untitled - 1
Directory Service
Standard
Employee Leave Approval
Attributes
Requester
Manager
Start Date
End Date
Processes
Leave Approval P
Notifications
Functions
Events
Messages
Leave Approval R
Leave Request Su
Lookup Types
Leave Approval Process
End
Navigator Control Properties
Message
Body
Roles
Access
Result
Subject
Leave request needs your approval
Text Body
HTML Body
Please approve or reject this leave request.
...
OK
Cancel
Apply
Help



Navigator
Untitled - 1
Directory Service
Standard
Employee Leave Approval
Attributes
Requester
Manager
Start Date
End Date
Processes
Leave Approval P
Notifications
Functions
Events
Messages
Leave Approval R
Leave Request Su
Lookup Types
Navigator Control Properties
Message
Body
Roles
Access
Result
Internal Name
XXLEAVE_APPROVAL
Display Name
Leave Approval Request
Description
Priority
Normal
OK
Cancel
Apply
Help
End



Oracle Workflow Builder 2.6.3.5
File Edit View Window Help
Navigator
Untitled - 1
Directory Service
Standard
Employee Leave Approval
Attributes
Requester
Manager
Start Date
End Date
Processes
Notifications
Functions
Events
Messages
Lookup Types
Leave Approval Process
End
Navigator Control Properties
Message Body Roles Access Result
Display Name Result
Description
Lookup Type Approval Edit
Default
Type Constant
Value <None> Edit
Clear
OK Cancel Apply Help



Oracle Workflow Builder 2.6.3.5
File Edit View Window Help
Navigator
Leave Approval Process
Navigator Control Properties
Message Body Roles Access Result
Internal Name XXLEAVE_APPROVAL
Display Name Leave Approval Request
Description
Priority Normal
OK Cancel Apply Help
Start


Oracle Workflow Builder 2.6.3.5
File Edit View Window Help
Navigator
Untitled - 1
Directory Service
Standard
XX Employee Leave Approval
Attributes
Requester
Manager
Start Date
End Date
Processes
Leave Approval Process
Notifications
Functions
Events
Messages
Leave Approval Request
Leave Approved
Leave Request Submitted
Lookup Types
Leave Approval Process
Navigator Control Properties
Message Body Roles Access Result
Subject Leave request rejected
Text Body HTML Body
Your leave request has been rejected
OK Cancel Apply Help
End

Messages created: XXLEAVE_SUBMITTED, XXLEAVE_APPROVAL, XXLEAVE_APPROVED, XXLEAVE_REJECTED.






Oracle Workflow Builder 2.6.3.5
File Edit View Window Help
Navigator
Untitled - 1
Directory Service
Standard
Employee Leave Approval
Attributes
Requester
Manager
Start Date
End Date
Processes
Leave Approval Process
Notifications
Submit Leave
Functions
Events
Messages
Leave Approval Request
Leave Approved
Leave Rejected
Leave Request Submitted
Lookup Types
Leave Approval Process
Start
End
Navigator Control Properties
Activity
Details
Roles
Access
Internal Name
XXLEAVE_MGR_APPROVAL
Display Name
Manager Approval
Description
Icon
NOTIFY.ICO
Browse
Function Name
Function Type
PL/SQL
Result Type
Approval
Edit
Message
Leave Approval Request
Edit
Expand Roles
OK
Cancel
Apply
Help



Notification activities created for XXLEAVE: Submit Leave, Manager Approval, Leave Approved, Leave Rejected.


Activities placed in process XXLEAVE_PROC: Start, Submit Leave, Manager Approval, Leave Approved, Leave Rejected, End.


Recycle Bin
Toad for
KAWTHERE...
Oracle Workflow Builder 2.6.3.5
File
Edit
View
Window
Help
Navigator
XML Compare Tag Value
XML Compare Tag Value
XML Compare Tag Value
XML Get Tag Value
XML Transform
Events
Messages
Lookup Types
Employee Leave Approval
Attributes
Requester
Manager
Start Date
End Date
Processes
Leave Approval Process
Notifications
Leave Approved
Leave Rejected
Manager Approval
Submit Leave
Functions
Leave Approval Process
Leave Approved
Start
Submit Leave
Manager Approval
End
Leave Rejected




Process XXLEAVE_PROC: Start > Submit Leave > Manager Approval > (Approve) Leave Approved / (Reject) Leave Rejected > End.

Q2-B Configuration:




Manager Approval notification: Performer Type Constant, Value KAWTHER_MOCK (the approver who receives the notification).

Node > **Performer Type = Constant**، **Value = KAWTHER_MOCK** > **OK**:




Notification tab: Message “Leave Approval Request”, Result Type Approval, so the notification returns Approve or Reject.


Q2-C: Deploy / Load:



Workflow design validated successfully (“Successfully validated design”). Process XXLEAVE_PROC has no validation errors: all notification activities have performers and the transitions are valid.





Workflow definition XXLEAVE saved to the database (APPS@EBSDB) using File > Save As > Database. The item type is now available to the Oracle Workflow Engine.



Workflow type XX Employee Leave Approval (XXLEAVE) is loaded in the database and visible in Oracle Workflow Developer Studio. This confirms the deployment (Save As Database)


Workflow XXLEAVE started from Developer Studio: Process “Leave Approval Process”, Item Key 7. Confirmation: “Workflow XX Employee Leave Approval / 7 has been started”






Status Monitor: workflow XX Employee Leave Approval, Item Key 7, Process “Leave Approval Process”, Status Active, started 09-Oct-2026 16:54:43. The workflow is waiting at the Manager Approval notification.

Status Diagram of workflow XXLEAVE (Item Key 7): Start and Submit Leave completed; the process is waiting at the Manager Approval notification (Active)----------






Activity History of workflow XXLEAVE (Item Key 7) before approval: Start and Submit Leave completed; Manager Approval is in status Notified, waiting for the manager's response (performer Stock, Pat = KAWTHER_MOCK). This confirms that the notification was generated.




Notifications received in the Worklist of KAWTHER_MOCK after the manager approved the request: “Leave request approved” (Leave Approved activity) and “Leave Request Submitted” (Submit Leave activity). The Workflow progressed along the Approve path.




The manager’s response: notification “Leave request needs your approval” (ID 8058407) was sent to Stock, Pat (KAWTHER_MOCK) and closed with the result Approve (Action History: 1 Submit by SYSADMIN, 2 Approve by Stock, Pat to Workflow System). The Approve result routed the workflow to Leave Approved.

Workflow completed: Start, Submit Leave, Manager Approval (result: Approve), Leave Approved and End are all Complete. Process “Leave Approval Process” status: Complete, so the workflow reached the correct end.




Notification with Approve/Reject buttons:

The approver KAWTHER_MOCK (performer: Stock, Pat) received the notification “Leave request needs your approval” (Notification ID 8058453, sent 12-Oct-2026) in the Worklist. The notification page shows the response buttons Approve, Reject, Reassign and Request Information. The Action History shows the first action, Submit, from Workflow System.


Administrator Workflow
eveloper Studio
Business Events
Status Monitor
Notifications
Administration
itor >
Search
s
how More Search Options" to search for workflows by activity characteristics.
Workflow Type
Type Internal Name
XXLEAVE
(Example: WFDEMO, WFERROR)
Workflow Owned By
All Employees and Users
Item Key
User Key
* Workflow Status
Any Status
* Workflow Started
Any Time
Go
Clear
lore Search Options
Workflows
dminister a workflow, select "Activity History". Select "Participant Responses" to view comments and other information gathered for closed, response-required notifications.
kflow histories are periodically purged from the system and may no longer be available for review.
rkflow and View...
Activity History
Status Diagram
Participant Responses
Workflow Details
Status
Workflow Type
Item Key
Process Name
User Key
Owned By
Started
Complete
Employee Leave Approval
9
Leave Approval Process
12-Oct-2026 0
Complete
Employee Leave Approval
7
Leave Approval Process
7
SYSADMIN SYSADMIN
09-Oct-2026 1

Status Monitor, workflow instances

In Status Monitor (searched by Type Internal Name XXLEAVE, as SYSADMIN), the workflow type Employee Leave Approval (XXLEAVE) is listed with two instances of Leave Approval Process: Item Key 9, started 12-Oct-2026, and Item Key 7, started 09-Oct-2026. Both show status Complete.



Activity History for XXLEAVE, Item Key 9

The Activity History shows that the process started on 12-Oct-2026 at 09:10:13 and completed at 09:13:22 with status Complete. All activities are Complete: Start, Submit Leave (notification sent to Stock, Pat), Manager Approval (notification Closed, meaning the approver responded with Approve), Leave Approved, and End. This confirms the flow Start → Submit Leave → Manager Approval → Leave Approved → End ran with no errors.

Question 3 - MD.050 Functional Design :;

MD.050 - Functional Design

Employee Leave Approval Workflow

Field	Value
Document ID	MD.050-XXLEAVE-001
Project	Oracle E-Business Suite R12 - Mock Assessment
Custom Object	Employee Leave Approval Workflow (XXLEAVE)
Author	Kawther Ali Almandhari
Version / Date	1.0 / 10-OCT-2026
Status	Draft for review

1. Business Requirement

The organization needs a controlled and auditable way for employees to request leave and for line managers to approve or reject it. Today leave requests are sent informally (email or paper), which causes lost requests, no visible status, and no history of who approved what and when.

Requirement: automate the leave request using Oracle Workflow so that a request submitted by an employee is routed to the employee's manager, the manager approves or rejects it from the Oracle Worklist (or email notification), and the employee is informed of the final decision.

ID	Business Requirement	Priority
BR-01	Employee can submit a leave request (type, start date, end date, reason).	High
BR-02	The request is routed automatically to the employee's manager.	High
BR-03	Manager can Approve or Reject, with an optional comment.	High
BR-04	Employee is notified of the final decision.	High
BR-05	Status of every request is visible and auditable (Workflow Status Monitor).	Medium

2. As-Is Process

1. The employee fills a paper form or sends an email to the manager.
2. The manager reads it when available; there is no reminder or deadline.
3. The manager replies verbally or by email; the answer is forwarded to HR manually.
4. HR updates the leave record by hand.

Pain points:

- No tracking: requests can be lost or forgotten.
- No standard approval path or audit trail.
- Employee does not know the current status.
- Manual work and risk of errors for HR.

3. To-Be Process

Using Oracle Workflow, the process becomes fully automated:

5. Employee submits a leave request (the workflow XXLEAVE is started with the employee, manager, leave dates and reason as item attributes).
6. Activity "Submit Leave": a confirmation notification is sent to the employee.
7. Activity "Manager Approval": a notification with Approve / Reject response is sent to the manager (Oracle Worklist and email).
8. If the manager approves, the process continues to "Leave Approved" and the employee is notified.
9. If the manager rejects, the process continues to "Leave Rejected" and the employee is notified.
10. The process ends. Full history remains in the Workflow Status Monitor.

Step	Role	Activity	Result
1	Employee	Submit Leave	Request created, confirmation sent
2	Manager	Manager Approval	Approve or Reject
3	System	Leave Approved / Leave Rejected	Employee notified of decision
4	System	End	Process completed

4. Functional Requirements

ID	Functional Requirement
FR-01	The system shall create a workflow process XXLEAVE_PROC for every leave request.
FR-02	The request shall carry: Employee, Manager, Leave Type, Start Date, End Date, Reason.
FR-03	The system shall send a notification with Approve and Reject buttons to the manager.
FR-04	The system shall record the manager's response and optional comment.
FR-05	The system shall notify the employee of the final result (Approved or Rejected).
FR-06	The workflow shall end only after the decision notification is delivered.
FR-07	Administrators shall be able to view and monitor every request in the Status Monitor.

5. Business Rules

- BRU-01: Only the employee's direct manager may approve or reject the request.
- BRU-02: End Date must be on or after Start Date.
- BRU-03: Every request must have a leave type and a reason.
- BRU-04: A decision (Approve or Reject) is final and cannot be changed in the same workflow instance.
- BRU-05: Rejected requests must contain the manager's comment, recommended but not mandatory.
- BRU-06: Notifications that stay unanswered shall be escalated or reminded (future enhancement, timeout set on the Manager Approval activity).

6. Workflow / Integration Requirements

Item	Detail
Workflow item type	XXLEAVE - XX Employee Leave Approval
Process	XXLEAVE_PROC - Leave Approval Process
Activities	Start > Submit Leave > Manager Approval > Leave Approved / Leave Rejected > End
Notification result type	Approval (Approve / Reject)
Roles (performers)	Requester = employee user, Approver = manager user (Oracle users / roles)
Integration	Oracle Workflow Engine (WF_ENGINE), Oracle Workflow Notification Mailer / Worklist, Workflow Status Monitor. Optional integration with Oracle HRMS for the manager lookup.
Delivery	Workflow definition saved to the database (.wft) and loaded through Workflow Builder

7. Assumptions and Dependencies

Assumptions:

- Employees and managers have valid Oracle EBS users (e.g. KAWTHER_MOCK as requester).
- The manager for each employee is known (supplied at start time or derived from HR).
- Users can access the Oracle Worklist or have valid email addresses for notifications.
- Oracle Workflow Builder and the Workflow Administrator Web Applications responsibility are available.

Dependencies:

- Oracle Workflow Builder installed and connected to the EBS database.
- Workflow Notification Mailer running (for email notifications) and Workflow Background Process.
- Oracle HRMS or manual user setup for the manager relationship.

- Database access for the APPS schema to deploy the workflow definition.

