


# EVA 75S

LED SPOT



**EVA 75S** is a very efficient and quiet model which gives you value beyond fixture itself, fitted with 1pcs 72w white led, that produce flat and even spot effect and could be a good replacement for discharge 250w unit. Effect features including saturated colors, rotating gobo wheel with replaceable positions and innovative animation effect, rotating prism wheel with 3 facets, 8 facets prism making nice flower blooming effect and frost, motorized focus, full range dimmer and various strobe effect.



Specification:

Source

- \_ Light source: Advanced 72w white led
- \_ Led life: 60.000 hours
- \_ Luminous Flux: 6500lumen, 8640lux@2.5m
- \_ Control: Remote on/off via DMX
- \_ Ballast: switching mode power supply

Optical System

- \_ Beam angle: 14°

X/Y

- \_ Pan: 360° (4.0 sec) or 540°(3.58 sec),
- \_ Tilt: 265° (2.8 sec)
- \_ 16-bit resolution
- \_ Auto repositioning

Colors

- \_ 8+open, interchangeable, indexable and bidirectional rainbow effect

Gobos

- \_ Outside ∅27mm, inside ∅22mm
- \_ 7+open custom interchangeable position for rotating gobo wheel and real indexable

Features

- \_ DMX channels: 16/18/19
- \_ Color wheel: 8+1 colors
- \_ Rotating gobo wheel: 7+1 gobos
- \_ Motorized focus
- \_ Full range 0-100% dimmer
- \_ Various strobe
- \_ Rotating Effect wheel with 3 facets,8 facets prism and frost
- \_ RDM function to change DMX address, display flip, X/Y Reverse and so on
- \_ Software upgrade via DMX
- \_ Hibernation when lost DMX for preset time
- \_ Indicate temperature info of base, arm and lamp
- \_ Fan speed auto change according to temperature

Display

- \_ 24inch clear and big Color LCD display with friendly English menu
- \_ Auto lock
- \_ Flip
- \_ Back-up communicating IC

Power


- \_ Max power consumption: 210W
- \_ Power supply: Electronic auto-ranging
- \_ Neutrik Powercon in and out
- \_ Input voltage range: 100–240V, 50-60Hz

Dimension and Weight

- \_ Fixture: 343X250X455MM
- \_ Packing (carton): 550X410X420MM
- \_ Net Weight: 15KG
- \_ Gross Weight (carton): 18KG

Rigging


- \_ Mounting points: 2 ¼-turn locks
- \_ 1 x Omega brackets with ¼-turn quick locks



Channel

CH1	Pan
CH2	Pan fine
CH3	Tilt
CH4	Tilt fine
CH5	Movement Speed
CH6	Movement Function
CH7	Shutter Function
CH8	Shutter
CH9	Dimmer
CH10	Color Function
CH11	Color
CH12	Rot Gobo Function
CH13	Rot Gobo
CH14	Gobo Rot Function
CH15	Gobo Rot
CH16	Prism
CH17	Prism Rot
CH18	Focus
CH19	Control

COLORS



ROTATING GOBO ∅ 22mm

