


Exhibit CC-35

MODULE ▾

Search by Specs >

MRDIMM

VIEW MORE



DDR5

Generation

32-128GB

Module Density

up to 8800Mbps

Speed


Application



- DIMM with a register (Register Clock Driver, Data Buffer) for enabling simultaneous operation of two ranks, which increases bandwidth.
- Supports x4, x8 DRAM

RDIMM

VIEW MORE



DDR5

Generation

16-256GB

Module Density

4800-6400Mbps and higher

Speed

DDR4

Generation

16-256GB

Module Density

2666-3200Mbps

Speed


Application



- DIMM with a register (Register Clock Driver, RCD) for command/address signals between the DRAM and system memory controller
- Supports x4, x8 DRAM and x4 3DS stacks

LRDIMM

VIEW MORE



DDR4

Generation

128-256GB

Module Density


2933-3200Mbps

Speed

Application



- DIMM with registers (Register Clock Driver and Data Buffer) for DQ signals to reduce load between the DRAM and system memory controller
- Supports x4 DRAM




Application



- Low Power & Small Form Factor Memory Module for Servers
- Optimized memory solution for AI data centers

UDIMM

VIEW MORE



DDR5

Generation

8-48GB

Module Density

4800-6400Mbps and higher

Speed

DDR4

Generation

4-32GB

Module Density

2666-3200Mbps

Speed


Application



- Unbuffered DIMMs for high-speed and low-cost computing systems
- Supports x8 and x16 DRAM

LPCAMM2

VIEW MORE



LPDDR5X

Generation

16-64GB

Module Density

up to 8533Mbps

Speed


Application



- Low power memory module for next-gen laptops
- Empowering AI PCs for long battery-life and high performance

SODIMM

VIEW MORE



DDR5

Generation

8-48GB

Module Density

4800-6400Mbps and higher

Speed

DDR4

Generation

4-32GB

Module Density

2666-3200Mbps

Speed

Application



- Small-outline DIMMs for space limited computing systems
- Supports x8 and x16 DRAM

Search by Specs

Select Application

 Server

 PC

 Networking

DDR5 Module DDR4 Module

☒ DIMM Type	☐ Density	☐ Organization	☒ Speed	☐ Package Type	☒ Product Status
☒ RDIMM	☐ 128GB ☐ 64GB ☐ 32GB ☐ 16GB	☐ x8 ☐ x4	☒ 4800Mbps	☐ 3DS ☐ SDP	☒ CS

28 Results Export All to Excel

Part No.	DIMM Type	Density	Organization	Speed	Package Type	Product Status
☐ HMCT04MEERA131N	RDIMM	128GB	x4	4800Mbps	3DS	CS
☐ HMCT04MEERA135N	RDIMM	128GB	x4	4800Mbps	3DS	CS
☐ HMCT04MEERA129N	RDIMM	128GB	x4	4800Mbps	3DS	CS
☐ HMCT04MEERA133N	RDIMM	128GB	x4	4800Mbps	3DS	CS
☐ HMC94MEBQA109N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐ HMC94MEBRA109N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐ HMC94MEBRA123N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐ HMC94MEBQA112N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐ HMC94MEBRA121N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐ HMC94MEBQA123N	RDIMM	64GB	x4	4800Mbps	SDP	CS


☐	HMCG94MEBQA112N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐	HMCG94MEBRA121N	RDIMM	64GB	x4	4800Mbps	SDP	CS
☐	HMCG94MEBQA123N	RDIMM	64GB	x4	4800Mbps	SDP	CS

Select 2 more products to Compare


Clear all

Further Materials

< 01 / 04 >



VIDEO
Beyond the Limits: DDR5 for the AI Era



VIDEO
Introducing PC Memory Solutions



VIDEO
SK hynix memory module, LPCAMM2



PRODUCTS

- DRAM
- CMM
- SSD
- NAND Storage
- MCP

APPLICATIONS

- Server
- Networking
- Mobile
- PC
- Consumer
- Automotive

SUPPORT

- Support Process
- Tomorrow Initiative
- Downloads
- FAQs
- Contact

About SK hynix

- ESG Strategy
- Memory ForEST
- Newsroom
- Privacy Policy



COPYRIGHT ©2021
SK hynix INC.
ALL RIGHTS RESERVED.

TOP 1