

Exhibit CC-40



A New Standard DDR for Green Future

SK hynix's World First DDR5 Server DIMMs

To get quick answers from us, please contact here.
good_memory@skhynix.com

The Next Level of Performance for Big Data and AI

Overview



Features

- 1 RDIMMs in **16~256GB** capacities based on 1ynm and 1anm DDR5 from SK hynix, the maker of the world's first DDR5 DRAM
- 2 RDIMM modules with **low-power and high-capacity** for cost saving, which are configurable for each use case and needs with DDR5 mono-die density that supports a wide range from 16Gb to 24Gb and up to 32Gb
- 3 **Up to 8,000Mbps** data rate and 70% more effective bandwidth compared to DDR4
- 4 More **stable power supply** from host to DRAM with on-board Power Management IC (PMIC) on DDR5 RDIMM
- 5 **A double sub-channel** DRAM architecture for 2x bandwidth and higher bus (signal) efficiency compared to a single-channel DDR4 DIMM

Spec Table

DDR5 RDIMM

Module Density	Configuration	Package Type	Data Rate	Data Width
16GB	2Gx80	FCBGA	4800	x80
24GB	3Gx80	FCBGA	4800	x80
32GB	4Gx80	FCBGA	4800	x80
32GB	4Gx72	FCBGA	4800	x72
48GB	6Gx80	FCBGA	4800	x80
48GB	6Gx72	FCBGA	4800	x72
64GB	8Gx80	FCBGA	4800	x80
64GB	8Gx72	FCBGA	4800	x72
96GB	12Gx80	FCBGA	4800	x80
96GB	12Gx72	FCBGA	4800	x72
128GB	16Gx80	FCBGA	4800	x80
256GB	32Gx80	FCBGA	4800	x80
16GB	2Gx80	FCBGA	5600	x80
24GB	3Gx80	FCBGA	5600	x80
32GB	4Gx80	FCBGA	5600	x80
32GB	4Gx72	FCBGA	5600	x72
48GB	6Gx80	FCBGA	5600	x80
48GB	6Gx72	FCBGA	5600	x72
64GB	8Gx80	FCBGA	5600	x80
64GB	8Gx72	FCBGA	5600	x72
96GB	12Gx80	FCBGA	5600	x80
96GB	12Gx72	FCBGA	5600	x72
128GB	16Gx80	FCBGA	5600	x80
256GB	32Gx80	FCBGA	5600	x80

DDR5

The Next-generation Standard

DDR5 is the new standard of double data rate (DDR) DRAM that improves on DDR4 in both speed and power. SK hynix presents the world's first DDR5 in a server solution that will enable the era of AI and big data.

See the Official Press Release



<https://news.skhynix.com/sk-hynix-launches-worlds-first-ddr5-dram/>



Key Benefits

Dynamic Scalability

2x memory access availability over DDR4 with 32 banks in 8 bank groups, both twice that of DDR4




High Speed & Bandwidth

5,600Mbps or higher data transfer speeds, 75% faster over DDR4

High Power Efficiency

Operating voltage down at 1.1V, 20% less than DDR4



Power Savings Per Bit Transition


Product Details



	DDR4	DDR5
Die Density	8, 16Gb	16Gb~
Speed	1,600~3,200Mbps	3,200~8,400Mbps
Number of Bank	16banks	32banks
Bank refresh	All-bank refresh	*Same bank refresh

*Same bank refresh: Allowing the system to access other banks when certain banks are under refresh function.

Use Cases




World's First DDR5 RDIMMs

For server and networking solutions

The latest DDR5 DRAM standard turbo-boosts RDIMM module performance and technology for the era of AI and Big Data. SK hynix expects its DDR5 RDIMMs to reach over 8,000Mbps in data rates with research into continued speed enhancements.

Features





| New Sub-channel DRAM Architecture

The dual sub-channel structure on DDR5 RDIMM allows for an increase in CA pin count, with seven CA buses per sub-channel running at double data rate (DDR) from host to RCD and 14 on a single data rate (SDR) interface from RCD to DRAM, effectively doubling bandwidth over a single DDR4 channel.

| Enhanced Reliability

In-DRAM ECC on the DIMM offloads the system's error correction burden and considerably improves Reliability, Availability, and Serviceability (RAS).




| Stable Power Management

On-board power management IC (PMIC) eliminates the need for external voltage regulation and ensures more stable power provision to the DRAM.


| Diverse Capacities Supported

Higher and flexible single-die density on DDR5, starting from 16Gb and upwards to 24Gb and 32Gb, enables a wide range of low-power, high-capacity DIMMs to be configured.



Product Details

| DDR5 RDIMM



Module Density	16GB, 24GB, 32GB, 48GB, 64GB, 96GB, 128GB, 256GB
Configuration	2Gx80(16GB), 3Gx80(24GB), 4Gx80(32GB), 6Gx80(48GB), 8Gx80(64GB), 12Gx80(96GB), 16Gx80(128GB), 32Gx80(256GB), 4Gx72(32GB), 6Gx72(48GB), 8Gx72(64GB), 12Gx72(96GB)
Package Material	Lead&Halogen Free
Package Type	FCBGA
Data Rate	4,800-6,400Mbps and higher
Data Width	x80(ECC x36), x72(ECC x8)

Performance gains on DDR5 RDIMM enable the same system performance to be reached with fewer servers – delivering the solution envisioned in SK hynix's Memory ForEST* initiative.

*Memory ForEST: (<https://product.skhynix.com/support/forest.go>)

Use Cases

