

Exhibit CC-66

Document title:	Montage Technology Delivers Gen2 MRCD & MDB Engineering Samples for DDR5 MRDIMM Montage Technology
Capture URL:	https://www.montage-tech.com/Press_Releases/20250124
Page loaded at (UTC):	Tue, 28 Jul 2026 16:18:49 GMT
Capture timestamp (UTC):	Tue, 28 Jul 2026 16:18:50 GMT
Capture tool:	11.2.1
Collection server IP:	54.145.42.72
Browser engine:	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) @page-vault/browser/11.2.1 Chrome/148.0.7778.280 Safari/537.36
Operating system:	Linux (Node 24.18.0)
PDF length:	3
Capture ID:	oM3gxEhCYS63Y6rM5GquR9
Display Name:	ian.mcmillan

Montage Technology Delivers Gen2 MRCD & MDB Engineering Samples for DDR5 MRDIMM


Date Released: 2025-01-24

Gen2 MRCD & MDB reach 12800 MT/s, 45% higher than Gen1 products

Shanghai, January 24, 2025 -- Montage Technology today announced that it has successfully sampled its Gen2 Multiplexed Rank Registering Clock Driver (MRCD) and Multiplexed Rank Data Buffer (MDB) chipset to leading global memory manufacturers. Designed for DDR5 Multiplexed Rank DIMM (MRDIMM), this new chipset supports data rates up to 12800 MT/s, delivering exceptional memory performance for next-generation computing platforms.

The release comes at a crucial time, as machine learning and big data analytics drive increasing demands for memory bandwidth in data centers. MRDIMM technology has emerged as a key solution to address this challenge, particularly as server processors continue to increase in core count.

The innovative MRCD and MDB chips are fundamental to MRDIMM operation, featuring a "1+10" buffer architecture where each MRDIMM module incorporates one MRCD with ten MDB chips. In this configuration, the MRCD chip handles buffering and re-driving of address, command, clock, and control signals, while the MDB chips manage data traffic between the memory controller and DRAM chips. This architecture, coupled with double data rate and time-division multiplexing technology, enables simultaneous operation of two memory ranks at standard rates, effectively doubling data throughput.



Montage Technology's Gen1 MRCD and MDB chipset, supporting speed up to 8800 MT/s, has already secured volume purchases from major memory manufacturers. The new Gen2 engineering samples push performance boundaries further, achieving 12800 MT/s -- a 45% improvement over the previous generation.

"The memory demands of data-intensive workloads continue to drive innovation in data center memory architecture," said Stephen Tai, President of Montage Technology. "Our rapid progression from first-generation production to second-generation sampling demonstrates Montage Technology's expertise to DDR5 memory technology. This achievement strengthens our position as a leader in memory interface solutions."

Beyond MRCD and MDB, Montage Technology offers comprehensive memory interface and module support solutions, including RCD, DB, CKD, SPD Hub, PMIC, and TS. Additionally, the company has begun sampling its Gen5 DDR5 RCD (RCD05) chip in the fourth quarter of 2024, further expanding its industry-leading portfolio. These offerings enable one-stop sourcing for customers while ensuring optimal system integration and performance.

For more information on Montage Technology's memory interface products, please visit: https://www.montage-tech.com/Memory_Interface.

The innovative MRCD and MDB chips are fundamental to MRDIMM operation, featuring a “1+10” buffer architecture where each MRDIMM module incorporates one MRCD with ten MDB chips. In this configuration, the MRCD chip handles buffering and re-driving of address, command, clock, and control signals, while the MDB chips manage data traffic between the memory controller and DRAM chips. This architecture, coupled with double data rate and time-division multiplexing technology, enables simultaneous operation of two memory ranks at standard rates, effectively doubling data throughput.



Montage Technology's Gen1 MRCD and MDB chipset, supporting speed up to 8800 MT/s, has already secured volume purchases from major memory manufacturers. The new Gen2 engineering samples push performance boundaries further, achieving 12800 MT/s -- a 45% improvement over the previous generation.

"The memory demands of data-intensive workloads continue to drive innovation in data center memory architecture," said Stephen Tai, President of Montage Technology. "Our rapid progression from first-generation production to second-generation sampling demonstrates Montage Technology's expertise to DDR5 memory technology. This achievement strengthens our position as a leader in memory interface solutions."

Beyond MRCD and MDB, Montage Technology offers comprehensive memory interface and module support solutions, including RCD, DB, CKD, SPD Hub, PMIC, and TS. Additionally, the company has begun sampling its Gen5 DDR5 RCD (RCD05) chip in the fourth quarter of 2024, further expanding its industry-leading portfolio. These offerings enable one-stop sourcing for customers while ensuring optimal system integration and performance.

For more information on Montage Technology's memory interface products, please visit: https://www.montage-tech.com/Memory_Interface.



a=f.i

accelerating with focus & innovation

ABOUT US

Corporate Overview

Press Releases

Awards

Contact Us

PRODUCTS

Memory Interface

DDR5 PMIC, SPD & TS

PCIe® Retimer

CXL® Memory eXpander
Controller

Clock Chips

Jintide® Platform

CAREERS

Open Positions

IR

Announcements & Circulars

Regular Reports

Corporate Governance

ESG

Investor Service