

Exhibit CC-126

Product details

Technical documentation

Design & development

Ordering & quality

Support & training

TPS53830A

ACTIVE (/support-quality/quality-policies-procedures/product-life-cycle.html)

✓ (/support-quality/quality-policies-procedures/product-life-cycle.html)

A

High-current PMIC for DDR5 server DIMMS with logging auto-clear function

🔔 Product notifications

Order now



DATA SHEET

com/lit/gpn/TPS53830A) [TPS53830A](https://www.ti.com/lit/gpn/TPS53830A) Integrated Step-Down Digital Converter for DDR5 On-DIMM Power Supply datasheet (https://www.ti.com/lit/gpn/TPS53830A).
PDF (https://www.ti.com/lit/gpn/TPS53830A). | HTML (https://www.ti.com/document-viewer/TPS53830A/datasheet).

Download

View video with transcript

Video





Got a few minutes to help improve TI.com?

Yes, I'll help

Maybe later

TPS53830A

- Product details
- Technical documentation
- Design & development
- Ordering & quality
- Support & training



Parameters Package | Pins | Size Features Description

Parameters

Got a few minutes to help improve TI.com?

×

TPS53830A

- Product details
- Technical documentation
- Design & development
- Ordering & quality
- Support & training

Package | Pins | Size

Features

Description

The TPS53830A is D-CAP+™ mode integrated step-down converter for DDR5 on-DIMM power supply, which provides VDD, VDDQ and VPP voltages to the DRAM chips on the DIMM module with configurable current capability. The high-current rail can be configured to 2-phase or 2 outputs to supply up to 12 A (or 6A + 6 A) current with D-CAP+™ mode control. The converter also employs internal compensation for ease of use and reduce external components.

The converter provides a full set of telemetry, including input voltage, output voltage, and output current. overvoltage, undervoltage, overcurrent limit, and over-temperature protections are provided as well.

The TPS53830A is packaged in a thermally-enhanced 35-pin QFN and operates from -40°C to +105°C.

 [Find other Multi-channel ICs \(PMICs\).](/product-category/power-management/multi-channel-ics-pmic/products.html) [\(/product-category/power-management/multi-channel-ics-pmic/products.html\)](/product-category/power-management/multi-channel-ics-pmic/products.html)

Request more information

The full data sheet and other information are available. [Request now \(https://www.ti.com/drr/opn/TPS5383X-DESIGN\)](https://www.ti.com/drr/opn/TPS5383X-DESIGN).

Got a few minutes to help improve TI.com?



Similar products you might be interested in

TPS53830A

Product information

Similar functionality to the compared device

Ordering & quality

Support & training



TPS53832A

(/product/TPS53832A)

ACTIVE(/support-quality/quality-policies-procedures/product-life-cycle.html)  ACTIVE(/support-quality/quality-policies-procedures/product-life-cycle.html)

Low-current PMIC for DDR5 server DIMMS with logging auto-clear function

Technical documentation

Type	Title	Date 
All 	Filter title by keyword 	
★ Data sheet	(https://www.ti.com/lit/gpn/TPS53830A)	PDF (https://www.ti.com/lit/gpn/tps53830a) HTML (https://www.ti.com/document-viewer/tps53830a/datasheet) May 5, 2022
Application brief	(https://www.ti.com/lit/pdf/SBAA792)	PDF (https://www.ti.com/lit/pdf/sbaa792) HTML (https://www.ti.com/document-viewer/lit/html/sbaa792) Feb 17, 2026

Design & development

For additional terms or required resources, click any title below to view the detail page where available.

All

CAD symbols, footprints & 3D models

CAD symbols, footprints & 3D models		
Package	Pins	CAD symbols, footprints & 3D models
VQFN-HR (RWZ)	35	Ultra Librarian (https://vendor.ultralibrarian.com/TI/embedded/?gpn=TPS53830A&package=RWZ&pin=35&sid=019fe3cd7cae002f4cf96d109a0c0507d003007501558&c=1)

TI's Standard Terms and Conditions for Evaluation Items apply. (/legal/terms-of-sale.html).

Got a few minutes to help improve TI.com? 

Ordering & quality

Product details	Technical documentation	Design & development	Ordering & quality	Support & training	Package Pins	Material	Status
Part number ↓↑	Buy	Ti.com ↓↑ inventory	Qty Price (USD) ↓↑	Package qty Carrier ↓↑		type ↓↑	
				Select ▼	Select ▼		Select ▼
✓ TPS53830ARWZR Same as: TPS53830ARWZR.A View alternates	Log in to order	Log in to view inventory Part notifications	1ku \$4.600 ▼	3,000 LARGE T&R CUSTOM	VQFN-HR (RWZ) 35	Production	✓ ACT

Products to complete your design

NEW

CLOCK GENERATORS

LMK3H2104 ✓ **ACTIVE**

4-output, PCIe Gen 1 to Gen 7 compliant, BAW reference-less clock generator, clock mux and buffer

Approx. price (USD) 1ku | 3.790

[Data sheet \(PDF\)](#)

[Online data sheet](#)

CLOCK BUFFERS

LMKDB1102 ✓ **ACTIVE**

2-output LP-HCSL clock buffer for PCIe PCIe Gen 1 to Gen 7

Approx. price (USD) 1ku | 1.300

[Data sheet \(PDF\)](#)

[Online data sheet](#)

EFUSES (INTEGRATED HOT SWAPS)

TPS25983 ✓ **ACTIVE**

2.7V to 26V, 2.7mΩ 20A integrated hot-swap with current monitor and blocking FET drive

Approx. price (USD) 1ku | 1.638

[Data sheet \(PDF\)](#)

[Online data sheet](#)

Recommended products may have parameters, evaluation modules or reference designs related to this TI product.

Support & training

TI E2E™ forums with technical support from TI engineers



[View all forum topics](#) (<https://e2e.ti.com/search?category=forum&q=TPS53830A>)

Got a few minutes to help improve TI.com?

Content is provided "as is" by TI and community contributors and does not constitute TI specifications. See [terms of use \(/legal/terms-conditions/terms-of-use.html\)](#).

If you have questions about quality, packaging or ordering TI products, see [TI support \(/info/customer-support.html\)](#).

Video series
TPS53830A
View all videos (/site/search/en-us/docs/universal-search/tpa?lang=Pref-en-us&searchTerm=TPS53830A&ref=Filter-videos-Video.Video%20series)



×

Got a few minutes to help improve TI.com?