


Exhibit CC-133

S2FPD02



Specification



Applications

Server



Category

VRoD (Voltage Regulator on DIMM)



Operating Voltage

VIN_BULK:
4.25~15 V,
VIN_MGMT:
7.0~7.6 V



Standard

PMIC5000



<https://semiconductor.samsung.com/power-ic/memory-power-ic/part-number/s2fpd02/>

1/3

Memory P... / S2FPD02

OverviewSummarySpecsRelated Contents



Product Status

Mass Production



Size

5 mm x 5 mm



Package

35-FC-OFN

Do you have any more questions?
Ask the chatbot now!

Ask Now

Related Contents



Tech Blog

[System LSI Tech Day 2023] Fundamental Technologies: Samsung...


- System LSI
- Tech Day
- PMIC
- Security
- !System LSI Tech Day 2024



News

Samsung Showcases Groundbreaking Logic Innovations at System...

- System LSI
- Tech Day
- Samsung System LSI
- !mwc2024



News

Samsung Unveils New Power Management Solutions for DDR5...

- DRAM
- DDR5
- DDR

* All product specifications reflect internal test results and are subject to variations by the user's system configuration.
* All product images shown are for illustration purposes only and may not be an exact representation of the product.
* Samsung reserves the right to change product images and specifications at any time without notice.



Memory P... / S2FPD02

OverviewSummarySpecsRelated Contents

eStorage	Regulatory Information	Ultra-High Resolution	Internal SSD	Sustainability	Executives
CXL Memory	Product Security Update	HDR Technology	Portable SSD		History
MCP	Product Finder	Memory	Memory Card		Investor Relations ↗
Processor	Technical Resources		USB Flash Drive		Ethics ↗
Image Sensor	DS Open-Ecosystem	Foundry	Gaming Storage		Semiconductor

Do you have any more questions?
Ask the chatbot now!

Ask Now

AI	Application Specific	Warranty
Server	Service	Magician Software
Automotive	Tech Archives	SSD Upgrade
Network	US Fab	
Mobile		
Lifestyle		

