


Exhibit CC-144



Registered DIMM

Includes a register for enhancing clock, command and control signals
Error correction available by added 8 bit parity signals
Supports x4 / x8 Organization / up to 2 ranks per DIMM and 2DPC configuration
Application : Server

RDIMM parts

Search by part

Filters | 580 Results | Reset

DDR	Density	Speed	Voltage	Product Status	Rank x Organization	Component Composition	Number of Pins
All	All	All	All	All	All	All	All
DDR5	256 GB	6400Mbps	1.5 V / 1.35 V	Mass Production	8R x 4	(QDP4G x 4) x 18	288
DDR4	128 GB	6400 Mbps	1.35 V	EOL	4R x 8	(DDP4G x 4) x 18	240
DDR3	96 GB	5600 Mbps	1.2 V		4R x 4	(DDP2G x 4) x 36	
	64 GB	4800 Mbps	1.1 V		3R x 4	(DDP2G x 4) x 18	
	48 GB	3200 Mbps			2Rx4	(DDP1G x 8) x 18	
	32 GB	2933 Mbps			2R x 8	(DDP1G x 4) x 36	
	24 GB	2666 Mbps			2R x 4	(DDP1G x 4) x 18	
	16 GB	2400 Mbps			2R x 4 (9x4)	(DDP512M x 8) x 18	
	8 GB	2133 Mbps			1R x 8	(DDP512M x 4) x 36	
	4 GB	1866 Mbps			1R x 4	(DDP512M x 4) x 18	

Part Number	DDR	Density	Speed	Voltage	Product Status	Rank x Organization	Component Composition
M321R2GA3EB2-CWM	DDR5	16 GB	5600 Mbps	1.1 V	Mass Production	1R x 8	(2G x 8) x 10
M321R4GA0EB2-CWM	DDR5	32 GB	5600 Mbps	1.1 V	Mass Production	1R x 4	(4G x 4) x 20
M321R4GA3EB2-CWM	DDR5	32 GB	5600 Mbps	1.1 V	Mass Production	2R x 8	(2G x 8) x 20
M321R8GA0EB2-CWM	DDR5	64 GB	5600 Mbps	1.1 V	Mass Production	2R x 4	(4G x 4) x 40
M321R16GA0EB2-CWM	DDR5	128 GB	5600 Mbps	1.1 V	Mass Production	2R x 4	(8G x 4) x 40

 M321RGA0PB2-CWM	DDR5	128 GB	5600 Mbps	1.1 V	Mass Production	2R x 4	(6G x 4) x 40
 M321RYGA0PB2-CWM	DDR5	96 GB	5600 Mbps	1.1 V	Mass Production	2R x 4	(6G x 4) x 40
 MDDRWM40DB2	DDR5	96 GB	6400Mbps	1.1 V	Mass Production	2R4	(6G x 4) x 40
 M321RBJA0M22-CLP	DDR5	256 GB	6400 Mbps	1.1 V	Mass Production	4R x 4	(2H 3DS 16G x 4) x 40
 M321RAJA0MB2-CCP	DDR5	128 GB	6400 Mbps	1.1 V	Mass Production	2R x 4	(8G x 4) x 40
 M321R2GA3EB0-CWM	DDR5	16 GB	5600 Mbps	1.1 V	Mass Production	1R x 8	(2G x 8) x 10
 M321R2GA3EB2-CCP	DDR5	16 GB	6400 Mbps	1.1 V	Mass Production	1R x 8	(2G x 8) x 10
 M321R4GA0EB0-CWM	DDR5	32 GB	5600 Mbps	1.1 V	Mass Production	1R x 4	(4G x 4) x 20
 M321R4GA0EB2-CCP	DDR5	32 GB	6400 Mbps	1.1 V	Mass Production	1R x 4	(4G x 4) x 20
 M321R4GA3EB0-CWM	DDR5	32 GB	5600 Mbps	1.1 V	Mass Production	2R x 8	(2G x 8) x 20
 M321R4GA3EB2-CCP	DDR5	32 GB	6400 Mbps	1.1 V	Mass Production	2R x 8	(2G x 8) x 20

[Compare](#)[Export](#)

- Up to three products are comparable at the same time. Click Export button to compare more than three products.
- All product specifications reflect internal test results and are subject to variations by the user's system configuration.
- All product images shown are for illustration purposes only and may not be an exact representation of the product.
- Samsung reserves the right to change product images and specifications at any time without notice.
- For further details on product specifications, please contact the sales representative of your region.
<https://semiconductor.samsung.com/support/contact-info/global-network/>

Related Resources

Data Sheet

Consumer Product Guide

Jun 24, 2025



Handling guide

Samsung DRAM Module Handling...

Nov 28, 2019



Data Sheet

DDR4 8GB C-die Registered DIMM...

Mar 05, 2019



Data Sheet

128GB HS DDR4 16GB M-die Registered DIMM...

Mar 05, 2019



Data Sheet

256GB HS DDR4 16GB M-die Registered...

Mar 05, 2019



Data Sheet

256GB DDR4 16GB M-die Registered DIMM...

Mar 05, 2019

[More info](#)

FAQs

What is RDIMM ECC?



RDIMM (registered memory) attaches a register between the CPU and the DRAM chip for data transmission, which reduces the distance of parallel transmission and improves transmission efficiency. It is a type of memory chip utilized most often in servers. It provides better stability and scalability for systems running on a server by putting a less electrical load on a memory controller.

Is UDIMM faster than RDIMM?



Can I use RDIMM instead of UDIMM?



Products

Products Type

- DRAM
- SSD
- eStorage
- CXL Memory
- MCP
- Processor
- Image Sensor
- Display IC
- Security Solution
- Power IC
- LED
- Display

Applications

- AI
- Server
- Automotive
- Network
- Mobile
- Lifestyle

Support

- Overview
- Quality Management
- Customer Service
- Regulatory Information
- Product Security Update
- Product Finder
- Technical Resources
- DS Open-Ecosystem
- Fabrication Process
- Dictionary
- Global Network
- R2B Workplace
- SOC-Developer

Technologies

- Mobile Ray Tracing
- On-device AI
- Pixel Technology
- Ultra-High Resolution
- HDR Technology
- Memory

Foundry

- About Samsung Foundry
- Process Technology
- Advanced Packaging
- SAFE
- Foundry Events
- Manufacturing
- Application Specific Service
- Tech Archives
- US Fab
- CONNECT

Consumer Storage

Consumer Storage Products

- Overview
- Internal SSD
- Portable SSD
- Memory Card
- USB Flash Drive
- Gaming Storage

Consumer Storage Support

- Overview
- Tools & Software
- Documents
- FAQs
- Warranty
- Magician Software
- SSD Upgrade

News & Events

- News
- Events
- Tech Blog

Sustainability

- Highlights
- Environment
- Labor & Human Rights
- Corporate Citizenship
- Sustainable Supply Chain

About Us

Company Info

- Our Story
- Business Areas
- Executives
- History
- Investor Relations
- Ethics
- Semiconductor Newsroom

Locations

Careers

- Search Jobs



Global / English

Privacy

Legal

Cookies

Accessibility

Imprints(EU)

SSI Sales T&C(US)

Job Applicant Privacy Policy(US)

Sitemap

Stay in the loop?



Semiconductor Newsroom

