

Exhibit 40

Upgrade Your Data Center for AI

Leading Performance and Power Efficiency with Supermicro Rack-Scale Solutions Featuring AMD EPYC™ 9005 Series Processors

[Read White Paper](#)[Reaching New Heights](#)[Featured Videos](#)[A+ Product Families](#)[Workloads](#)[World Record Performance](#)[VMware-Certified Servers](#)[JumpStart Program](#)[Resources](#)

Reaching New Heights of Density and Power Efficiency

Supermicro's all-new redesigned H14 generation solutions offer unparalleled performance and flexibility for a wide range of AI and HPC applications. Building on Supermicro's proven building-block architecture, these solutions help enterprise customers efficiently upgrade and scale their workloads. Supermicro offers one of the broadest portfolios of AMD EPYC™ servers, featuring the latest EPYC 9005 series processors to provide maximum core count, density, and efficiency.

The H14 generation servers feature the latest leading GPUs including the new AMD Instinct™ MI350 Series and upcoming NVIDIA HGX™ B200 GPUs. The new H14 generation servers with the combination of the latest EPYC CPU and Instinct accelerators truly offers a powerhouse of AI-enabled solutions to market.



Evolving Portfolio of H14 Systems Optimized for AI, and HPC

[Contact Us](#)

Evolving Portfolio of H14 Systems Optimized for AI, and HPC

Supermicro has teamed up with Linus Sebastian from Linus Tech Tips to unveil the new portfolio of data center servers and technology innovations, powered by AMD EPYC™ 9005 Series Processors.

Featuring  **LINUS TECH TIPS**



Intro: H14 Generation Portfolio

Linus Sebastian visits Supermicro headquarters in San Jose, California for a first look at their latest H14 servers featuring AMD EPYC™ 9005 series processors and to see how these systems are designed with maximum performance, density, and efficiency for AI and HPC.



H14 CloudDC

Watch as Linus uncovers one of Supermicro's most versatile server families. The H14 CloudDC systems with DC-MHS designed with cloud service providers in mind offering the ultimate flexibility and expandability for a wide range of web and cloud applications.



H14 Hyper Systems

Dive under the hood of Supermicro's flagship enterprise data center solution with Linus Sebastian and see why the Hyper family of servers are ideal for a wide range of AI and HPC workloads supporting Dual AMD EPYC 9005 series processors and up to 9T of DDR5 memory in a 1U and 2U form factor.



H14 Multi-Node

When it comes to maximum density for high-performance compute and scientific research, look no further than Supermicro's "Twin" multi-node servers. Watch Linus unveil the new H14 GrandTwin® and Liquid-cooled FlexTwin™ solutions capable of packing over 1500+ cores per 2U system.

H14/H13 Systems with AMD EPYC™ Series Processors

H14 System Families

Contact Us

H14/H13 Systems with AMD EPYC™ Series Processors

H14 System Families

GPU-Optimized

Next-Generation Machine Learning Platform



4U, 8U, or 10U with 8 OAM/SXM GPUs and advanced liquid or air cooling options

Hyper

Flagship Power and Flexibility Rackmount Server



1U and 2U DP architectures with high performance for enterprise data center

CloudDC with DC-MHS

Ultimate Scalability and Flexibility for Cloud Data Center



1U UP architecture based on the OCP's Data Center Modular Hardware System

GrandTwin®

High Density Combined with I/O Flexibility



2U4N front I/O architecture with increased memory capacity

H13 System Families

Hyper

Industry Leading IOPS Rackmount Servers with Energy Efficiency and Flexibility



1U and 2U DP architectures for mission critical workloads

Hyper-U

Enterprise Focused Single-Socket Server Family



Deliver flexibility, power efficiency, memory density, and serviceability

CloudDC

All-in-One Server with Flexible I/O Options for Cloud Data Centers



1U and 2U UP architecture with high configurable I/O and storage

GrandTwin®

High Density Combined with I/O Flexibility



2U4N architecture with front and rear I/O configurations

Large Scale AI

[Contact Us](#)

Large Scale AI

Designed to optimize AI data centers, Supermicro H14 GPU-optimized systems provide maximum acceleration. In addition to support for next-generation GPUs in a range of form factors, these systems have been completely engineered to take advantage of the latest interconnect, memory, storage, and cooling technologies to ensure significant performance increases over prior generations.


The H14 generation servers will feature the latest leading GPUs including the new AMD Instinct™ MI350 Series and upcoming NVIDIA HGX™ B200 GPUs to offer the most powerful AI-enabled solutions to market.

[Dual or Single Processor](#)[Up to 13 PCIe 5.0 Slots](#)[Up to 90 GPUs per rack](#)

Resources

- [H14 4U/8U 8-GPU w/ MI350 Series Datasheet](#)
- [H13 8U 8-GPU w/ MI300X Datasheet](#)
- [H14 8U 8-GPU w/ MI325X Datasheet](#)
- [H13 8U 8-GPU w/ HGX H100 Datasheet](#)
- [H14 5U PCIe GPU Datasheet](#)
- [H13 4U PCIe GPU Datasheet](#)

H14/H13 Systems

[H14/H13
GPU Optimized](#)[H14/H13
PCIe GPU](#)

4U, 8U, or 10U with 8 OAM/SXM GPUs and advanced liquid or air cooling options

[Learn More](#)

Enterprise & Cloud Data Center

Supermicro's performance-optimized rackmounts bring flagship performance and flexibility for Enterprise Data Centers. Built to take on demanding and mission-critical workloads, the Hyper and CloudDC product family offers storage and I/O flexibility that provide a custom fit for a wide range of application needs. With up to 8 PCIe 5.0 expansion slots that can accommodate up to 4 double-width GPUs, these systems provide the ultimate in flexibility and configurability for tomorrow's data centers.

The new AMD EPYC™ 9005 series processors offers the ultimate power and efficiency with up to 192 cores in a single CPU, making the H14 rackmount servers the ideal rackmount solutions for Cloud, HPC, and AI applications.

[Dual or Single
Processor](#)[1U or 2U](#)[Up to 8 PCIe 5.0
slots](#)[DC-MHS](#)

Resources

- [H14 Hyper Datasheet](#)
- [H13 CloudDC Datasheet](#)
- [H14 CloudDC Datasheet](#)
- [H13 Hyper-U Datasheet](#)
- [H13 Hyper Datasheet](#)

H14/H13 Systems

[H14/H13
Hyper](#)[H14/H13
CloudDC](#)[H13
Hyper-U](#)

1U and 2U DP Flagship Power and Flexibility
Rackmount Server

[Contact Us](#)

- [H14 CloudDC Datasheet](#)
- [H13 Hyper-U Datasheet](#)
- [H13 Hyper Datasheet](#)

1U and 2U DP Flagship Power and Flexibility
Rackmount Server

[Learn More](#)

Max Density

Supermicro H14 multi-node architectures leverage shared resources including cooling and power supplies to maximize energy efficiency, with compact node form factors that allow significantly increased compute and component densities compared to standard rackmounts. The all-new H14 FlexTwin™ is purpose-built for HPC at scale, with front-accessible nodes, flexible networking & storage, and direct-to-chip liquid cooling providing outstanding density and optimized thermal performance.

Up to 36,864 cores per
rack

Resource-Saving
Architecture

E1.S Support

Resources

- [H14 FlexTwin™ Datasheet](#)
- [H14 GrandTwin® Datasheet](#)
- [H13 GrandTwin Datasheet](#)
- [H13 3U8N/3U10N MicroCloud Datasheet](#)
- [H13 3U5N MicroCloud Datasheet](#)

H14/H13 Systems

H14 FlexTwin™ — H14/H13 GrandTwin® — H13 MicroCloud



2U4N DP fast time to result, purpose-built HPC
liquid-cooled architecture

[Learn More](#)

HPC & AI

Data Center optimized multi-processor systems for HPC and AI Inferencing. Supermicro's air-cooled 4U and liquid-cooled 2U quad-APU systems supporting AMD Instinct™ MI300A, which combine CPUs and GPUs, leverage Supermicro's expertise in multiprocessor system architecture and cooling design finely-tuned to tackle the convergence of AI and HPC.

Balanced CPU-to-GPU
ratio

4-way multi-APU

Total 912 AMD CDNA™
3 GPU

H13 Systems

H13 Instinct™ APU — H13 Instinct™ APU Liquid Cooled

[Contact Us](#)

and cooling design finely tuned to tackle the convergence of AI and HPC.

Balanced CPU-to-GPU
ratio

4-way multi-APU

Total 912 AMD CDNA™
3 GPU

Resources

- [H13 Quad APU Systems Datasheet](#)

H13 Instinct
APU

H13 Instinct
APU Liquid Cooled



DP 4U 4-GPU architecture with AMD
Infinity Fabric™ Link

[Learn More](#)

Edge & Telco

Supermicro H13 short-depth and WIO systems are optimized for remote and on-premise locations where power and space are at a premium. Featuring the EPYC™ 8004 CPUs to provide maximum density and efficiency to edge data centers while also supporting multiple double-width GPUs for edge AI inferencing. H13 short-depth systems feature front I/O, optional DC power supplies, and NEBS compliance, enabling easy integration into existing telco and edge infrastructure.

Short depth and compact

Optional DC
power supplies

GPU support

Resources

- [H13 Short Depth Datasheet](#)
- [H13 WIO Datasheet](#)

H13 Systems

H13
Short Depth

H13
WIO



1U UP NEBS compliance architecture with
outstanding power efficiency

[Learn More](#)

[Contact Us](#)

Storage

The AI revolution is using and generating massive amounts of data, and these workloads require application-specific architectures at every stage of the data pipeline. The Supermicro H13 Petascale and Simply Double storage systems are industry-leading all-flash servers and content delivery solutions supporting up to 32 EDSFF E3.S (x4) or 24 (3.5") drives. H13 Petascale systems offer 4 CXL Type 3 devices allowing memory expansion for use cases such as in-memory database applications and software-defined data center workloads.

[EDSFF E3.S](#)[CXL 2.0](#)[Symmetrical architecture](#)

Resources

- [H13 Petascale Datasheet](#)


H13 Systems

H13
All-Flash NVMe

H13
Simply Double



Up to 32 E3.S NVMe drives in 2U

[Learn More](#)

Over 75 World Records in Performance

Supermicro A+ systems with AMD EPYC™ processors have achieved a multitude of world records in various categories.

[Learn More](#)

Supermicro's

[Contact Us](#)

Supermicro's VMware-Certified Servers

Optimized for Virtualization.
Powered by AMD EPYC Processors



vmware

AMD

Learn More



Free remote access to Supermicro A+ Servers for testing

JumpStart

A+ servers featuring AMD EPYC™ Processors

H14 2U Hyper System

H14 MI350X AC

POC Program

A+ servers featuring AMD Instinct™ GPUs & Vultr global cloud
infra platform

H14 MI325X System

H14 MI350X System (Upcoming)

Program Brief >

Brochure: A+ Server Solutions

Choose from the most comprehensive line of servers in
the industry

- Up to 192 cores/384 threads, max 500W TDP per socket with AMD EPYC™ 9005 series processors
- 24 DIMMs of DDR5-6000 MT/s memory for up to 9TB per system
- Increased I/O throughput with PCIe 5.0 and up to 125 lanes in single-socket systems
- Hot-swap PCIe 5.0 NVMe U.2/E1.S/E3.S storage for superior application



- 24 DIMMs of DDR5-6000 MT/s memory for up to 9TB per system
- Increased I/O throughput with PCIe 5.0 and up to 125 lanes in single-socket systems
- Hot-swap PCIe 5.0 NVMe U.2/E1.S/E3.S storage for superior application responsiveness
- Latest accelerators with CXL 2.0 expansion slots all device types

PDF Brochure




ED.NET BOOSTS GAME HOSTING WITH AMD EPYC™ 4000 SERIES CPUs

CASE STUDY

Gaming host [ED.NET](#) and dedicated serverware provider [GAM4U](#) boost AMD EPYC™ 4000 Series CPUs, boosting single-core speed 10 percent and doubling write speeds.

AMD **iso.net**

[Read the Case Study >](#)

[Read the Product Brief >](#)[Read the Product Brief >](#)[View the Infographic >](#)

English

Connect & Follow

[Locations](#)
[Contact Us](#)
[Newsletter Sign-up](#)



Contact Us