

Exhibit CC-57



NETLIST


Lightning DDR5 High Performance Module

Workstation and Server Overclocked ECC DIMM

DIMM Capacities 16GB to 64GB

Netlist's Lightning Overclocked DDR5 RDIMM products just made performance upgrades easier in next generation workstations and servers

Netlist's Lightning RDIMM family delivers exceptional performance and unrivaled speed, empowering users to unleash the full potential of their computing systems.



Netlist overclocked DDR5 RDIMM products represent an exciting advancement in memory technology, pushing the boundaries of performance and responsiveness in computing systems. With the transition to DDR5, Netlist's overclocking capabilities enable users to achieve higher memory speeds, enhanced data transfer rates, and increased bandwidth, resulting in improved overall system performance. By leveraging advanced engineering techniques and innovative circuitry, Netlist's overclocked DDR5 RDIMMs provide users with the flexibility to fine-tune their memory settings and unlock the full potential of their systems. These cutting-edge products offer a compelling solution for Workstations, and Servers seeking optimal performance and a seamless computing experience in the ever-evolving landscape of modern technology. Each DIMM is tested to run on x86 platforms at the programmed XMP profile latency timing.

HIGHLIGHTS



PERFORMANCE

Overall, a significant increase in performance up to 6400 Mbps due to a 2X increase in the number of banks (32), Burst length (BL16), and Bank Groups (8) compared to DDR4.



AVAILABILITY

Netlist offers short lead times, differentiating features, unparalleled technical or logistical support. Netlist delivers.



PRODUCT HIGHLIGHTS

- Multiple capacities: 16GB, 32GB, and 64GB
- x80 ECC DIMM
- Heat Spreader Option
- Supports multiple Intel® XMP3.0 Profiles

DDR5 RDIMM Features

Features	Description
Frequency (GT/s)	4.8~6.4
Voltage (VDDQ)	1.1 (Native) 1.4V (XMP)
Power Supply	PMIC on DIMM
Temp sensor device	2 or 3 per DIMM
Side bus protocol	Legacy SMBus, I2C, I3C
Sideband bus access	I ³ C Hub in SPD
Channel Architecture	40-bit data channel, 32 data+ 8 ECC 2 channel per DIMM
DQE Support	RCD and DRAM
PCB Mechanical Outline	JEDEC (Height 31.25mm)
Environmental	0°C – 95°C, RoHS Compliant and Halogen-Free

DDR5 RDIMM Capacity & Latency Timing Profiles

Capacity	Speed	Latency	Comment
ALL	5600Mbps	46-45-45@1.1V	JEDEC (Default)
ALL	5600Mbps	40-40-40@1.1V	JEDEC
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8	6000Mbps	28-36-36@1.4V	XMP Profile #1
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8 64GB 2Rx4	6000Mbps	30-36-36@1.4V	XMP Profile #2
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8 64GB 2Rx4	6000Mbps	34-36-36@1.15V	XMP Profile #3

* Q4'23 availability

LEARN MORE: EMAIL US AT Sales@NETLIST.COM OR VISIT NETLIST.COM/PRODUCTS

111 Academy Way, Irvine, CA 92617 | Phone: +1 (949) 435-0025

© 2022, Netlist, Inc. All Rights Reserved. No part of this material may be reproduced, transmitted, or translated without permission of Netlist, Inc. Trademarks are the respective property of owners. This document is for informational purposes only. Netlist, Inc makes no warranties of any kind with respect to the information in this document.

The Memory Storage Company™



NETLIST

Lightning DDR5 High Performance Module

Workstation and Server Overclocked ECC DIMM

DIMM Capacities 16GB to 64GB

Ordering Information

Capacity	Speed	Latency	Part Number	Comment
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8 64GB 2Rx4	5600Mbps	46-45-45@1.1V	NLR4G0054G0756200HA NLR5G0054G0356200HA NLR5G0054G0756200HA NLR6G0054G0356200HA	JEDEC (Default)
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8 64GB 2Rx4	5600Mbps	40-40-40@1.1V	NLR4G0054G0756100HA NLR5G0054G0356100HA NLR5G0054G0756100HA NLR6G0054G0356100HA	JEDEC
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8	6000Mbps	28-36-36@1.4V	NLR4G0254G0760900HA NLR5G0254G0360900HA NLR5G0254G0760900HA	XMP Profile #1
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8 64GB 2Rx4	6000Mbps	30-36-36@1.4V	NLR4G0254G0760A00HA NLR5G0254G0360A00HA NLR5G0254G0760A00HA NLR6G0254G0360A00HA	XMP Profile #2
16GB 1Rx8 32GB 1Rx4 32GB 2Rx8 64GB 2Rx4	6000Mbps	34-36-36@1.15V _V	NLR4G0254G0760B00HA NLR5G0254G0360B00HA NLR5G0254G0760B00HA NLR6G0254G0360B00HA	XMP Profile #3

LEARN MORE: EMAIL US AT Sales@NETLIST.COM OR VISIT NETLIST.COM/PRODUCTS

111 Academy Way, Irvine, CA 92617 | Phone: +1 (949) 435-0025

© 2022, Netlist, Inc. All Rights Reserved. No part of this material may be reproduced, transmitted, or translated without permission of Netlist, Inc. Trademarks are the respective property of owners. This document is for informational purposes only. Netlist, Inc makes no warranties of any kind with respect to the information in this document.

The Memory Storage Company™