

Exhibit CC-86

Document title: OverClock RDIMM - Netlist Inc.

Capture URL: <https://netlist.com/products/lightning-ddr5-dimm/overclock-rdim/>

Page loaded at (UTC): Wed, 05 Aug 2026 04:37:35 GMT

Capture timestamp (UTC): Wed, 05 Aug 2026 04:37:37 GMT

Capture tool: 11.2.1

Collection server IP: 54.145.42.72

Browser engine: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) @page-vault/browser/11.2.1 Chrome/148.0.7778.280 Safari/537.36

Operating system: Linux (Node 24.18.0)

PDF length: 5

Capture ID: nH8uL6miEA2ryCQJxhi3rQ

Display Name: Alan.Man

DDR5 RDIMM OverClock

ENTERPRISE-GRADE RDIMMS FOR HIGH-PERFORMANCE SERVERS & WORKSTATIONS



INTRODUCTION

Welcome to the future of high-performance computing with Netlist DDR5 Overclock RDIMMs! Our cutting-edge DDR5 Registered DIMMs are designed to push the boundaries of speed and efficiency, offering unparalleled performance for data-intensive applications. With advanced overclocking capabilities, these modules deliver exceptional bandwidth and reduced latency, ensuring your systems operate at peak performance. Whether you're powering enterprise servers, data centers, or high-end workstations, Netlist DDR5 Overclock RDIMMs provide the reliability and scalability you need to stay ahead in today's fast-paced digital landscape. Explore the next level of memory innovation with Netlist and experience the difference in your computing power.

FEATURES

- Data Rate (Mbps) : 5600-6800
- Voltage (VDDQ) : Upto 1.4
- DIMM Clock Driver : @8000 Mbps
- Power Supply : PMIC on DIMM
- Temp sensor device : 2 or 3 per DIMM
- Side bus protocol : Legacy SMBus, I2C, I3C
- Sideband bus access : IxC Hub in SPD
- Channel Architecture : 40-bit data channel, 32 data+ 8 ECC 2 channel per DIMM
- DFE Support : RCD and DRAM
- PCB Mechanical Outline : JEDEC (Height 31.25mm)
- Environmental : 0°C – 95°C, RoHS Compliant and Halogen-Free

BENEFITS

- Compatibility and Stability
- Boosted Performance on many demanding workloads
- Cost Optimized OEM Solution

LIGHTNING DDR5 OVER CLOCK RDIMM CAPACITY & LATENCY TIMING PROFILES WITH ORDERING INFORMATION

DENSITY	ORGANIZATION	SPEED	LATENCY	PART NUMBER	COMMENTS
16GB	1Rx8	6000Mbps	30-36-36 @ 1.4V	NLR4G0254G0760A00HA	
		6000Mbps	34-36-36 @ 1.4V	NLR4G0254G0760B00HA	
		6400Mbps	32-39-39 @ 1.4V	NLR4G0254G0764500HA	
		6600Mbps	34-40-40 @ 1.4V	NLR4G0254G0766500HA	



		6000Mbps	34-40-40 @ 1.4V	NLR4G0254G0766500HA	• Compatible with Intel SPR, EMR, GNR and AMD Genoa, Turin CPU • Intel XMP and AMD EXPO Profile
		6800Mbps	34-45-45 @ 1.4V	NLR4G0254G0768500HA	
		7200Mbps	34-45-45 @ 1.4V	NLR4G0254G0772500HA	
24GB	1Rx8	6000Mbps	30-36-36 @ 1.4V	NLREG0254G0760A00HA	
		6000Mbps	34-36-36 @ 1.4V	NLREG0254G0760B00HA	
		6400Mbps	32-39-39 @ 1.4V	NLREG0254G0764500HA	
		6600Mbps	34-40-40 @ 1.4V	NLREG0254G0766500HA	
		6800Mbps	34-45-45 @ 1.4V	NLREG0254G0768500HA	
		7200Mbps	34-45-45 @ 1.4V	NLREG0254G0772500HA	
32GB	1Rx4	6000Mbps	30-36-36 @ 1.4V	NLR5G0254G0360A00HA	
		6000Mbps	34-36-36 @ 1.4V	NLR5G0254G0360B00HA	
		6400Mbps	32-39-39 @ 1.4V	NLR5G0254G0364500HA	
		6600Mbps	34-40-40 @ 1.4V	NLR5G0254G0366500HA	
		6800Mbps	34-45-45 @ 1.4V	NLR5G0254G0368500HA	
		7200Mbps	34-45-45 @ 1.4V	NLR5G0254G0372500HA	
32GB	2Rx8	6000Mbps	30-36-36 @ 1.4V	NLR5G0254G0760A00HA	
		6000Mbps	34-36-36 @ 1.4V	NLR5G0254G0760B00HA	
		6400Mbps	32-39-39 @ 1.4V	NLR5G0254G0764500HA	
		6600Mbps	34-40-40 @ 1.4V	NLR5G0254G0766500HA	
		6800Mbps	34-45-45 @ 1.4V	NLR5G0254G0768500HA	
		7200Mbps	34-45-45 @ 1.4V	NLR5G0254G0772500HA	
48GB	1Rx4	6000Mbps	30-36-36 @ 1.4V	NLRFG0254G0760A00HA	
		6000Mbps	34-36-36 @ 1.4V	NLRFG0254G0760B00HA	
		6400Mbps	32-39-39 @ 1.4V	NLRFG0254G0764500HA	
		6600Mbps	34-40-40 @ 1.4V	NLRFG0254G0766500HA	
		6800Mbps	34-45-45 @ 1.4V	NLRFG0254G0768500HA	
		7200Mbps	34-45-45 @ 1.4V	NLRFG0254G0772500HA	
48GB	2Rx8	6000Mbps	30-36-36 @ 1.4V	NLRFG0254G0360A00HA	
		6000Mbps	34-36-36 @ 1.4V	NLRFG0254G0360B00HA	
		6400Mbps	32-39-39 @ 1.4V	NLRFG0254G0364500HA	



48GB	2Rx8	6400Mbps	32-39-39 @ 1.4V	NLRFG0254G0304500HA
		6600Mbps	34-40-40 @ 1.4V	NLRFG0254G0366500HA
		6800Mbps	34-45-45 @ 1.4V	NLRFG0254G0368500HA
		7200Mbps	34-45-45 @ 1.4V	NLRFG0254G0372500HA
64GB	2Rx8	6000Mbps	30-36-36 @ 1.4V	NLR6G0254G0360A00HA
		6000Mbps	34-36-36 @ 1.4V	NLR6G0254G0360B00HA
		6400Mbps	32-39-39 @ 1.4V	NLR6G0254G0364500HA
		6600Mbps	34-40-40 @ 1.4V	NLR6G0254G0366500HA
		6800Mbps	34-45-45 @ 1.4V	NLR6G0254G0368500HA
		7200Mbps	34-45-45 @ 1.4V	NLR6G0254G0372500HA

APPLICATIONS



GAMING

Low Latency is critical for competitive gaming, where nanoseconds can make the difference between winning and losing. Lightning DDR5 memory solutions can enhance gaming performance by increasing the speed of the CPU and GPU, reducing lag and improving frame rates.



FINANCIAL TRADING

In high-frequency trading, low latency is essential to execute trades faster than competitors. Lightning DDR5 memory solutions can help achieve the necessary speed and performance to process large volumes of data quickly.



VIRTUAL REALITY (VR) & AUGMENTED REALITY (AR)

Both VR and AR applications require low latency to provide a seamless and immersive experience. Lightning DDR5 memory solutions can help ensure that the hardware can handle the demanding processing requirements of these technologies.




DATA CENTERS

Low latency is important for data centers to ensure the fastest data processing possible. Lightning DDR5 memory solutions can improve performance which is critical for applications like cloud computing and big data analytics.



AI INFERENCE

AI inference requires higher densities and faster memory to provide the fastest and most accurate response to queries. Lightning DDR5 memory solutions with lower latencies help to speed up the response times of hardware running the latest AI models.



SIMULATION

High-performance simulations, such as those used in scientific research, engineering, and weather forecasting, demand substantial computational power and memory bandwidth. Lightning DDR5 memory solutions can significantly enhance simulation performance by



COMPRESSION

Data compression algorithms, which are essential for reducing storage requirements and improving data transmission efficiency, benefit greatly from high-speed memory. Lightning DDR5 memory solutions can accelerate compression and decompression processes, allowing for quicker data



MULTITHREADED COMPUTATION

Modern applications often leverage multithreaded computation to maximize performance by distributing tasks across multiple CPU cores. Lightning DDR5 memory solutions can improve the efficiency of multithreaded applications by providing higher memory bandwidth and lower latency, ensuring that





AI INFERENCE

AI inference requires higher densities and faster memory to provide the fastest and most accurate response to queries. Lightning DDR5 memory solutions with lower latencies help to speed up the response times of hardware running the latest AI models.



SIMULATION

High-performance simulations, such as those used in scientific research, engineering, and weather forecasting, demand substantial computational power and memory bandwidth. Lightning DDR5 memory solutions can significantly enhance simulation performance by providing faster data access and processing speeds, enabling more complex and accurate models to be run in less time.



COMPRESSION

Data compression algorithms, which are essential for reducing storage requirements and improving data transmission efficiency, benefit greatly from high-speed memory. Lightning DDR5 memory solutions can accelerate compression and decompression processes, allowing for quicker data handling and reduced latency in applications that rely on real-time data processing.



MULTITHREADED COMPUTATION

Modern applications often leverage multithreaded computation to maximize performance by distributing tasks across multiple CPU cores. Lightning DDR5 memory solutions can improve the efficiency of multithreaded applications by providing higher memory bandwidth and lower latency, ensuring that each core can access the data it needs without bottlenecks. This results in faster execution times and improved overall system performance.

MARKETING COLLATERAL



[Netlist OverClock DDR5 RDIMM Product Brief](#)

PRODUCTS

- [Enterprise SSD](#)
- [Embedded Flash](#)
- [Memory Module](#)
- [Lightning DDR5 DIMM](#)
- [SK Hynix](#)
- [AI Server](#)

SALES SUPPORT

- [US & International](#)
- [Sales Inquiry](#)

COMPANY

- [About Netlist](#)
- [Leadership](#)
- [Contact](#)
- [Sitemap](#)
- [Privacy Policy](#)
- [Terms of Use](#)

INVESTORS

- [News](#)
- [Events and Presentations](#)
- [SEC Filings](#)
- [Financial Documents](#)
- [Management](#)
- [Gov Docs](#)
- [Responsibility](#)
- [Stock Chart](#)
- [Analyst Coverage](#)
- [Email Alerts](#)



Netlist Inc. 2,56 +0,23 +9,87%

© 2026 Netlist. All Rights Reserved.

