


Exhibit CC-128



×



Parameters Package | Pins | Size Features Description

Parameters	
Vin (min) (V)	4.5
Vin (max) (V)	15
Features	Complete Solution
Rating	Catalog
Operating temperature range (°C)	-40 to 105
Iq (typ) (mA)	5
DDR memory type	DDR5, DDR5 server

Package | Pins | Size

Features

Got a few minutes to help improve TI.com?×

Description

[Find other Multi-channel ICs \(PMICs\).](#) (</product-category/power-management/multi-channel-ics-pmic/products.html>)

Request more information

The full data sheet and other information are available. [Request now](https://www.ti.com/drr/opn/TPS5383X-DESIGN) (<https://www.ti.com/drr/opn/TPS5383X-DESIGN>).

Similar products you might be interested in

Pin-for-pin with same functionality to the compared device.



TPS53832
(/product/TPS53832)

[ACTIVE \(/support-quality/quality-policies-procedures/product-life-cycle.html\)](/support-quality/quality-policies-procedures/product-life-cycle.html) [ACTIVE \(/support-quality/quality-policies-procedures/product-life-cycle.html\)](/support-quality/quality-policies-procedures/product-life-cycle.html)
PMIC for DDR5 server DIMMs

Technical documentation

Type	Title	Date
All	Filter title by keyword	
★ Data sheet	(https://www.ti.com/lit/gpn/TPS53830)	Aug 18, 2021

PDF
(<https://www.ti.com/lit/gpn/tps53830>) HTML
(<https://www.ti.com/document-viewer/tps53830/datasheet>)

Got a few minutes to help improve TI.com?

Design & development

For additional terms or required resources, click any title below to view the detail page where available.

All CAD symbols, footprints & 3D models

CAD symbols, footprints & 3D models		
Package	Pins	CAD symbols, footprints & 3D models
VQFN-HR (RWZ)	35	Ultra Librarian (https://vendor.ultralibrarian.com/TI/embedded/?gpn=TPS53830&package=RWZ&pin=35&sid=019fe3cd7cae002f4cf96d109a0c0507d003007501558&c=1)

TI's Standard Terms and Conditions for Evaluation Items apply. (</legal/terms-of-sale.html>)

Ordering & quality

Part number ↓↑	Buy	TI.com inventory ↓↑	Qty Price (USD) ↓↑	Package qty Carrier ↓↑	Package Pins ↓↑	Material type ↓↑	Status
				Select ▼	Select ▼		Select
TPS53830RWZR Same as: TPS53830RWZR.A View alternates	Log in to order	Log in to view inventory Part notifications	1ku \$4.600 ▼	3,000 LARGE T&R CUSTOM	VQFN-HR (RWZ) 35	Production	ACTIVE
TPS53830RWZT Same as: TPS53830RWZT.A	Log in to order	Log in to view inventory	1ku \$6.072 ▼	250 SMALL T&R CUSTOM	VQFN-HR (RWZ) 35	Production	ACTIVE

Products to complete your design

LINEAR & LOW-DROPOUT (LDO) REGULATORS

TPS7A20 ACTIVE
300mA ultra-low-noise low-IQ low-dropout (LDO) linear regulator with high PSRR

Approx. price (USD) 1ku | 0.085
[Data sheet \(PDF\)](#)

DC/DC CONVERTERS

TPS544A28 ACTIVE
4-V to 16-V input, 12-A, PMBus, synchronous step-down converter

Approx. price (USD) 1ku | 1.900
[Data sheet \(PDF\)](#)

POWER MODULES (INTEGRATED INDUCTOR)

U3DM65293 PREVIEW
Two-phase 180A power module in 9x10x5mm package

[Data sheet \(PDF\)](#)
[Online data sheet](#)

Got a few minutes to help improve TI.com?

[Online data sheet](#)

[Online data sheet](#)

Recommended products may have parameters, evaluation modules or reference designs related to this TI product.

Support & training

TI E2E™ forums with technical support from TI engineers

[View all forum topics \(https://e2e.ti.com/search?category=forum&q=TPS53830\)](https://e2e.ti.com/search?category=forum&q=TPS53830)

Content is provided "as is" by TI and community contributors and does not constitute TI specifications. See [terms of use \(/legal/terms-conditions/terms-of-use.html\)](#).

If you have questions about quality, packaging or ordering TI products, see [TI support \(/info/customer-support.html\)](#).

Video series

[View all videos \(/sitesearch/en-us/docs/universalsearch.tsp?langPref=en-us&searchTerm=null&preFilter=videos_Video,Video%20series\)](/sitesearch/en-us/docs/universalsearch.tsp?langPref=en-us&searchTerm=null&preFilter=videos_Video,Video%20series)

Got a few minutes to
help improve TI.com?

