

**UNITED STATES INTERNATIONAL TRADE COMMISSION
WASHINGTON, D.C.**

**Before the Honorable Doris Johnson Hines
Administrative Law Judge**

In the Matter of

CERTAIN WEARABLE DEVICES

Inv. No. 337-TA-1478

**COMPLAINANTS' OPPOSITION TO RESPONDENTS' MOTION IN *LIMINE* NO. 1
TO PRECLUDE SAMSUNG FROM PRESENTING UNTIMELY INFRINGEMENT
ARGUMENTS RELATING TO U.S. PATENT NO. 10,231,675**

I. INTRODUCTION

Since the filing of its Complaint, Samsung has expressly maintained that Oura both directly and indirectly infringes the '675 Patent. Samsung then served initial and final infringement contentions that detailed Oura's infringement. Those contentions, as well as the expert report of Dr. Gregory Welch, demonstrate that, when worn in the ordinary course, Oura's Ring products perform each and every step of Claims 13 and 15 of the '675 Patent.

In the face of Samsung's motion for summary determination of infringement of the '675 Patent (Motion Docket No. 1479-009), Oura suddenly feigned ignorance as to Samsung's infringement theories. Oura's last-minute complaints lack merit. Oura's argument that Samsung did not disclose its direct infringement theory requires artificially constraining Samsung's allegation that "users" infringe to mean only "customers." Samsung's allegations are not so limited; any user, whether Oura itself or its customers, directly infringes based on use of Oura's Ring products. Similarly, Oura's theory that Samsung did not disclose its induced infringement theory requires ignoring the evidence Samsung set forth throughout the case (including in

[REDACTED]

Samsung's Complaint, contentions, and expert report) that Oura instructs and advertises to customers on the use of the accused blood oxygen sensing of Oura's Ring products.

Oura's motion additionally fails because Oura has suffered no substantial prejudice, and certainly none that would justify setting aside Oura's infringement of the '675 Patent—especially when Samsung's showing of infringement is **undisputed** by Oura's own technical expert. Any disputes as to the merits of Samsung's direct and induced infringement arguments should not be decided in the context of a motion *in limine*. In short, there is no basis for excluding Samsung's theory of both direct and induced infringement of the '675 Patent.

II. ARGUMENT

A. Samsung's Infringement Theories Were Disclosed In Detail

Oura's motion *in limine* should be denied because (1) Samsung clearly alleged both direct and induced infringement of the '675 Patent since the beginning of this Investigation, and (2) Samsung complied with its obligations to disclose the bases for its infringement allegations.

First, there is no serious dispute that, from day one, Samsung's Complaint expressly alleged that Oura both directly and indirectly infringes the '675 Patent.

“Samsung seeks as relief a permanent limited exclusion order under 19 U.S.C. § 1337(d) barring from entry into the United States **directly infringing** or **indirectly infringing** wearable devices manufactured or sold by or on behalf of Respondents.”

Ex. D, Complaint ¶ 7 (emphasis added).

“Respondents have engaged in unlawful and unfair acts, including the sale for importation into the United States, importation into the United States, and/or sale within the United States after importation of the Accused Products that **directly infringe** one or more of the following Asserted Claims of the Asserted Patents ...”

Id. ¶ 31 (emphasis added).

“On information and belief, Respondents also intend and **actively induce** their customers, distributors, and/or end users of the Accused

Products to directly infringe at least one of the Asserted Claims of the '359, '677, '675, and '789 patents at least by providing instructions explaining how to use the Accused Products after importation into the United States and encouraging their use in that manner, as well as doing so through their website at <https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use>.”

Id. ¶ 32 (emphasis added). Samsung further included claim charts with the Complaint that describe direct infringement of Claims 13 and 15 by a “user” and cite extensively to Oura’s website materials and advertisements describing the accused functionality—the measurement of a user’s blood oxygen during sleep—and inducing users to perform the claimed method.

The Oura Accused Product includes determining whether an electronic device is worn on a part of a user’s body using at least one first sensor of the electronic device. For example, the Oura Accused Product includes determining whether an electronic device, such as a ring, is worn on a part of a user’s body, such as a finger, using at least one first sensor of the electronic device, such as an accelerometer.

Ex. E, '675 Complaint Claim Chart at 6 (annotated).

Sensors

- Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life
- Red and infrared LEDs measure blood oxygen while you sleep
- Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep
- Digital temperature sensor measures average body temperature variations
- Accelerometer tracks movement and activity 24/7

Id. at 7 (annotated), citing <https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4>.

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Id. at 6 (annotated), citing <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2>; *see also, e.g., id.* at 4-5 (advertisements on Oura webpages describing sleep and nap detection based on movement). Samsung's Complaint identified not only how use of Oura's Ring products directly infringes but also how Oura induces such infringement.

Second, there is no serious dispute that Samsung elaborated on its '675 Patent infringement theories as the litigation progressed. Samsung's initial and final infringement contentions provided a limitation-by-limitation analysis of how Claims 13 and 15 are directly infringed by a "user" and induced infringement in instructions and advertisements. *See* Ex. F, '675 Initial Infringement Contentions Chart; Ex. B, '675 Final Infringement Contentions Chart. Those contentions repeat the same evidence of direct infringement by a "user" and Oura's inducement through instruction and advertisement of blood oxygen sensing during sleep. *See id.*

Dr. Welch's infringement expert report offered a further detailed explanation of Oura's infringement of Claims 13 and 15 of the '675 Patent. Ex. C, Welch Opening Report ¶¶ 523-90. Dr. Welch demonstrates that all steps of Claims 13 and 15 are performed by Oura's products automatically—so long as the Ring products are worn by a "user." *Id.* And, once again, Dr. Welch's report includes the same evidence of Oura's indirect infringement through instruction and advertisement of blood oxygen sensing during sleep found in Samsung's Complaint. Specifically, Dr. Welch's element-by-element analysis repeatedly incorporates his overview of

how Oura's products perform "SpO2 Measurements Based On Rest/Sleep" when worn by a "user":

543. The claimed "first period of time" is a period of time when the Oura Ring 4 is monitoring motion information in determining whether an unworn Oura Ring 4 has been worn on the user's finger.

Id. ¶¶ 543, 545; *see id.* ¶¶ 549, 568, 574. Turning to that overview, the very first paragraph explains how Oura induces infringement by advertising its products' ability to measure blood oxygen during sleep:

D. Oura Ring 4 SpO₂ Measurements Based On Rest/Sleep

Oura advertises that the Oura Ring 4 uses red and infrared LEDs to measure blood oxygen levels during sleep.

Sensors

- Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life
- Red and infrared LEDs measure blood oxygen while you sleep

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

Id. ¶ 88 (annotated), citing SAMS382-0027802, <https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4> and SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2>.

Oura concedes, as it must, that Dr. Welch explicitly states “Oura advertises that the Ring 4” performs infringing steps. Mot. at 6. Dr. Welch’s report thus evidences Oura’s direct and induced infringement of all asserted claims, including Claims 13 and 15 of the ’675 Patent.

Numerous cases have allowed indirect and direct infringement claims to proceed where the allegations are pled from the outset in the Complaint. In *Certain Road Milling Machines & Components Thereof*, the ALJ denied a motion to strike indirect infringement where the allegation was included in the complaint, as further supported by the expert report. Inv. No. 337-TA-1067, Order No. 29 at 6 (Mar. 30, 2018) (EDIS Doc. ID 640398). The theory was allowed despite the respondent’s argument that the complainant’s “Initial and Final Contentions fail to identify a single

[REDACTED]

factual basis for any elements of either induced infringement or contributory infringement.” *Id.* at 5. As another example, in *Certain Submarine Telecommunication Systems & Components Thereof*, the ALJ denied a motion *in limine* to exclude a direct infringement theory allegedly disclosed for the first time in an opposition to a motion for summary determination, because that theory was disclosed in the Complaint. Inv. No. 337-TA-1113, Order No. 14 at 3-4 (Oct. 18, 2018) (EDIS Doc. ID 660157). Although the contentions in the Complaint “may have been somewhat ‘oblique,’” the respondent “had at least some notice” of the direct infringement theory. *Id.* Here, Samsung’s direct and induced infringement allegations were pled in its Complaint, and supported by evidence of Oura’s inducement repeatedly cited in Samsung’s contentions and expert report.

None of Oura’s authorities are to the contrary. *Certain Touch-Controlled Mobile Devices, Computers, & Components Thereof* excluded only a specific, previously undisclosed theory of how a particular claim element was met. Inv. No. 337-TA-1162, Order No. 50 at 2-3 (June 2, 2020) (EDIS Doc. ID 712789). In *Certain Audio Processing Hardware, Software, & Products Containing the Same*, the complainant was faulted for reasserting indirect infringement, where the complainant’s contentions asserted only direct infringement, and the respondent’s noninfringement contentions then expressly noted that complainant was not asserting indirect infringement. Inv. No. 337-TA-1026, Order No. 58, 2017 WL 4216995, at *3-4 (Aug. 15, 2017) (EDIS Doc. ID 622876). In contrast, Samsung asserted both direct and induced infringement in its Complaint and never withdrew those claims in either its infringement contentions or expert report. Moreover, Oura’s noninfringement contentions were completely silent as to the alleged omissions, instead arguing the issue for the first time in opposing summary determination.

B. Oura Suffered No Prejudice

Oura identifies no meaningful prejudice caused by alleged gaps in Samsung’s disclosures,

[REDACTED]

and certainly none that justifies wholesale exclusion of Samsung’s ’675 Patent infringement case.

As to direct infringement, Samsung’s contentions and Dr. Welch’s expert report demonstrate that, when worn by *any* “user,” Oura’s Ring products perform all steps necessary for infringement. The logical and necessary conclusion is that, when Oura employees wear Oura’s Ring products in the course of their design, development, and testing, Oura infringes. Oura cannot plausibly claim surprise that its own use of its Ring products results in direct infringement.

Similarly, as to induced infringement, the logical and necessary conclusion of Samsung’s infringement theory is that when Oura’s customers wear Oura’s Ring products, they infringe. Oura cannot plausibly claim surprise that its customers’ use of such Ring products results in their customers’ infringement. And Oura’s claim that it is “in the dark” about evidence of its induced infringement (Mot. at 6) is contradicted by Samsung’s disclosures in its Complaint, infringement contentions, and expert report, which clearly show that Oura advertises and instructs its customers to use the accused feature—measuring blood oxygen during sleep.

Because Samsung previously disclosed its direct and induced infringement theories, Samsung’s prehearing brief presents the type of reasonable elaboration that is routinely permitted. *See, e.g., Certain Video Processing Devices & Prods. Containing the Same*, Inv. No. 337-TA-1341, Order No. 33 at 5 (Oct. 19, 2023) (EDIS Doc. ID 807609) (“these arguments [in the pre-hearing brief] are permissible elaboration”); *Certain Audio Processing Hardware, Software, & Prods. Containing the Same*, Inv. No. 337-TA-1026, Order No. 63 (August 17, 2017) (EDIS Doc. ID 620265) (allowing “further elaboration for [Respondents’] contention, citing some additional evidence,” where “[t]he argument in the pre-hearing brief appears to be completely consistent with Respondents’ previously disclosed contention”).

Given Samsung’s well-disclosed theory of infringement and cited evidence of Oura’s own

[REDACTED]

instruction and advertising of the infringing functionality, any claimed prejudice to Oura fails to justify the relief Oura seeks. There is no question that Oura infringes the '675 Patent—Samsung's evidence of infringement stands wholly un rebutted by Oura's technical expert, Dr. Mortazavi. Oura infringes regardless of whether the Ring products are used by Oura or its customers. When Oura uses its Ring products, it directly infringes. And when Oura's customers use Oura's Ring products, Oura indirectly infringes by advertising and instructing users to use the accused feature. Samsung should, thus, be permitted to present its unrefuted evidence that Oura both uses its Ring products and induces customers to use its Ring products.

C. Oura's Merits Arguments Are Irrelevant And Fail To Refute Infringement

Finally, Oura makes several arguments that go to the *merits* of Samsung's direct and induced infringement claims. None of Oura's arguments are relevant to the question of whether Oura had fair notice that it both directly and indirectly infringes the '675 Patent—which it did.

To the extent Oura's merits arguments have any relevance, none refute infringement. *First*, contrary to Oura's assertion (Mot. at 2), Oura's employees need not test the "particular method" of the '675 Patent, because the method occurs automatically in the ordinary course of use. *See, e.g., Glob.-Tech Appliances, Inc. v. SEB S.A.*, 563 U.S. 754, 761 n.2 (2011) ("Direct infringement has long been understood to require no more than the unauthorized use of a patented invention. Thus, a direct infringer's knowledge or intent is irrelevant.") (citation omitted). Oura could be testing entirely different features; nonetheless, it infringes by using its Ring products.

Similarly, contrary to Oura's argument (Mot. at 4), inducement does not require Samsung to show that Oura advertised every step of the claimed methods including the "finger detection" step. *See Lucent Techs., Inc. v. Gateway, Inc.*, 580 F.3d 1301, 1322 (Fed. Cir. 2009) (upholding induced infringement verdict based on the accused "date-picker" tool, where the defendant

[REDACTED]

promoted use of its pop-up tools in general). Oura’s instruction and advertisement of blood oxygen sensing during sleep demonstrates Oura’s induced infringement. This is especially true where the device itself performs all of the necessary method steps in the ordinary course of use. *Ericsson, Inc. v. D-Link Sys., Inc.*, 773 F.3d 1201, 1222 (Fed. Cir. 2014) (affirming induced infringement based on a device’s compliance with the 802.11(n) Wi-Fi standard). Here, it is enough that Oura induces its customers to use its Ring products precisely as designed—to measure blood oxygen during sleep. *Id.*; *see also Lucent*, 580 F.3d at 1322 (affirming induced infringement where “the normal and intended operation of these products used the infringing functionality”).

Finally, Oura’s argument that the “vast majority” of the rings imported in the United States are not used by Oura itself (Mot. at 3-4) is irrelevant. Samsung’s burden to prove infringement is satisfied based on its showing of both direct and induced infringement. It is immaterial whether Oura itself or its customers are the ones who use each particular Ring that is imported. *See Ericsson*, 773 F.3d at 1222 (upholding jury verdict of “infringement,” where evidence supported a finding of indirect infringement). Oura’s argument on this basis is a red herring.

In any event, none of the above merits issues are relevant to whether Samsung’s theory should be precluded *in limine*. *See Certain Wireless Consumer Elecs. Devices & Components Thereof*, Inv. No. 337-TA-853, Order No. 59, 2013 WL 2453912, at *4 (May 29, 2013) (denying motion *in limine* for “improperly seeking summary determination” on “sufficiency of Complainants’ evidence”). Samsung more than adequately disclosed that it was pursuing both direct and induced infringement of the ’675 Patent, and Samsung’s reasonable elaboration of its ’675 Patent infringement theory in its prehearing brief is entirely proper.

III. CONCLUSION

For the foregoing reasons, Oura’s MIL 1 should be denied in its entirety.

Dated: September 2, 2026

Respectfully submitted,

/s/ D. Sean Trainor


D. Sean Trainor
Renia Zervos
Khanh Leon
Jacob Boesch
O'MELVENY & MYERS LLP
1625 Eye Street, NW
Washington, DC 20006
Telephone: (202) 383-5300

Ryan K. Yagura
Ben Haber
Nancy Schroeder
Gregory Sefian
Grace McFee
Ohona Chowdhury
O'MELVENY & MYERS LLP
400 South Hope Street, 19th Floor
Los Angeles, CA 90071
Telephone: (213) 430-6000

Mark Liang
Bill Trac
Rui Li
Sorin Zaharia
Eric T. Ong
O'MELVENY & MYERS LLP
Two Embarcadero Center, 28th Floor
San Francisco, CA 94111
Telephone: (415) 984-8700

Marc Pensabene
Laura Gore
Caitlin P. Hogan
Nate Legum
Joanne Bae
O'MELVENY & MYERS LLP
1301 Avenue of the Americas, 17th Floor
New York, NY 10019
Telephone: (212) 326-2000

John Kappos
Cason Cole
Frances Mackay



O'MELVENY & MYERS LLP
2801 North Harwood Street, Suite 1600
Dallas, TX 75201
Telephone: (972) 360-1900

Email: OMM-Samsung-Oura@omm.com

*Counsel for Complainants Samsung
Electronics Co., Ltd. and Samsung
Electronics America, Inc.*

EXHIBIT D

**UNITED STATES INTERNATIONAL TRADE COMMISSION
WASHINGTON, D.C.**

In the Matter of

CERTAIN WEARABLE DEVICES

Investigation No. 337-TA-_____

COMPLAINT UNDER SECTION 337 OF THE TARIFF ACT OF 1930

COMPLAINANTS:

Samsung Electronics Co., Ltd.
129 Samsung ro (Maetan-dong)
Yeongtong-gu Suwon-si
Gyeonggi-do 16677 Korea
Telephone: 82 2 2255 0114

Samsung Electronics America, Inc.
700 Sylvan Avenue
Englewood Cliffs, New Jersey 07632
Telephone: (201) 229-4000

PROPOSED RESPONDENTS:

Ouraring, Inc.
222 Kearny Street
San Francisco, California 94108
Telephone: (415) 704-9110

Ōura Health Oy
Elektroniikkatie 10,
90590 Oulu, Finland
Telephone: (415) 704-9110

COUNSEL FOR COMPLAINANTS:

D. Sean Trainor
O'MELVENY & MYERS LLP
1625 Eye Street, NW
Washington, D.C. 20006-4061
Telephone: (202) 383-5300
dstrainor@omm.com

Ryan K. Yagura
Nicholas Whilt
Nancy L. Schroeder
O'MELVENY & MYERS LLP
400 South Hope Street
18th Floor
Los Angeles, California 90071-2899
Telephone: (213) 430-6000

Marc J. Pensabene
Laura B. Gore

O'MELVENY & MYERS LLP
1301 Avenue of the Americas
Suite 1700
New York, New York 10019-6022
Telephone: (212) 326-2000

Darin Snyder
Mark Liang
Bill Trac
O'MELVENY & MYERS LLP
Two Embarcadero Center
28th Floor
San Francisco, California 94111-3823
Telephone: (415) 984-8700

Frances Mackay
O'MELVENY & MYERS LLP
2801 North Harwood Street
Suite 1600
Dallas, Texas 75201-2692
Telephone: (972) 360-1900

TABLE OF CONTENTS

I.	INTRODUCTION	1
II.	COMPLAINANTS	2
III.	PROPOSED RESPONDENTS	3
IV.	THE TECHNOLOGY AND PRODUCTS AT ISSUE	4
V.	THE ASSERTED PATENTS AND A NONTECHNICAL DESCRIPTION OF THE INVENTIONS.....	4
A.	The '359 Patent	4
B.	The '677 Patent	5
C.	The '675 Patent	6
D.	The '789 Patent	7
VI.	RESPONDENTS' UNLAWFUL AND UNFAIR ACTS.....	7
VII.	SPECIFIC INSTANCES OF UNFAIR IMPORTATION.....	9
VIII.	CLASSIFICATION OF THE INFRINGING PRODUCTS UNDER THE HARMONIZED TARIFF SCHEDULE	10
IX.	RELATED LITIGATION	10
X.	THE DOMESTIC INDUSTRY	11
A.	Articles that Practice the Asserted Patents (Technical Prong).....	12
B.	United States Economic Activities Relating to the Domestic Industry Products (Economic Prong)	13
XI.	RELIEF REQUESTED.....	13

EXHIBITS

Exhibit	Description
1	Certified Copy of U.S. Patent No. 10,642,359
2	Certified Copy of U.S. Patent No. 10,945,677
3	Certified Copy of U.S. Patent No. 10,231,675
4	Uncertified Copy of U.S. Patent No. 10,978,789
5	Certified Copy of Assignment of U.S. Patent No. 10,642,359
6	Certified Copy of Assignment of U.S. Patent No. 10,945,677
7	Certified Copy of Assignment of U.S. Patent No. 10,231,675
8	Uncertified Copy of Assignment of U.S. Patent No. 10,978,789
9	List of Foreign Counterparts to the Asserted Patents
10C	CONFIDENTIAL List of Licensees to the Asserted Patents
11C	CONFIDENTIAL Declaration of Christopher Martinez
12	Samsung 2024 Annual Report
13	Infringement Claim Charts for U.S. Patent No. 10,642,359
14	Infringement Claim Charts for U.S. Patent No. 10,945,677
15	Infringement Claim Charts for U.S. Patent No. 10,231,675
16	Infringement Claim Charts for U.S. Patent No. 10,978,789
17	Documents Cited in Infringement Claim Charts for U.S. Patent No. 10,642,359
18	Documents Cited in Infringement Claim Charts for U.S. Patent No. 10,945,677
19	Documents Cited in Infringement Claim Charts for U.S. Patent No. 10,231,675
20	Documents Cited in Infringement Claim Charts for U.S. Patent No. 10,978,789
21	Oura Website – Product Safety & Use (https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use)
22	Oura Website - Shipping FAQs (https://support.ouraring.com/hc/en-us/articles/360025439494-Shipping-FAQs#h_01FP8V7W773BSED7ASRMS7294S)
23	Invoice of Accused Product Purchase
24	Photograph of Accused Product Made in Mexico and shipped to the United States
25C	CONFIDENTIAL Technical Domestic Industry Claim Charts for U.S. Patent No. 10,642,359
26C	CONFIDENTIAL Technical Domestic Industry Claim Charts for U.S. Patent No. 10,945,677
27C	CONFIDENTIAL Technical Domestic Industry Claim Charts for U.S. Patent No. 10,231,675
28C	CONFIDENTIAL Technical Domestic Industry Claim Charts for U.S. Patent No. 10,978,789
29	Documents Cited in Technical Domestic Industry Claim Charts for U.S. Patent No. 10,642,359
30	Documents Cited in Technical Domestic Industry Claim Charts for U.S. Patent No. 10,945,677

31	Documents Cited in Technical Domestic Industry Claim Charts for U.S. Patent No. 10,231,675
32	Documents Cited in Technical Domestic Industry Claim Charts for U.S. Patent No. 10,978,789
33	Physical Sample of Domestic Industry Product
34	Physical Sample of Accused Product

APPENDICES

Appendix	Description
A	Certified copy of prosecution history of U.S. Patent No. 10,642,359
B	Certified copy of prosecution history of U.S. Patent No. 10,945,677
C	Certified copy of prosecution history of U.S. Patent No. 10,231,675
D	Uncertified copy of prosecution history of U.S. Patent No. 10,978,789

I. INTRODUCTION

1. The Complaint is filed by Samsung Electronics Co., Ltd. (“SEC”) and Samsung Electronics America, Inc. (“SEA”) (collectively, “Samsung” or “Complainants”) under Section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. § 1337 (“Section 337”), based on the unlawful importation into the United States, the sale for importation into the United States, and the sale within the United States after importation, by the proposed Respondents of certain wearable devices that infringe the following claims of U.S. Patent Nos. 10,642,359, 10,945,677, 10,231,675 and 10,978,789 (collectively, the “Asserted Patents”) either literally or under the doctrine of equivalents (independent claims in bold):

Patent Number	Asserted Claims
10,642,359	1-2, 4, 7-8, 10, 14-15, 20
10,945,677	1-7, 9-14, 16-20
10,231,675	13-19, 20
10,978,789	7, 8-10

2. SEC is one of the largest providers by volume of wearables and smartphones in the world, and SEA is the second largest provider by volume of wearables and smartphones in the United States. Confidential Exhibit 11 (Martinez Decl.) at ¶ 2.

3. The proposed Respondents Ouraring, Inc. and Ėura Health Oy (collectively, “Oura” or “Respondents”) manufacture, import, sell for importation, sell after importation, service, and repair, among other things, certain wearable devices, such as smart rings (the “Accused Products”). The Accused Products incorporate, without license, many technologies developed by Samsung and protected by patents issued to and owned by SEC.

4. Copies of the Asserted Patents are included as Exhibits 1-4. A list of foreign counterparts to the Asserted Patents is included as Exhibit 9. SEC owns all rights, titles, and

interest in each of the Asserted Patents. Copies of the assignment records for each of the Asserted Patents are included at Exhibits 5-8.

5. Pursuant to Commission Rule 210.12(a)(9)(iii), Confidential Exhibit 10 identifies all licensees to the Asserted Patents. Samsung is not relying upon any licensee to establish standing or to satisfy the domestic industry requirement.

6. A domestic industry as required by 19 U.S.C. §§ 1337(a)(2) and (3) exists in the United States relating to the technology protected by the Asserted Patents, including substantial investment and expenditures of SEA and its partners, and substantial investment in the exploitation of the inventions claimed in the Asserted Patents, including through engineering, research and development, and service and repair.

7. Samsung seeks as relief a permanent limited exclusion order under 19 U.S.C. § 1337(d) barring from entry into the United States directly infringing or indirectly infringing wearable devices manufactured or sold by or on behalf of Respondents. Samsung further seeks as relief a permanent cease and desist order under 19 U.S.C. § 1337(f) prohibiting Respondents from marketing, distributing, selling, offering for sale, warehousing inventory for distribution, or otherwise transferring or bringing into the United States infringing wearable devices.

II. COMPLAINANTS

8. Complainant Samsung Electronics Co., Ltd. is a corporation organized and existing under the laws of the country of Korea, having its principal place of business at 129 Samsung ro, Maetan-dong, Yeongtong-gu Suwon-si, Gyeonggi-do 16677 Korea. SEC is the assignee of the Samsung patents with the right to sue for all past, present, and future infringement thereof.

9. Complainant Samsung Electronics America, Inc. is a corporation organized and existing under the laws of the state of New York, having its principal place of business at 700 Sylvan Avenue, Englewood Cliffs, New Jersey 07632. SEA is a wholly-owned subsidiary of SEC.

10. Samsung is one of the world's leading electronics companies, specializing in wireless communications, digital appliances and media, semiconductors, memory, and system integration. Founded in 1969, SEC has grown to become a world leader in the design, manufacture, and marketing of a wide variety of electronic products. SEC is one of the largest manufacturers of wearable devices in the world and has long focused on the United States as a critical market for its products. SEC established SEA to engage in activities in the United States related to certain of Samsung's product lines.

11. SEA supplies mobile products and services, wearables, and consumer electronics products and services in the United States market. In doing so, SEA is involved in numerous development and commercialization activities, including engineering, research, development, testing, customer service, importation, sales, marketing, and distribution of products in the United States, including wearables and smartphones.

12. SEC is one of the largest providers by volume of wearables and smartphones in the world, and SEA is the second largest provider by volume of wearables and smartphones in the United States. Additional information concerning Samsung can be obtained from its 2024 Annual Report at Exhibit 12.

III. PROPOSED RESPONDENTS

13. On information and belief, Respondent Ouraring, Inc. is a Delaware corporation with its principal place of business at 222 Kearny Street, San Francisco, California 94108.

14. On information and belief, Respondent Ōura Health Oy is a Finnish company with its principal place of business at Elektroniikkatie 10, 90590, Oulu, Finland.

15. On information and belief, Ouraring, Inc. is a wholly-owned subsidiary of Ōura Health Oy, which was founded in Finland in 2013. Ōura Health Oy was formerly known as JouZen Oy. JouZen Oy was subsequently changed to Ōura Health Oy in 2017.

IV. THE TECHNOLOGY AND PRODUCTS AT ISSUE

16. Pursuant to Commission Rule 210.12(a)(12) and 210.10(b)(1), the technology at issue relates to smart rings having biosensing capabilities.

17. The Accused Products are wearable devices, specifically wearable biosignal interfaces and an operation method thereof as well as wearable electronic devices for detecting biometric information. The Accused Products include, but are not limited to, Respondents' Oura Ring products. The Accused Products are sold for importation into, imported into, sold after importation into, and used within the United States by or on behalf of Respondents.

V. THE ASSERTED PATENTS AND A NONTECHNICAL DESCRIPTION OF THE INVENTIONS

18. SEC owns by assignment the full right, title and interest in U.S. Patent Nos. 10,642,359, 10,945,677, 10,231,675, and 10,978,789. *See* Exhibits 5-8. Pursuant to Commission Rule 210.12(c), copies of the prosecution histories of each of the Asserted Patents have been submitted with this complaint as Appendices A–D. Samsung has not declared the Asserted Patents as potentially essential to any standard maintained by a standard setting organization.

A. The '359 Patent¹

19. United States Patent No. 10,642,359, entitled "Wearable Biosignal Interface and Method Thereof," issued on May 5, 2020, to inventors Chang Mok Choi, Sang Joon Kim, and Seung Keun Yoon. The '359 patent issued from 16/267,752, filed on February 5, 2019, which was a continuation application of U.S. Patent App. Ser. No. 14/913,085, filed on February 19, 2016, which is a U.S. National Stage Application of International Application No. PCT/KR2014/004073,

¹ These descriptions and any other non-technical descriptions within this Complaint are for illustrative purposes only. Nothing contained within this Complaint is intended to, either implicitly or explicitly, express any position regarding the proper construction of any claim of the Asserted Patents.

filed on May 8, 2014. *See* '359 patent at 1:7-11. The '359 patent claims priority to Korean Patent App. No. 10-2013-0098476, filed on August 20, 2013. *See id.* at 1:11-13. The '359 patent expires on May 8, 2034.

20. The '359 patent contains 34 claims, including 4 independent claims and 30 dependent claims. Complainants assert that Respondents' wearable devices infringe claims 1-2, 4, 7-8, 10, 14-15, and 20 of the '359 patent.

21. The '359 patent generally concerns a wearable biosignal interface and an operation method thereof that allows for improved recognition of user intention. The '359 patent describes a wearable biosignal interface that includes a "a motion sensor configured to obtain a first signal based on a motion of a target, a biosignal sensor disposed on the target and configured to obtain a second signal from the target, and a determination controller configured to determine a validity of the second signal based on the first signal." '359 patent at 1:49–55. The second signal "may include biological information obtained by one or more biosensor in contact with skin of the target." *Id.* at 1:56–58.

B. The '677 Patent

22. United States Patent No. 10,945,677, entitled "Method for Detecting Biometric Information and Electronic Device Using Same," issued on March 16, 2021, to inventors Gihung Chung, Jooman Han, So Hyun Chung, Dae-Yong Lee, Hongsig Kim, Hyunwoo Jang, Cheolho Cheong, Jae-Woong Chun, and Won Suk Choi. The '677 patent issued from U.S. Patent App. Ser. No. 16/256,497, filed on January 24, 2019, which was a continuation application of U.S. Patent App. Ser. No. 15/173,099, filed on June 3, 2016, which was issued as U.S. Pat. No. 10,231,675 on March 19, 2019. *See* '677 patent at 1:8-10. The '677 patent claims priority to Korean Patent App. No. 10-2015-0113972, filed on August 12, 2015. *See id.* at 1:11-13. The '677 patent expires on August 23, 2036.

23. The '677 patent contains 20 claims, including 3 independent claims and 17 dependent claims. Complainants assert that Respondents' wearable devices infringe claims 1-7, 9-14, and 16-20 of the '677 patent.

24. The '677 patent generally concerns a wearable electronic device for detecting biometric information. The '677 patent describes "an electronic device and a method that can selectively operate a biometric sensor based on a selected (or specified) condition[,],... continually... operate a biometric sensor according to a selected (or specified) period[, and],... measure biometric information based on the motion of the electronic device." '677 patent at 1:62–2:5.

C. The '675 Patent

25. U.S. Patent No. 10,231,675, entitled "Method for Detecting Biometric Information and Electronic Device Using Same," issued March 19, 2019, to inventors Gihung Chung, Jooman Han, So Hyun Chung, Dae-Yong Lee, Hongsig Kim, Hyunwoo Jang, Cheolho Cheong, Jae-Woong Chun, and Won Suk Choi. The '675 patent issued from U.S. Patent App. Ser. No. 15/173,099, filed on June 3, 2016. The '675 patent claims priority to Korean Patent App. No. 10-2015-0113972, filed on August 12, 2015. *See* '675 patent at 1:8-12. The '675 patent expires on January 6, 2037.

26. The '675 patent contains 20 claims, including 3 independent claims and 17 dependent claims. Complainants assert that Respondents' wearable devices infringe claims 13-20 of the '675 patent.

27. The '675 patent generally concerns a wearable electronic device for detecting biometric information. The '675 patent describes "an electronic device" and "method of measuring biometric information by an electronic device" comprising "determining whether the electronic device is worn on a part of a user's body using at least one first sensor, activating (operating or

triggering) at least one second sensor based on at least a part of the a motion of the electronic device,” “and measuring biometric information based on the at least one second sensor.” ’675 patent at 2:4–36 .

D. The ’789 Patent

28. United States Patent No. 10,978,789, entitled “Electronic Device Including High-Frequency Transmission Circuit,” issued on April 13, 2021, to inventors Han-Min Cho, Chan-Gi Park, Yeon-Sang Yun, Tae-Wook Ham, Hei-Seong Kwak, Byoung-Il Son, and Sung-Chul Park. The ’789 patent issued from U.S. Patent App. Ser. No. 16/939,708, filed on July 27, 2020, which was a continuation application of U.S. Patent App. Ser. No. 15/621,687, filed on June 13, 2017. *See* ’789 patent at 1:7–9. The ’789 patent claims priority to Korean Patent App. No. 10-2016-0073355, filed on June 13, 2016. *See id.* at 1:9–12. The ’789 patent expires on June 13, 2037.

29. The ’789 patent contains 20 claims, including 3 independent claims and 17 dependent claims. Complainants assert that Respondents’ wearable devices infringe claims 7 and 8-10 of the ’789 patent.

30. The ’789 patent generally concerns an electronic device containing a high-frequency transmission circuit and “a transmission line capable of effectively transmitting a noiseless high-frequency signal in a narrow space without affecting other modules.” *Id.* at 1:19–23. The electronic device includes “a first [printed circuit board (‘PCB’)]; a second PCB connected to the first PCB through a connector and including at least one [flexible PCB (‘FPCB’)] and at least one rigid PCB that are integrated with each other.” *Id.* at 2:25–29.

VI. RESPONDENTS’ UNLAWFUL AND UNFAIR ACTS

31. Respondents have engaged in unlawful and unfair acts, including the sale for importation into the United States, importation into the United States, and/or sale within the United

States after importation of the Accused Products that directly infringe one or more of the following Asserted Claims of the Asserted Patents (independent claims in bold):

Patent Number	Asserted Claims
10,642,359	1-2, 4, 7-8, 10, 14-15, 20
10,945,677	1-7, 9-14, 16-20
10,231,675	13-20
10,978,789	7, 8-10

32. On information and belief, Respondents also intend and actively induce their customers, distributors, and/or end users of the Accused Products to directly infringe at least one of the Asserted Claims of the '359, '677, '675, and '789 patents at least by providing instructions explaining how to use the Accused Products after importation into the United States and encouraging their use in that manner, as well as doing so through their website at <https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use>. See Exhibit 21 (last accessed December 12, 2025). On information and belief, Respondents have been aware of the '359, '677, '675, and '789 patents or have acted with willful blindness to their existence at least as of the filing of this Complaint.

33. Respondents also contributorily infringe at least one of the Asserted Claims of the '359, '677, '675, and '789 patents. Specifically, Respondents contribute to the infringement by their customers, distributors, and/or end users as they have known since at least the filing of this Complaint that the Accused Products are especially made or especially adapted for use in infringing at least one of the Asserted Claims of the '359, '677, '675, and '789 patents. Additionally, the Accused Products are not staple articles or commodities of commerce suitable for substantial non-infringing use.


34. A physical sample of the Accused Product is marked as Exhibit 34 and is being made available in accordance with Commission procedures and rules.

35. Exemplary claim charts comparing the '359, '677, '675, and '789 patents' independent Asserted Claims to Respondents' Accused Product are attached as Exhibits 13-16. Copies of documents cited in the claim charts are attached as Exhibits 17-20.

VII. SPECIFIC INSTANCES OF UNFAIR IMPORTATION


36. On information and belief, Respondents, either themselves or through subsidiaries or third parties acting on behalf of Respondents, are engaged in the manufacture, importation, sale for importation, offer for sale after importation, sale and/or use after importation into the United States of the Accused Products. The specific instances set forth below are representative examples of Respondents' unlawful manufacture, importation, sale for importation, offer for sale after importation, sale and/or use after importation into the United States of infringing products.

37. On information and belief, Respondents' Accused Products are manufactured in Mexico and then imported into the United States. Respondents sell and offer for sale the Accused Products directly to customers in the United States, including through its website (<https://ouraring.com>), which advertises that Oura will ship the Accused Products to the United States (Exhibit 22):



38. Before filing this Complaint, a representative Accused Product was purchased on November 2, 2025, in the United States. A copy of the invoice of this purchase is attached as Exhibit 23.

39. The Accused Product includes a label on the package indicating that the product was “Made in Mexico” (Exhibit 24):



VIII. CLASSIFICATION OF THE INFRINGING PRODUCTS UNDER THE HARMONIZED TARIFF SCHEDULE

40. On information and belief, the Accused Products fall within at least the following classification of the Harmonized Tariff Schedule (“HTS”) of the United States: 9031.80.8085. The identified HTS number is intended to be for illustration only and is not exhaustive of the products accused of infringement in this Complaint. The HTS number is not intended to limit the scope of the Investigation.

IX. RELATED LITIGATION

41. On May 30, 2024, Complainant SEC filed suit against Respondents in the United States District Court for the Northern District of California, Case No. 3:24-cv-03245, seeking

declaratory judgment of non-infringement as to the following patents owned by Oura: U.S. Patent Nos. 10,842,429; 11,868,178; 11,868,179; 10,893,833; and 11,599,147 .

42. On October 23, 2025, Respondent Ouraring Inc. filed suit against SEA in the United States District Court for the Eastern District of Texas, Case No. 2:25-cv-01064, asserting infringement on U.S. Patent Nos. 11,868,178; 12,353,244; 12,346,159; 12,393,227; 12,346,160; 12,422,889; 12,429,909; and 12,222,759.

43. On November 18, 2025, Respondent Ouraring Inc. requested the United States International Trade Commission to institute an investigation into violations of Section 337 against SEC and SEA; Reebok International Limited, RILUK IPCO Limited, The Original Fit Factory Ltd, Truconnect Ltd, and Reebok International Ltd., LLC (together, “Reebok”); Zepp Health Corporation, Anhui Huami Information Technology Co., Ltd., Zepp Inc. (d/b/a Zepp Health), and Zepp North America Inc. (together, “Zepp”); and Nexxbase Marketing Pvt. Ltd. (d/b/a Noise and LunaZone) (“Nexxbase”). Oura asserted infringement on U.S. Patent Nos. 11,868,178; 12,353,244; 12,346,159; 12,393,227; 12,346,160; 12,422,889; 12,429,909; and 12,222,759.

44. On December 1, 2025, Complainants filed suit against Respondent Ōura Health Oy in the United States District Court for the Eastern District of Texas, Case No. 2:25-cv-1181 asserting infringement on U.S. Patent Nos. 7,662,065; 9,008,973; 12,260,672; 12,279,849; 12,324,655; and 12,383,152.

X. THE DOMESTIC INDUSTRY

45. A domestic industry in the United States exists with respect to articles protected by the '359, '677, '675, and '789 patents based upon SEA's significant investments in plant and equipment and significant employment of labor and capital in the United States.

A. Articles that Practice the Asserted Patents (Technical Prong)

1. Certain Samsung wearable devices and mobile devices (“Domestic Industry Products”) practice at least one claim of the Asserted Patents. A physical sample of the Samsung Domestic Industry Product is marked as Exhibit 33 and is being made available in accordance with Commission procedures and rules.

2. Certain Samsung wearable devices, including, for example, the Samsung Galaxy Watch 4, Galaxy Watch 5, Galaxy Watch 6, and Galaxy Watch 7 (collectively, “Galaxy Smartwatches”) and Galaxy Ring, practice at least one claim of the ’359 patent. An exemplary claim chart comparing the Samsung Galaxy Smartwatches to a representative claim of the ’359 patent is attached as Confidential Exhibit 25. Complete copies of documents referenced in the claim chart are attached in Exhibit 29.

3. Certain Samsung wearable devices, including, for example, the Samsung Galaxy Smartwatches and Galaxy Ring, practice at least one claim of the ’677 patent. An exemplary claim chart comparing the Samsung Galaxy Smartwatches to a representative claim of the ’677 patent is attached as Confidential Exhibit 26. Complete copies of documents referenced in the claim chart are attached in Exhibit 30.

4. Certain Samsung wearable devices, including, for example, the Samsung Galaxy Smartwatches and Galaxy Ring, practice at least one claim of the ’675 patent. An exemplary claim chart comparing the Samsung Galaxy Smartwatches to a representative claim of the ’675 patent is attached as Confidential Exhibit 27. Complete copies of documents referenced in the claim chart are attached in Exhibit 31.

5. Certain Samsung mobile devices, including, for example, the Galaxy S25 smartphones, practice at least one claim of the ’789 patent. An exemplary claim chart comparing the Samsung Galaxy S25 smartphones to a representative claim of the ’789 patent is attached as

Confidential Exhibit 28. Complete copies of documents referenced in the claim chart are attached in Exhibit 32.

6. The Domestic Industry Products practice more claims than the claims charted in Confidential Exhibits 25-28 and Complainants may demonstrate satisfaction of the technical prong through other claims of the Asserted Patents.

B. United States Economic Activities Relating to the Domestic Industry Products (Economic Prong)

7. Samsung has an existing domestic industry in '359, '677, '675, and '789 patents. SEA has made significant domestic investments in plant, equipment, labor, and capital as well as substantial domestic investments in engineering and research and development to develop, commercialize, and support its wearable devices and mobile devices. As described in the confidential declaration of Christopher Martinez, SEA employs hundreds of direct employees and contractors, and invests hundreds of millions of dollars in product strategy, management, planning, research, development, engineering, testing, compliance, quality control, technical support, sales, marketing, distribution, warehousing, service, warranty, repair, and replacement for Samsung mobile products in the U.S., including the Galaxy Smartwatches and Galaxy smartphones. *See* Confidential Exhibit 11 (Martinez Decl.) at ¶ 13. Without SEA's significant and substantial investments, SEA would not be able to commercialize and sell the Galaxy Smartwatches and smartphones in the United States. *See id.* at ¶¶ 19, 22, 27, 30, 33, 40, 46.

XI. RELIEF REQUESTED

8. Complainants respectfully request that the Commission:

a. Institute an investigation pursuant to Section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. § 1337, with respect to Proposed Respondents' violations of that section arising from the importation into the United States, sale for importation, and/or the sale within the

United States after importation of certain wearable devices and components thereof made on behalf of Respondents, that infringe one or more claims of the Asserted Patents;

b. Schedule and conduct a hearing pursuant to Section 337(c) for the purposes of (i) receiving evidence and hearing argument concerning whether there has been a violation of Section 337, and (ii) following the hearing, determining that there has been a violation of Section 337;

c. Issue a permanent limited exclusion order directed to products manufactured by Respondents, their subsidiaries, related companies, and agents pursuant to 19 U.S.C. § 1337(d) excluding entry into the United States of certain wearable devices made by or on behalf of Respondents, that infringe one or more claims of the Asserted Patents;

d. Issue a permanent cease and desist order pursuant to 19 U.S.C. § 1337(f) prohibiting Respondents, their subsidiaries, related companies and agents from conducting any of the following activities in the United States: importing, selling, marketing, advertising, distributing, offering for sale, transferring (except for exportation), soliciting United States agents or distributors, or aiding and abetting other entities in the importation, sale for importation, sale after importation, transfer (except for exportation), or distribution of certain wearable devices made by or on behalf of Respondents, that infringe one or more claims of the Asserted Patents;

e. Impose a bond upon importation of certain wearable devices made by or on behalf of Respondents, that infringe one or more claims of the Asserted Patents during the 60-day review period pursuant to 19 U.S.C. § 1337(j); and

f. Issue other and further relief as the Commission deems just and proper under the law, based on the facts determined by the investigation and the authority of the Commission.

Dated: December 12, 2025

/s/ D Sean Trainor

D. Sean Trainor
O'MELVENY & MYERS LLP
1625 Eye Street, NW
Washington, D.C. 20006-4061
Telephone: (202) 383-5300
dstrainor@omm.com

Ryan K. Yagura
Nicholas J. Whilt
Nancy L. Schroeder
O'MELVENY & MYERS LLP
400 South Hope Street
18th Floor
Los Angeles, California 90071-2899
Telephone: (213) 430-6000

Marc J. Pensabene
Laura B. Gore
O'MELVENY & MYERS LLP
1301 Avenue of the Americas
Suite 1700
New York, New York 10019-6022
Telephone: (212) 326-2000

Darin Snyder
Mark Liang
Bill Trac
O'MELVENY & MYERS LLP
Two Embarcadero Center
28th Floor
San Francisco, California 94111-3823
Telephone: (415) 984-8700

Frances Mackay
O'MELVENY & MYERS LLP
2801 North Harwood Street
Suite 1600
Dallas, Texas 75201-2692
Telephone: (972) 360-1900

*Counsel for Complainants Samsung
Electronics Co., Ltd. and Samsung Electronics
America, Inc.*

VERIFICATION OF COMPLAINT

I, Seung Woo (Ben) Hur, am Principal Legal Counsel at Samsung Electronics Co., Ltd. and am duly authorized to execute this verification of the accompanying Complaint under Section 337 of the Tariff Act of 1930, as Amended, on behalf of Complainant Samsung Electronics Co., Ltd.

I have read the Complaint and am aware of its contents. I hereby declare, in accordance with 19 C.F.R. § 210.12(a)(1), that to the best of my knowledge, information, and belief and based upon a reasonable inquiry under the circumstances:

1. The allegations contained in the Complaint are well grounded in fact and have evidentiary support, or are likely to have evidentiary support after a reasonable opportunity for further investigation or discovery;
2. The claims and other legal contentions set forth in the Complaint are warranted by existing laws or by a good faith, non-frivolous argument for extension, modification, or reversal of existing law, or by the establishment of new law; and
3. The Complaint is not being filed for any improper purpose, such as to harass or cause unnecessary delay or needless increase in the cost of litigation.

Executed on December 12, 2025



Seung Woo (Ben) Hur
Principal Legal Counsel, Duly Authorized
Samsung Electronics Co., Ltd.

EXHIBIT E

PUBLIC EXHIBIT 15

Part 1 of 2


EXHIBIT 15

Oura Ring 4 Infringement Claim Chart - U.S. Patent No. 10,231,675

	U.S. Patent No. 10,231,675
Independent Claim 13	Oura Ring 4 and Corresponding Applications (collectively, “Oura Accused Product”)
13[pre] 13. A method comprising:	To the extent that the preamble is limiting, the Oura Accused Product comprises a method. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

(<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>)

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

<https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages>

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

<https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection>

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2)
13[a] determining whether an electronic device is worn on a part of a user's body using at	The Oura Accused Product includes determining whether an electronic device is worn on a part of a user's body using at least one first sensor of the electronic device. For example, the Oura Accused Product includes determining whether an electronic device, such as a ring, is worn on a part of a user's body, such as a finger, using at least one first sensor of the electronic device, such as an accelerometer.

	U.S. Patent No. 10,231,675
least one first sensor of the electronic device;	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

UNMATCHED SOLUTIONS FOR THE INTERNET OF THINGS

The Oura Ring

OURA

The Oura Ring is the world's most-advanced wearable that helps you achieve restorative sleep. This innovation is delivered through PSoC 6 MCUs, enabling the following features:

SMALL FORM FACTOR

Integration of several functions into a single PSoC 6 MCU helped reduce the size of the ring over the prior generation by 50%.

DATA STORAGE

PSoC 6's on-chip flash memory enables storage of up to six weeks of user data.

BLUETOOTH LOW ENERGY

The built-in BLE wireless connectivity in PSoC 6 provides communication to the mobile app device.

**EXTENDED BATTERY LIFE**

PSoC 6's ultra-low power was able to extend battery life to seven days, 3X longer than the prior generation ring.

SENSOR FUSION

PSoC 6, as the host processor, connects different biometric sensors in the ring to collect and process data.

**DATA PROCESSING**

The dual Cortex-M4 and Cortex-M0+ cores in PSoC 6 enabled 10X more processing capability vs. the prior-generation ring.

<https://www.infineon.com/assets/row/public/documents/30/39/infineon-psoc-6-mcu-the-new-standard-for-the-internet-of-things-productbrochure-en.pdf>

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

A Wearable That's Truly Wearable, Day and Night



Oura Ring 4 is sleeker and more comfortable than its predecessors, allowing it to blend seamlessly into your lifestyle. With a fully titanium coating inside and out, it's gentle to the touch, even on sensitive skin, and slips on and off your finger with ease.

Plus, the powerful health sensors are now recessed, reducing friction and pressure on your fingers when shaking hands or gripping objects. With the lower profile and advancements in comfort of Oura Ring 4, you might even forget you're wearing it—until the compliments start coming.

[\(https://ouraring.com/blog/oura-ring-4/\)](https://ouraring.com/blog/oura-ring-4/)

	U.S. Patent No. 10,231,675
	Hardware Oura Ring 4 features a fully titanium design and recessed sensors on the interior, enhancing both durability and wearability. Oura Ring 4 is available in six finishes: Black, Silver, Stealth, Brushed Silver, Gold, and Rose Gold. Oura Ring 4 Ceramic is made from high-performance zirconia ceramic, a premium material selected for its scratch resistance, luster, and color. Oura Ring 4 Ceramic is available in four colors: Midnight, Cloud, Petal, and Tide. All Oura Ring 4 models are available in sizes 4-15. The sizing for Oura Ring 4 is slightly different from Oura Ring Gen3. Make sure to use the right sizing kit for the most accurate fit. • Oura Ring 4 Sizing Kit: white ring sizers, sizes 4–15 • Oura Ring Gen3 Sizing Kit: black ring sizers, sizes 6–13 For the best fit and most accurate readings, align your ring so that the sensors are against the palm side of your finger. (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

General Use

You can wear your Oura Ring 24/7. It's built for all-day comfort.

We don't recommend wearing your Oura Ring adjacent to other rings as this may cause discomfort or unintended scratching.

We recommend wearing your Oura Ring on your non-dominant hand. By doing so, you'll limit friction (and scratches to your ring) with items and surfaces you grab and touch each day.

The Oura Ring is water-resistant up to 100 meters (~330 feet), meaning that you can wear it while showering, swimming, or partaking in recreational diving (e.g. *snorkeling*), but we don't recommend using your ring while scuba diving or keeping it submerged underwater for over 12 hours.

Oura Ring operating temperature ranges from -10–52°C / 14–125°F. You can safely wear your ring in the shower, hot tubs, saunas, ice baths, and cryotherapy tanks. However, extended exposure to extreme temperatures (below -20°C / -4°F or above 60°C / 140°F) may lead to battery damage.

For more product specifications, see [Oura Ring 4](https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ) and [Oura Ring Generation 3](https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ).
(https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ)

	U.S. Patent No. 10,231,675
13[b] acquiring first information on a motion of the electronic device using at least a part of the at least one first sensor for a second period of time shortly before and/or immediately after a first period of time when it is determined that the electronic device is worn on a part of the user's body;	The Oura Accused Product includes acquiring first information on a motion of the electronic device using at least a part of the at least one first sensor for a second period of time shortly before and/or immediately after a first period of time when it is determined that the electronic device is worn on a part of the user's body. For example, the Oura Accused Product includes acquiring first information on a motion of the electronic device using at least a part of the at least one first sensor, such as an accelerometer, for a second period of time shortly before and/or immediately after a first period of time when it is determined that the electronic device is worn on a part of the user's body. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

	U.S. Patent No. 10,231,675
13[c] activating at least one second sensor based on at least a part of the first information on the motion of the electronic device;	The Oura Accused Product includes activating at least one second sensor based on at least a part of the first information on the motion of the electronic device. For example, the Oura Accused Product includes activating at least one second sensor, for example a biological sensor, such as a red and/or infrared (IR) LED and sensor, based on at least a part of the first information on the motion of the electronic device, such as the user being asleep or the motion signal satisfying a condition indicative of sleep. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Our-Ring-4)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(<https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages>)

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(<https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection>)

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(<https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2>)

13[d] detecting a biometric information of the user using the activated at least one second sensor;

The Oura Accused Product includes detecting a biometric information of the user using the activated at least one second sensor. For example, the Oura Accused Product includes detecting a biometric information of the user, such as blood oxygen (SpO2) levels, using the activated at least one second sensor, for example a biological sensor, such as the red and/or infrared (IR) LED and sensor.

Sensors

- Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life
- Red and infrared LEDs measure blood oxygen while you sleep
- Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep
- Digital temperature sensor measures average body temperature variations
- Accelerometer tracks movement and activity 24/7

(<https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4>)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(<https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages>)

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(<https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection>)

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2)
13[e] during detecting the biometric information, acquiring second information on a motion of the electronic	The Oura Accused Product includes, during detecting the biometric information, acquiring second information on a motion of the electronic device using at least the part of the at least one first sensor. For example, the Oura Accused Product includes during detecting the biometric information, such as blood oxygen (SpO2) levels,

	U.S. Patent No. 10,231,675
device using at least the part of the at least one first sensor; and	acquiring second information on a motion of the electronic device using at least the part of the at least one first sensor, such as the accelerometer. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(<https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages>)

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(<https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection>)

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2)
13[f] in response to identifying that the motion of the electronic device included in the second information is more	The Oura Accused Product includes, in response to identifying that the motion of the electronic device included in the second information is more than a threshold motion, inactivating the at least one second sensor. For example, the Oura Accused Product includes, in response to identifying that the motion of the electronic device included in the second information is more than a threshold motion, such as a identifying that the user is not

	U.S. Patent No. 10,231,675
than a threshold motion, inactivating the at least one second sensor.	asleep or the second information satisfies a condition indicative of not being asleep, inactivating the at least one second sensor, for example a biological sensor, such as the red and/or infrared (IR) LED and sensor. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(<https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages>)

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(<https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection>)

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2)
Independent Claim 20	
20[pre] 20. An electronic device comprising:	To the extent that the preamble is limiting, the Oura Accused Product is an electronic device.

	U.S. Patent No. 10,231,675
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

U.S. Patent No. 10,231,675		
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7 (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)	

UNMATCHED SOLUTIONS FOR THE INTERNET OF THINGS

The Oura Ring

OURA

The Oura Ring is the world's most-advanced wearable that helps you achieve restorative sleep. This innovation is delivered through PSoC 6 MCUs, enabling the following features:

SMALL FORM FACTOR

Integration of several functions into a single PSoC 6 MCU helped reduce the size of the ring over the prior generation by 50%.

DATA STORAGE

PSoC 6's on-chip flash memory enables storage of up to six weeks of user data.

BLUETOOTH LOW ENERGY

The built-in BLE wireless connectivity in PSoC 6 provides communication to the mobile app device.



EXTENDED BATTERY LIFE

PSoC 6's ultra-low power was able to extend battery life to seven days, 3X longer than the prior generation ring.

SENSOR FUSION

PSoC 6, as the host processor, connects different biometric sensors in the ring to collect and process data.



DATA PROCESSING

The dual Cortex-M4 and Cortex-M0+ cores in PSoC 6 enabled 10X more processing capability vs. the prior-generation ring.

<https://www.infineon.com/assets/row/public/documents/30/39/infineon-psoc-6-mcu-the-new-standard-for-the-internet-of-things-productbrochure-en.pdf>

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

A Wearable That's Truly Wearable, Day and Night



Oura Ring 4 is sleeker and more comfortable than its predecessors, allowing it to blend seamlessly into your lifestyle. With a fully titanium coating inside and out, it's gentle to the touch, even on sensitive skin, and slips on and off your finger with ease.

Plus, the powerful health sensors are now recessed, reducing friction and pressure on your fingers when shaking hands or gripping objects. With the lower profile and advancements in comfort of Oura Ring 4, you might even forget you're wearing it—until the compliments start coming.

[\(https://ouraring.com/blog/oura-ring-4/\)](https://ouraring.com/blog/oura-ring-4/)

	U.S. Patent No. 10,231,675
	Hardware Oura Ring 4 features a fully titanium design and recessed sensors on the interior, enhancing both durability and wearability. Oura Ring 4 is available in six finishes: Black, Silver, Stealth, Brushed Silver, Gold, and Rose Gold. Oura Ring 4 Ceramic is made from high-performance zirconia ceramic, a premium material selected for its scratch resistance, luster, and color. Oura Ring 4 Ceramic is available in four colors: Midnight, Cloud, Petal, and Tide. All Oura Ring 4 models are available in sizes 4-15. The sizing for Oura Ring 4 is slightly different from Oura Ring Gen3. Make sure to use the right sizing kit for the most accurate fit. • Oura Ring 4 Sizing Kit: white ring sizes, sizes 4–15 • Oura Ring Gen3 Sizing Kit: black ring sizes, sizes 6–13 For the best fit and most accurate readings, align your ring so that the sensors are against the palm side of your finger. (https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4)

EXHIBIT F

EXHIBIT 3

Oura Ring 4 Infringement Claim Chart - U.S. Patent No. 10,231,675

	U.S. Patent No. 10,231,675
Independent Claim 13	Oura Ring 4 and Corresponding Applications (collectively, “Oura Accused Product”)
13[pre] 13. A method comprising:	To the extent that the preamble is limiting, the Oura Accused Product comprises a method.
13[a] determining whether an electronic device is worn on a part of a user’s body using at least one first sensor of the electronic device;	The Oura Accused Product includes determining whether an electronic device is worn on a part of a user’s body using at least one first sensor of the electronic device. The Oura Accused Product includes a sensor, such as an accelerometer, for determining whether is the electronic ring is worn on a part of a user’s body, such as a finger. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

UNMATCHED SOLUTIONS FOR THE INTERNET OF THINGS

The Oura Ring

OURA

The Oura Ring is the world's most-advanced wearable that helps you achieve restorative sleep. This innovation is delivered through PSoC 6 MCUs, enabling the following features:

SMALL FORM FACTOR

Integration of several functions into a single PSoC 6 MCU helped reduce the size of the ring over the prior generation by 50%.

DATA STORAGE

PSoC 6's on-chip flash memory enables storage of up to six weeks of user data.

BLUETOOTH LOW ENERGY

The built-in BLE wireless connectivity in PSoC 6 provides communication to the mobile app device.



EXTENDED BATTERY LIFE

PSoC 6's ultra-low power was able to extend battery life to seven days, 3X longer than the prior generation ring.

SENSOR FUSION

PSoC 6, as the host processor, connects different biometric sensors in the ring to collect and process data.



DATA PROCESSING

The dual Cortex-M4 and Cortex-M0+ cores in PSoC 6 enabled 10X more processing capability vs. the prior-generation ring.

(SAMS382-0028055, <https://www.infineon.com/assets/row/public/documents/30/39/infineon-psoc-6-mcu-the-new-standard-for-the-internet-of-things-productbrochure-en.pdf> (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

A Wearable That's Truly Wearable, Day and Night



Oura Ring 4 is sleeker and more comfortable than its predecessors, allowing it to blend seamlessly into your lifestyle. With a fully titanium coating inside and out, it's gentle to the touch, even on sensitive skin, and slips on and off your finger with ease.

Plus, the powerful health sensors are now recessed, reducing friction and pressure on your fingers when shaking hands or gripping objects. With the lower profile and advancements in comfort of Oura Ring 4, you might even forget you're wearing it—until the compliments start coming.

(SAMS382-0027612, <https://ouraring.com/blog/oura-ring-4/> (retrieved March 10, 2026))

Hardware

Oura Ring 4 features a fully titanium design and recessed sensors on the interior, enhancing both durability and wearability. Oura Ring 4 is available in six finishes: Black, Silver, Stealth, Brushed Silver, Gold, and Rose Gold.

Oura Ring 4 Ceramic is made from high-performance zirconia ceramic, a premium material selected for its scratch resistance, luster, and color. Oura Ring 4 Ceramic is available in four colors: Midnight, Cloud, Petal, and Tide.

All Oura Ring 4 models are available in sizes 4-15.

The sizing for Oura Ring 4 is slightly different from Oura Ring Gen3. Make sure to use the right sizing kit for the most accurate fit.

- Oura Ring 4 Sizing Kit: white ring sizers, sizes 4–15
- Oura Ring Gen3 Sizing Kit: black ring sizers, sizes 6–13

For the best fit and most accurate readings, align your ring so that the sensors are against the palm side of your finger.

(SAMS382-0027802, <https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4> (retrieved March 10, 2026))

General Use

You can wear your Oura Ring 24/7. It's built for all-day comfort.

We don't recommend wearing your Oura Ring adjacent to other rings as this may cause discomfort or unintended scratching.

We recommend wearing your Oura Ring on your non-dominant hand. By doing so, you'll limit friction (and scratches to your ring) with items and surfaces you grab and touch each day.

The Oura Ring is water-resistant up to 100 meters (~330 feet), meaning that you can wear it while showering, swimming, or partaking in recreational diving (e.g. *snorkeling*), but we don't recommend using your ring while scuba diving or keeping it submerged underwater for over 12 hours.

Oura Ring operating temperature ranges from -10–52°C / 14–125°F. You can safely wear your ring in the shower, hot tubs, saunas, ice baths, and cryotherapy tanks. However, extended exposure to extreme temperatures (below -20°C / -4°F or above 60°C / 140°F) may lead to battery damage.

For more product specifications, see [Oura Ring 4](#) and [Oura Ring Generation 3](#). (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
13[b] acquiring first information on a motion of the electronic device using at least a part of the at least one first sensor for a second period of time shortly before and/or immediately after a first period of time when it is determined that the electronic device is worn on a part of the user's body;	The Oura Accused Product includes acquiring first information on a motion of the electronic device using at least a part of the at least one first sensor for a second period of time shortly before and/or immediately after a first period of time when it is determined that the electronic device is worn on a part of the user's body. The Oura Accused Product includes the first sensor, such as an accelerometer, for acquiring first information on a motion of the electronic ring. The electronic ring and its accelerometer acquires this information for a second period of time, such as the period of time shortly before or immediately after it is determined that the electronic device is worn on a part of the user's body, where the first period of time is a period of time when the electronic ring is not being worn. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Our-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

	U.S. Patent No. 10,231,675
13[c] activating at least one second sensor based on at least a part of the first information on the motion of the electronic device;	The Oura Accused Product includes activating at least one second sensor based on at least a part of the first information on the motion of the electronic device. The Oura Accused Product activates at least one second sensor on the electronic ring device, such as a red and/or infrared (IR) LED and sensor, based on at least a part of the first information on the motion of the electronic device. The red and/or infrared (IR) LED could be activated after the first information on the motion indicates that the user being asleep or the motion signal satisfies a condition indicative of sleep. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Our-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(SAMS382-0028038, <https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages> (retrieved March 10, 2026))

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(SAMS382-0027774, <https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (SAMS382-0027592, https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2 (retrieved March 10, 2026))
13[d] detecting a biometric information of the user using	The Oura Accused Product includes detecting a biometric information of the user using the activated at least one second sensor.

	U.S. Patent No. 10,231,675
the activated at least one second sensor;	The Oura Accused Product detects biometric information of the user, such as blood oxygen (SpO2) levels, using the activated at least one second sensor, such as the red and/or infrared (IR) LED and sensor. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(SAMS382-0028038, <https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages> (retrieved March 10, 2026))

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(SAMS382-0027774, <https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (SAMS382-0027592, https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2 (retrieved March 10, 2026))
13[e] during detecting the biometric information,	The Oura Accused Product includes, during detecting the biometric information, acquiring second information on a motion of the electronic device using at least the part of the at least one first sensor.

	U.S. Patent No. 10,231,675
acquiring second information on a motion of the electronic device using at least the part of the at least one first sensor; and	While detecting the biometric information, such as blood oxygen (SpO2) levels, the Oura Accused Product acquires second information on a motion of the electronic device using at least the part of the at least one first sensor, such as the accelerometer. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Ouraring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(SAMS382-0028038, <https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages> (retrieved March 10, 2026))

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(SAMS382-0027774, <https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (SAMS382-0027592, https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2 (retrieved March 10, 2026))
13[f] in response to identifying that the motion of the	The Oura Accused Product includes, in response to identifying that the motion of the electronic device included in the second information is more than a threshold motion, inactivating the at least one second sensor.

	U.S. Patent No. 10,231,675
electronic device included in the second information is more than a threshold motion, inactivating the at least one second sensor.	The Oura Accused Product can identify that the motion of the electronic ring device included in the second information is more than a threshold motion, which could signal that the user is not asleep or the second information satisfies a condition indicative of not being asleep. In response to determining that the user is not asleep based on the user's motion, the Oura Accused Product can then inactivate the at least one second sensor, such as the red and/or infrared (IR) LED and sensor. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Our-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

(SAMS382-0028038, <https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages> (retrieved March 10, 2026))

How Nap Detection Works

For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one **sleep stage** (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the **24-hour heart rate graph** as restorative time (green).

Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically.

(SAMS382-0027774, <https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (SAMS382-0027592, https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2 (retrieved March 10, 2026))
Dependent Claim 14	

	U.S. Patent No. 10,231,675
14. The method of claim 13, wherein the at least one first sensor comprises at least one of a proximity sensor, a gyro sensor, a terrestrial magnetism sensor, or an acceleration sensor.	The Oura Accused Product includes wherein the at least one first sensor comprises at least one of a proximity sensor, a gyro sensor, a terrestrial magnetism sensor, or an acceleration sensor. The Oura Accused Product includes at least one acceleration sensor, such as an accelerometer. <i>See Claim 13. See also:</i> Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675	
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))
Dependent Claim 15	
15[a] The method of claim 13, further comprising: acquiring additional information on the motion of the electronic device using at least a part of the at least one	The Oura Accused Product includes acquiring additional information on the motion of the electronic device using at least a part of the at least one first sensor for a third period of time, which is shorter than the first period of time, immediately after the second period of time passes. The Oura Accused Product, during a third period of time beginning immediately after the second period of time (e.g., the period of time ending after the user wakes up), which may be shorter than a first period of time when

	U.S. Patent No. 10,231,675
first sensor for a third period of time, which is shorter than the first period of time, immediately after the second period of time passes; and	the Galaxy Watch product is not being worn, acquires additional information on the motion of the electronic device using the at least one first sensor, e.g., an accelerometer. <i>See Claim 13. See also:</i> Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))		
15[b] activating the at least one second sensor based on at least a part of the additional information.	The Oura Accused Product includes activating the at least one second sensor based on at least a part of the additional information. The Oura Accused Product activates the one second sensor, such as a red and/or infrared (IR) LED and sensor, based on at least a part of the additional information on the motion of the electronic ring device during the third time period, such as the user being asleep or the motion signal satisfying a condition indicative of sleep.		

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDs into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
Dependent Claim 16	
16. The method of claim 15, wherein at least one of the second period of time or the third period of time comprises a time point when the first period of time passes.	The Oura Accused Product includes wherein at least one of the second period of time or the third period of time comprises a time point when the first period of time passes. For example, the Oura Accused Product can, during a second period of time The Oura Accused Product includes the first sensor, such as an accelerometer, for acquiring first information on a motion of the electronic ring. The electronic ring and its accelerometer acquires this information for a second period of time, such as the period of time when it is determined that the electronic device is worn on a part of the user's body, shortly before and/or immediately after a first period of time, such as a period of time when the electronic ring is not being worn. The Oura Accused Product includes the first sensor, such as an accelerometer, for acquiring first information on a motion of the electronic ring. The electronic ring and its accelerometer acquires this information for a second period of time shortly before it is determined that the electronic device is worn on a part of the user's body, which comprises a time point when the first period of time passes <i>See Claims 13 and 15. See also:</i>

	U.S. Patent No. 10,231,675
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDs into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
Dependent Claim 17	
17[a] The method of claim 13, further comprising: accumulating a number of failures when the detection of the biometric information fails; and	The Oura Accused Product includes accumulating a number of failures when the detection of the biometric information fails. The Oura Accused Product can detect and accumulate failures to detect biometric information from one or more biological sensors such as red and/or infrared (IR) LEDs and sensors. For example, the Oura Accused Product includes Smart Sensing, that adjusts which sensors to activate based on factors such as finger structure, skin tone, activity, and ring orientation, which includes deactivating sensors based on failure to obtain biometric information. <i>See Claim 13. See also:</i> Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))
17[b] deactivating the at least one second sensor when a cumulative number of failures satisfies a selected condition.	The Oura Accused Product includes deactivating the at least one second sensor when a cumulative number of failures satisfies a selected condition. The Oura Accused Product, including the Smart Sensing feature, deactivates sensors such as the red and/or infrared (IR) LEDs and sensors when a cumulative number of failures satisfies a selected condition.		

	U.S. Patent No. 10,231,675
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDs into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
Dependent Claim 18	
18[a] The method of claim 13, wherein the detection of the biometric information of the user using the activated at least one second sensor comprises: acquiring data about a physical characteristic or state of the user; and	The Oura Accused Product includes wherein the detection of the biometric information of the user using the activated at least one second sensor comprises acquiring data about a physical characteristic or state of the user. The Oura Accused Product includes Smart Sensing, that detects data about a physical characteristic or state of the user, such as blood oxygen (SpO2), heart rate, and respiration rate. <i>See Claim 13. See also:</i> Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
		(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))	
18[b] changing at least one condition for activating the at least one second sensor based on at least a part of the data.	The Oura Accused Product includes changing at least one condition for activating the at least one second sensor based on at least a part of the data. The Oura Accused Product includes Smart Sensing, which adjusts which sensors to activate based on factors such as finger structure, skin tone, activity, and ring orientation, which includes changing at least one condition for activating the at least one second sensor based on at least a part of the data about a physical characteristic or state of the user.		

U.S. Patent No. 10,231,675	
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDs into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
Dependent Claim 19	
19[a] The method of claim 13, wherein the detection of the biometric information of the user using the activated at least one second sensor comprises: acquiring data from at least one of the at least one first sensor and the at least one second sensor; and	The Oura Accused Product includes wherein the detection of the biometric information of the user using the activated at least one second sensor comprises acquiring data from at least one of the at least one first sensor and the at least one second sensor. The Oura Accused Product acquires motion data from at least one of the at least one first sensor, a motion sensor such as an accelerometer, and biometric data, such as SpO2 data, from the at least one second sensor, such as red and/or infrared (IR) LEDs and sensors. <i>See Claim 13. See also:</i> Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	<table border="1"> <tr> <td>Sensors</td><td> • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7 </td></tr> </table> (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7
Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7		
19[b] changing at least one condition for activating the at least one second sensor based on at least a part of the data.	The Oura Accused Product includes changing at least one condition for activating the at least one second sensor based on at least a part of the data. The Oura Accused Product includes Smart Sensing, which adjusts which sensors to activate based on factors such as finger structure, skin tone, activity, and ring orientation, which includes changing at least one condition for activating the at least one second sensor based on at least a part of the data from the first and/or second sensors.		

	U.S. Patent No. 10,231,675
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDs into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
Independent Claim 20	
20[pre] 20. An electronic device comprising:	To the extent that the preamble is limiting, the Oura Accused Product includes an electronic device, specifically a wearable electronic ring. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

UNMATCHED SOLUTIONS FOR THE INTERNET OF THINGS

The Oura Ring

OURA

The Oura Ring is the world's most-advanced wearable that helps you achieve restorative sleep.

This innovation is delivered through PSoC 6 MCUs, enabling the following features:

SMALL FORM FACTOR

Integration of several functions into a single PSoC 6 MCU helped reduce the size of the ring over the prior generation by 50%.

DATA STORAGE

PSoC 6's on-chip flash memory enables storage of up to six weeks of user data.

BLUETOOTH LOW ENERGY

The built-in BLE wireless connectivity in PSoC 6 provides communication to the mobile app device.

**EXTENDED BATTERY LIFE**

PSoC 6's ultra-low power was able to extend battery life to seven days, 3X longer than the prior generation ring.

SENSOR FUSION

PSoC 6, as the host processor, connects different biometric sensors in the ring to collect and process data.

DATA PROCESSING

The dual Cortex-M4 and Cortex-M0+ cores in PSoC 6 enabled 10X more processing capability vs. the prior-generation ring.

(SAMS382-0028055, <https://www.infineon.com/assets/row/public/documents/30/39/infineon-psoc-6-mcu-the-new-standard-for-the-internet-of-things-productbrochure-en.pdf> (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

A Wearable That's Truly Wearable, Day and Night



Oura Ring 4 is sleeker and more comfortable than its predecessors, allowing it to blend seamlessly into your lifestyle. With a fully titanium coating inside and out, it's gentle to the touch, even on sensitive skin, and slips on and off your finger with ease.

Plus, the powerful health sensors are now recessed, reducing friction and pressure on your fingers when shaking hands or gripping objects. With the lower profile and advancements in comfort of Oura Ring 4, you might even forget you're wearing it—until the compliments start coming.

(SAMS382-0027612, <https://ouraring.com/blog/oura-ring-4/> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	Hardware Oura Ring 4 features a fully titanium design and recessed sensors on the interior, enhancing both durability and wearability. Oura Ring 4 is available in six finishes: Black, Silver, Stealth, Brushed Silver, Gold, and Rose Gold. Oura Ring 4 Ceramic is made from high-performance zirconia ceramic, a premium material selected for its scratch resistance, luster, and color. Oura Ring 4 Ceramic is available in four colors: Midnight, Cloud, Petal, and Tide. All Oura Ring 4 models are available in sizes 4-15. The sizing for Oura Ring 4 is slightly different from Oura Ring Gen3. Make sure to use the right sizing kit for the most accurate fit. • Oura Ring 4 Sizing Kit: white ring sizes, sizes 4–15 • Oura Ring Gen3 Sizing Kit: black ring sizes, sizes 6–13 For the best fit and most accurate readings, align your ring so that the sensors are against the palm side of your finger. (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

General Use

You can wear your Oura Ring 24/7. It's built for all-day comfort.

We don't recommend wearing your Oura Ring adjacent to other rings as this may cause discomfort or unintended scratching.

We recommend wearing your Oura Ring on your non-dominant hand. By doing so, you'll limit friction (and scratches to your ring) with items and surfaces you grab and touch each day.

The Oura Ring is water-resistant up to 100 meters (~330 feet), meaning that you can wear it while showering, swimming, or partaking in recreational diving (e.g. *snorkeling*), but we don't recommend using your ring while scuba diving or keeping it submerged underwater for over 12 hours.

Oura Ring operating temperature ranges from -10–52°C / 14–125°F. You can safely wear your ring in the shower, hot tubs, saunas, ice baths, and cryotherapy tanks. However, extended exposure to extreme temperatures (below -20°C / -4°F or above 60°C / 140°F) may lead to battery damage.

For more product specifications, see [Oura Ring 4](#) and [Oura Ring Generation 3](#). (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
20[a] at least one first sensor;	The Oura Accused Product includes at least one first sensor. The Oura Accused Product includes a first sensor that is a motion sensor, such as an accelerometer. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Our-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675	
	Sensors • Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))
20[b] at least one second sensor;	The Oura Accused Product includes at least one second sensor. The Oura Accused Product includes a second sensor, such as a red and/or infrared (IR) LED and sensor.

	U.S. Patent No. 10,231,675
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

What Is Live Heart Rate?

With Live Heart Rate, you can check your heart rate at any time during the day. Just tap to see your heart rate instantly. You can access Live Heart Rate through the 24-hour [heart rate graph](#).

Oura uses green LEDs to measure your heart rate in real-time. The process uses photoplethysmography (PPG) technology at a frequency of 50Hz.

PPG technology works by shining a light onto the surface of your skin. When this reaches your blood vessels, some of the light is reflected back onto a photodetector. The intensity of light reflected back captures the amount of blood in your blood vessel via a waveform.

Depending on the color of light used, different biometrics can be captured through their unique waveforms. For example, when your blood vessels are expanded, more green light will be absorbed compared to when they're contracted. This phenomenon allows your pulse to be accurately taken.

To gather an accurate pulse reading, you must remain relatively still for Live Heart Rate to take its full 10-second measurement. If Oura detects too much motion, your Live Heart Rate won't be available.

(SAMS382-0027769, <https://support.ouraring.com/hc/en-us/articles/4410651298963-Live-Heart-Rate> (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before




Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>

	U.S. Patent No. 10,231,675
20[c] a memory; and	The Oura Accused Product includes a memory. The Oura Accused Product includes memory, such as RAM and storage.



(Oura App → Help → Product Safety & Use → Memory Capacity)

	U.S. Patent No. 10,231,675
	Memory Capacity We recommend you sync your Oura Ring daily with your Oura App. However, the Oura Ring is capable of storing up to one week of data depending on the type and frequency of use. This means that your ring can continue to collect data without syncing to your device for up to one week. This would apply in the case that you wanted to enable Airplane Mode for an extended period of time. Airplane Mode can only be enabled for a maximum of seven days. This is because Airplane Mode is automatically disabled each time your ring is placed back on its charger. Once Airplane Mode is disabled upon this action, a data sync between your ring and app will be initiated upon re-charging. If you'd like to keep Airplane Mode enabled for extended periods of time, you'll still need to charge your ring every few days for optimal battery performance and daily use. Be sure to re-enable Airplane Mode following the completion of charging—instructions on how to do so can be found in this article. (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))
20[d] at least one processor electrically connected to the at least one first sensor, the at least one second sensor, and the memory,	The Oura Accused Product includes at least one processor electrically connected to the at least one first sensor, the at least one second sensor, and the memory. The Oura Accused Product comprises an Infineon PSoC 6 Controller that is connected to, among other things, the accelerometer, the red and/or infrared (IR) LED and sensor, RAM, and storage.

UNMATCHED SOLUTIONS FOR THE INTERNET OF THINGS

The Oura Ring

OURA

The Oura Ring is the world's most-advanced wearable that helps you achieve restorative sleep.

This innovation is delivered through PSoC 6 MCUs, enabling the following features:

SMALL FORM FACTOR

Integration of several functions into a single PSoC 6 MCU helped reduce the size of the ring over the prior generation by 50%.

DATA STORAGE

PSoC 6's on-chip flash memory enables storage of up to six weeks of user data.

BLUETOOTH LOW ENERGY

The built-in BLE wireless connectivity in PSoC 6 provides communication to the mobile app device.

**EXTENDED BATTERY LIFE**

PSoC 6's ultra-low power was able to extend battery life to seven days, 3X longer than the prior generation ring.


SENSOR FUSION

PSoC 6, as the host processor, connects different biometric sensors in the ring to collect and process data.

**DATA PROCESSING**

The dual Cortex-M4 and Cortex-M0+ cores in PSoC 6 enabled 10X more processing capability vs. the prior-generation ring.

(SAMS382-0028055, <https://www.infineon.com/assets/row/public/documents/30/39/infineon-psoc-6-mcu-the-new-standard-for-the-internet-of-things-productbrochure-en.pdf> (retrieved March 10, 2026))



(Oura App → Help → Product Safety & Use → Memory Capacity)

	U.S. Patent No. 10,231,675
	Memory Capacity We recommend you sync your Oura Ring daily with your Oura App. However, the Oura Ring is capable of storing up to one week of data depending on the type and frequency of use. This means that your ring can continue to collect data without syncing to your device for up to one week. This would apply in the case that you wanted to enable Airplane Mode for an extended period of time. Airplane Mode can only be enabled for a maximum of seven days. This is because Airplane Mode is automatically disabled each time your ring is placed back on its charger. Once Airplane Mode is disabled upon this action, a data sync between your ring and app will be initiated upon re-charging. If you'd like to keep Airplane Mode enabled for extended periods of time, you'll still need to charge your ring every few days for optimal battery performance and daily use. Be sure to re-enable Airplane Mode following the completion of charging—instructions on how to do so can be found in this article. (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))
20[e] wherein the memory stores one or more computer programs including instructions which, when executed by the at least one processor, cause the at least one processor to:	The Oura Accused Product includes a memory that stores one or more computer programs including instructions which, when executed by the at least one processor, cause the at least one processor to perform certain tasks, which are described below in limitations [e][i] – [e][vi]).

	U.S. Patent No. 10,231,675
	Oura employs data encryption, which ensures secure pairing of your ring and app. This means your personal data will be kept fully secure in case an external party ever gets a hold of your ring. The Oura App is available on the App Store and Google Play. The Oura App is supported on iOS devices running Apple iOS 16 and higher, or Android devices running Android 9 and higher with Google Play services. Your device must support Bluetooth 4.0. Ring firmware updates are accessible directly from your Oura App. (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))

UNMATCHED SOLUTIONS FOR THE INTERNET OF THINGS

The Oura Ring

OURA

The Oura Ring is the world's most-advanced wearable that helps you achieve restorative sleep. This innovation is delivered through PSoC 6 MCUs, enabling the following features:

SMALL FORM FACTOR

Integration of several functions into a single PSoC 6 MCU helped reduce the size of the ring over the prior generation by 50%.

DATA STORAGE

PSoC 6's on-chip flash memory enables storage of up to six weeks of user data.

BLUETOOTH LOW ENERGY

The built-in BLE wireless connectivity in PSoC 6 provides communication to the mobile app device.



EXTENDED BATTERY LIFE

PSoC 6's ultra-low power was able to extend battery life to seven days, 3X longer than the prior generation ring.

SENSOR FUSION


PSoC 6, as the host processor, connects different biometric sensors in the ring to collect and process data.



DATA PROCESSING

The dual Cortex-M4 and Cortex-M0+ cores in PSoC 6 enabled 10X more processing capability vs. the prior-generation ring.

(SAMS382-0028055, <https://www.infineon.com/assets/row/public/documents/30/39/infineon-psoc-6-mcu-the-new-standard-for-the-internet-of-things-productbrochure-en.pdf> (retrieved March 10, 2026))



(Oura App → Help → Product Safety & Use → Memory Capacity)

	U.S. Patent No. 10,231,675
	Memory Capacity We recommend you sync your Oura Ring daily with your Oura App. However, the Oura Ring is capable of storing up to one week of data depending on the type and frequency of use. This means that your ring can continue to collect data without syncing to your device for up to one week. This would apply in the case that you wanted to enable Airplane Mode for an extended period of time. Airplane Mode can only be enabled for a maximum of seven days. This is because Airplane Mode is automatically disabled each time your ring is placed back on its charger. Once Airplane Mode is disabled upon this action, a data sync between your ring and app will be initiated upon re-charging. If you'd like to keep Airplane Mode enabled for extended periods of time, you'll still need to charge your ring every few days for optimal battery performance and daily use. Be sure to re-enable Airplane Mode following the completion of charging—instructions on how to do so can be found in this article. (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))
20[e][i] determine whether the electronic device is worn on a part of a user's body,	The Oura Accused Product determines whether the electronic device is worn on a part of a user's body. The Oura Accused Product includes memory that causes the processor to determine whether the electronic device is worn on a part of a user's body, such as a finger, using sensor(s) for wear detection.

A Wearable That's Truly Wearable, Day and Night



Oura Ring 4 is sleeker and more comfortable than its predecessors, allowing it to blend seamlessly into your lifestyle. With a fully titanium coating inside and out, it's gentle to the touch, even on sensitive skin, and slips on and off your finger with ease.

Plus, the powerful health sensors are now recessed, reducing friction and pressure on your fingers when shaking hands or gripping objects. With the lower profile and advancements in comfort of Oura Ring 4, you might even forget you're wearing it—until the compliments start coming.

(SAMS382-0027612, <https://ouraring.com/blog/oura-ring-4/> (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	Hardware Oura Ring 4 features a fully titanium design and recessed sensors on the interior, enhancing both durability and wearability. Oura Ring 4 is available in six finishes: Black, Silver, Stealth, Brushed Silver, Gold, and Rose Gold. Oura Ring 4 Ceramic is made from high-performance zirconia ceramic, a premium material selected for its scratch resistance, luster, and color. Oura Ring 4 Ceramic is available in four colors: Midnight, Cloud, Petal, and Tide. All Oura Ring 4 models are available in sizes 4-15. The sizing for Oura Ring 4 is slightly different from Oura Ring Gen3. Make sure to use the right sizing kit for the most accurate fit. • Oura Ring 4 Sizing Kit: white ring sizes, sizes 4–15 • Oura Ring Gen3 Sizing Kit: black ring sizes, sizes 6–13 For the best fit and most accurate readings, align your ring so that the sensors are against the palm side of your finger. (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

General Use

You can wear your Oura Ring 24/7. It's built for all-day comfort.

We don't recommend wearing your Oura Ring adjacent to other rings as this may cause discomfort or unintended scratching.

We recommend wearing your Oura Ring on your non-dominant hand. By doing so, you'll limit friction (and scratches to your ring) with items and surfaces you grab and touch each day.

The Oura Ring is water-resistant up to 100 meters (~330 feet), meaning that you can wear it while showering, swimming, or partaking in recreational diving (e.g. *snorkeling*), but we don't recommend using your ring while scuba diving or keeping it submerged underwater for over 12 hours.

Oura Ring operating temperature ranges from -10–52°C / 14–125°F. You can safely wear your ring in the shower, hot tubs, saunas, ice baths, and cryotherapy tanks. However, extended exposure to extreme temperatures (below -20°C / -4°F or above 60°C / 140°F) may lead to battery damage.

For more product specifications, see [Oura Ring 4](#) and [Oura Ring Generation 3](#). (SAMS382-0027816, https://support.ouraring.com/hc/en-us/articles/360025428394-Product-Safety-Use#h_01G371BFQ5FGF4QPJ63T6AJFZZ (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
20[e][ii] when the electronic device is worn on the part of the user's body, determine a motion of the electronic device based on first information obtained by the at least one first sensor,	The Oura Accused Product, when the electronic device is worn on the part of the user's body, determine a motion of the electronic device based on first information obtained by the at least one first sensor. The Oura Accused Product includes memory that causes the processor to determine, when the electronic ring device is worn on the user's finger, a motion of the electronic ring device obtained by the at least one first sensor, such as an accelerometer. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

	U.S. Patent No. 10,231,675
	https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y
20[e][iii] determine whether to identify biometric information based on the motion of the electronic device,	The Oura Accused Product determines whether to identify biometric information based on the motion of the electronic device. The Oura Accused Product includes memory that causes the processor to determine whether to identify biometric information, such as blood oxygen (SpO₂) levels, based on the motion of the electronic device, such as the user being asleep or the motion signal satisfying a condition indicative of sleep. In particular, when the motion signal indicates the user may be sleeping or is asleep, Red and infrared LEDs measure blood oxygen, SpO₂. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
		(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))	

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

(<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>)

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

U.S. Patent No. 10,231,675	
	(SAMS382-0028038, https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages (retrieved March 10, 2026)) How Nap Detection Works For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one sleep stage (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the 24-hour heart rate graph as restorative time (green). Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically. (SAMS382-0027774, https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (SAMS382-0027592, https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2 (retrieved March 10, 2026))
20[e][iv] in response to determining to identify	The Oura Accused Product, in response to determining to identify biometric information, identifies the biometric information of the user through the at least one second sensor.

	U.S. Patent No. 10,231,675
biometric information, identify the biometric information of the user through the at least one second sensor,	The Oura Accused Product includes memory that causes the processor to identify biometric information, such as blood oxygen (SpO₂) levels, through the use of red and/or infrared (IR) LED and sensor, in response to determining that the user is asleep or the motion signal satisfies a condition indicative of sleep. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

(<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>)

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

	U.S. Patent No. 10,231,675
	(SAMS382-0028038, https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages (retrieved March 10, 2026)) How Nap Detection Works For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one sleep stage (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the 24-hour heart rate graph as restorative time (green). Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically. (SAMS382-0027774, https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection (retrieved March 10, 2026))

	U.S. Patent No. 10,231,675
	How Does Blood Oxygen Sensing (SpO2) Work? The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light. Your blood oxygen measurements are located on the Oura App's Sleep screen. The Average Blood Oxygen reading is the percentage of your blood that contains oxygen. The Breathing Regularity graph displays variations in how much oxygen is present in your blood. This is different from respiratory rate, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during sleep periods longer than three hours, but the Oura App only displays the results for the longest sleep period of the day. Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day. (SAMS382-0027592, https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2 (retrieved March 10, 2026))
20[e][v] during identifying the biometric information of the	The Oura Accused Product, during identifying the biometric information of the user, obtain second information on a motion of the electronic device using the at least one first sensor.

	U.S. Patent No. 10,231,675
user, obtain second information on a motion of the electronic device using the at least one first sensor, and	The Oura Accused Product includes memory that causes the processor to obtain second information corresponding to the motion of the electronic device using the at least one first sensor, such as an accelerometer. Such motion information is obtained while biometric information, such as blood oxygen (SpO₂) levels is obtained, such as when the user is asleep. Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Ouraring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

(<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>)

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

	U.S. Patent No. 10,231,675
	(SAMS382-0028038, https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages (retrieved March 10, 2026)) How Nap Detection Works For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one sleep stage (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the 24-hour heart rate graph as restorative time (green). Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically. (SAMS382-0027774, https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection (retrieved March 10, 2026))
20[e][vi] in response to identifying that the motion of the electronic device included in the second information is more than a threshold motion, inactivate the at least one second sensor.	The Oura Accused Product, in response to identifying that the motion of the electronic device included in the second information is more than a threshold motion, inactivates the at least one second sensor. The Oura Accused Product includes memory that causes the processor to inactivate the at least one second sensor, such as the red and/or infrared (IR) LED and sensor, in response to identifying that the motion of the electronic ring device included is more than a threshold level of motion. When the user's motion exceeds this threshold level, it could, for example, signal that the user is not asleep or the second information about motion satisfies a condition indicative of not being asleep.

	U.S. Patent No. 10,231,675
	Sensors • Smart Sensing is a sensing platform designed to give you the most complete picture of your health. The research-grade sensors work with an algorithm that adapts to the unique structure and skin tone of your finger and your current activity to deliver the most accurate, continuous data, day and night—all while optimizing battery life • Red and infrared LEDs measure blood oxygen while you sleep • Green and infrared PPG sensors alternate to measure heart rate 24/7 and heart rate variability and respiration rate during your sleep • Digital temperature sensor measures average body temperature variations • Accelerometer tracks movement and activity 24/7 (SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

U.S. Patent No. 10,231,675			
	Sensors	• Red and infrared LEDs measure blood oxygen levels • Green and infrared LEDs alternate to measure heart rate and heart rate variability 24/7 and respiration rate • Digital sensor measures temperature trends • Accelerometer tracks movement and activity 24/7	
			(SAMS382-0027802, https://support.ouraring.com/hc/en-us/articles/33045011508115-Oura-Ring-4 (retrieved March 10, 2026))

Oura Ring 4: More Accurate Than Ever Before



Crafted with precision, the [accuracy of Oura Ring](#) has been validated by research institutions across the globe, such as the University of Tokyo and the [National University of Singapore](#). In Oura Ring 4, the new Smart Sensing technology provides an unparalleled degree of accuracy and personalization.

This breakthrough health sensing platform works with the ring's research-grade sensors to learn your unique physiology. The multiple sensors inside the ring form an 18-path multi-wavelength photoplethysmography (PPG) subsystem to provide highly accurate, continuous biometric data, including resting heart rate, [sleep stages](#), [heart rate variability \(HRV\)](#), temperature trends, and more, throughout the day and night.

(<https://ouraring.com/blog/oura-ring-4/?srsltid=AfmBOoprNrYcsfQDaXXRORngQyVU-anCvQA1xy643RvYSDEZ7fIDmo8Y>)

How Sleep Stages Are Measured

Oura uses data from many of your biosignals — including movement, skin temperature, resting heart rate, heart rate variability (HRV), and respiratory rate — to determine which sleep stage your body is in. Here are some of the indicators that Oura looks for at each stage:

Light sleep:

- Respiratory rate slows
- Heart rate decreases
- Average body temperature drops

Deep sleep:

- Low movement
- Heart rate and respiration stabilize
- Skin temperature is at its highest

REM sleep:

- Respiratory rate increases
- Heart rate increases

Learn more about how Oura measures sleep in this video:

U.S. Patent No. 10,231,675	
	(SAMS382-0028038, https://support.ouraring.com/hc/en-us/articles/11752397946003-Sleep-Stages (retrieved March 10, 2026)) How Nap Detection Works For Oura to detect sleep as a nap, it must be between 15 minutes and three hours in length, and your body must fall into at least one sleep stage (e.g. light, deep, or REM) during that time. It is possible that your time in bed may extend beyond 15 minutes, but changes in your heart rate, movement, and average body temperature do not yet indicate that you've physically entered sleep. Extra movement or an elevated heart rate may also delay detection of a nap. In these cases, a presumed nap may be instead labeled as a rest and shown on the 24-hour heart rate graph as restorative time (green). Any sleep picked up by Oura that's longer than three hours will be viewed as your longest sleep period, and added automatically. (SAMS382-0027774, https://support.ouraring.com/hc/en-us/articles/1500009653181-Nap-Detection (retrieved March 10, 2026))

How Does Blood Oxygen Sensing (SpO2) Work?

The Oura Ring measures peripheral oxygen saturation (SpO2) levels in your blood by sending light from the ring's red and infrared LEDS into your finger while you sleep, and then measuring how much light is reflected. Richly oxygenated blood reflects more red light than infrared light, while poorly oxygenated blood reflects more infrared light than red light.

Your blood oxygen measurements are located on the Oura App's Sleep screen. The **Average Blood Oxygen** reading is the percentage of your blood that contains oxygen. The **Breathing Regularity** graph displays variations in how much oxygen is present in your blood. This is different from **respiratory rate**, which measures how many breaths per minute (BPM) you take. Average Blood Oxygen and Breathing Regularity are measured during **sleep periods longer than three hours**, but the Oura App only displays the results for the longest sleep period of the day.

Please note that you may see the red LEDs light up whenever your Oura Ring detects that you may be asleep (based on your heart rate, movement, and respiratory rate), including during the day.

(SAMS382-0027592, <https://support.ouraring.com/hc/en-us/articles/7328398760851-Blood-Oxygen-Sensing-SpO2> (retrieved March 10, 2026))

CERTIFICATE OF SERVICE

Investigation No. 337-TA-1478

The undersigned certifies that on September 2, 2026, true and correct copies of the foregoing document were served upon the following parties as indicated below:

The Honorable Lisa R. Barton Secretary to the Commission U.S. INTERNATIONAL TRADE COMMISSION 500 E Street, SW, Room 112 Washington, DC 20436	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☒ Via Electronic Filing (EDIS) ☐ Via Electronic Mail
The Honorable Doris Johnson Hines Administrative Law Judge U.S. INTERNATIONAL TRADE COMMISSION 500 E Street, S.W. Washington, D.C. 20436 Email: JohnsonHines1478@usitc.gov	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☒ Via Electronic Filing (EDIS) ☒ Via Electronic Mail
<i>Counsel for Respondents Ouraring Inc. and Oura Health Oy</i> Jasjit S. Vidwan James A. Fussell, III Saqib J. Siddiqui Bryan C. Nese MAYER BROWN LLP 199 K. Street NW Washington, DC 20006 Tel: 202-263-5282 Robert G. Pluta Nicholas H. Ciulla MAYER BROWN LLP 71 S. Wacker Drive Chicago, IL 60606 Tel: 312-782-0600 Email: Oura-ITC@mayerbrown.com	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☐ Via Electronic Filing (EDIS) ☒ Via Electronic Mail

/s/ Brian A. Treggs

Brian A. Treggs
Senior IPT Specialist
O'Melveny & Myers LLP
400 South Hope Street
Los Angeles, CA 90071

CERTIFICATE OF SERVICE

Investigation No. 337-TA-1478

The undersigned certifies that on September 2, 2026, true and correct copies of the foregoing document were served upon the following parties as indicated below:

The Honorable Lisa R. Barton Secretary to the Commission U.S. INTERNATIONAL TRADE COMMISSION 500 E Street, SW, Room 112 Washington, DC 20436	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☒ Via Electronic Filing (EDIS) ☐ Via Electronic Mail
The Honorable Doris Johnson Hines Administrative Law Judge U.S. INTERNATIONAL TRADE COMMISSION 500 E Street, S.W. Washington, D.C. 20436 Email: JohnsonHines1478@usitc.gov	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☒ Via Electronic Filing (EDIS) ☒ Via Electronic Mail
<i>Counsel for Respondents Ouraring Inc. and Oura Health Oy</i> Jasjit S. Vidwan James A. Fussell, III Saqib J. Siddiqui Bryan C. Nese MAYER BROWN LLP 199 K. Street NW Washington, DC 20006 Tel: 202-263-5282 Robert G. Pluta Nicholas H. Ciulla MAYER BROWN LLP 71 S. Wacker Drive Chicago, IL 60606 Tel: 312-782-0600 Email: Oura-ITC@mayerbrown.com	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☐ Via Electronic Filing (EDIS) ☒ Via Electronic Mail

/s/ Brian A. Treggs

Brian A. Treggs
Senior IPT Specialist
O'Melveny & Myers LLP
400 South Hope Street
Los Angeles, CA 90071

CERTIFICATE OF SERVICE

Investigation No. 337-TA-1478

The undersigned certifies that on September 10, 2026, true and correct copies of the foregoing document were served upon the following parties as indicated below:

The Honorable Lisa R. Barton Secretary to the Commission U.S. INTERNATIONAL TRADE COMMISSION 500 E Street, SW, Room 112 Washington, DC 20436	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☒ Via Electronic Filing (EDIS) ☐ Via Electronic Mail
The Honorable Doris Johnson Hines Administrative Law Judge U.S. INTERNATIONAL TRADE COMMISSION 500 E Street, S.W. Washington, D.C. 20436 Email: JohnsonHines1478@usitc.gov	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☒ Via Electronic Filing (EDIS) ☒ Via Electronic Mail
<i>Counsel for Respondents Ouraring Inc. and Oura Health Oy</i> Jasjit S. Vidwan James A. Fussell, III Saqib J. Siddiqui Bryan C. Nese MAYER BROWN LLP 199 K. Street NW Washington, DC 20006 Tel: 202-263-5282 Robert G. Pluta Nicholas H. Ciulla MAYER BROWN LLP 71 S. Wacker Drive Chicago, IL 60606 Tel: 312-782-0600 Email: Oura-ITC@mayerbrown.com	☐ Via Hand Delivery ☐ Via Overnight Delivery ☐ Via First Class Mail ☐ Via Electronic Filing (EDIS) ☒ Via Electronic Mail

/s/ Brian A. Treggs

Brian A. Treggs
Senior IPT Specialist
O'Melveny & Myers LLP
400 South Hope Street
Los Angeles, CA 90071