

APPENDIX A

Patents & Patent Publications

- CN101359688
- DE102004019199
- EP1336200
- EP0417522
- JP5541345
- JP1997134965
- JP2001007197
- JP2002124487
- JP2002170785
- JP2002217198
- JP2003168652
- JP2005150752
- JP2006332511
- JP2007012894
- JP2007019080
- JP2007128978
- JP2007287798
- JP2007299899
- JP2008060101
- JP2008078559
- JP2008219036
- JP2009111414
- JP2009123733
- JP2010028004
- JP2011060803
- JP2013084662
- JP2013120870
- JP2014103339
- JPH02106971
- JPH0437167
- JPH05315286
- JPH07235607
- JPH08107202
- JPH1056176
- KR100607305
- KR100653689
- KR100732132
- KR100755671
- KR100906934
- KR101619682
- KR20010084502
- KR20020020314
- KR20030028053
- KR20050055222
- KR20050101669
- KR20070007498
- KR20130136792
- TW275698
- TW200839938
- TWI256690
- US4994410
- US5240880
- US5372957
- US5658828
- US5920794
- US5998288
- US5998873
- US6222236
- US6261945
- US6287967
- US6429082
- US6492264
- US6495460
- US6544872
- US6548874
- US6583052
- US6649520
- US6657301
- US6660603
- US6740587
- US6878624
- US6881668
- US6969678
- US6987061
- US7005354
- US7101791
- US7157779
- US7196375
- US7202147
- US7232756
- US7247915
- US7271486
- US7309901
- US7402512
- US7449782
- US7514332
- US7521336
- US7544602
- US7566642
- US7585767
- US7737005
- US7745334
- US7790577
- US7800181
- US7812393
- US8048761
- US8076756
- US8110457
- US8169055
- US8232158
- US8580686
- US8610238
- US8642471
- US8643147
- US8742596
- US9330979
- US9640489
- US10079174

- US10249574
- US20010024863
- US20010049194
- US20020019127
- US20020037644
- US20020175413
- US20030006504
- US20040017010
- US20040058548
- US20040065935
- US20040150070
- US20040188845
- US20040262649
- US20040266182
- US20050070082
- US20050093169
- US20050156208
- US20050158996
- US20050205897
- US20050212071
- US20050236715
- US20060038229
- US20060163670
- US20070010052
- US20070015360
- US20070077720
- US20070090462
- US20070181941
- US20070194409
- US20070254479
- US20080020587
- US20080050869
- US20080081406
- US20080090369
- US20080122038
- US20080191291
- US20080224232
- US20080230844
- US20080237703
- US20080242033
- US20080246080
- US20080251923
- US20080274611
- US20080303092
- US20080308874
- US20090011566
- US20090020811
- US20090020831
- US20090096104
- US20090108409
- US20090121313
- US20090127594
- US20090191707
- US20090209096
- US20090244928
- US20090283827
- US20090283843
- US20090289285
- US20090294871
- US20100032773
- US20100093168
- US20100109128
- US20100163938
- US20100200958
- US20100200960
- US20100244130
- US20110074033
- US20110140245
- US20120037991
- US20120112322
- US20120161255
- US20120175707
- US20130012020
- US20130207193
- US20140183652
- US20140273386
- US20150221740
- US20150371957
- US20150380305
- US20160327502
- US20160365318
- US20170345769
- WO2002043151
- WO2006003579
- WO2007007595
- WO2007112228
- WO2008035490

Non-Patent Literature

- Abelson et al., *Disordered intermixing at the platinum silicon interface demonstrated by high resolution cross sectional transmission electron microscopy, Auger electron spectroscopy, and MeV ion channeling* (1987)
- Akutsu et al., *New Finding of Pt Segregation at the NiSi/Si Interface by Atom Probe* (2007)
- Alberti et al., *Pseudoepitaxial transrotational structures in 14 nm-thick NiSi layers on [001] silicon* (2005)
- Applied Materials, Inc., *Applied Materials delivers key technology for 45nm contacts with Endura iLB II system* (2006)
- Besser et al., *Ni-Pt silicide formation through Ti mediating layers* (2007)
- Bonnetier et al., *Silicide pre-clean effects on NiPtSi thermal stability for 65 nm technologies and beyond* (2007)
- Byun et al., *Defect Generation during CoSi₂ Formation Using Co Ti Bilayer on Oxide Patterned (100)Si Substrate and Its Effect on the Electrical Properties* (1996)
- Chan et al., *Strain for CMOS performance Improvement* (2005)
- Chen et al., *Investigation on seal-ring rules for IC product reliability in 0.25- μ m CMOS technology* (2005)
- Chen et al., *Stress Proximity Technique for Performance Improvement with Dual Stress Liner at 45nm Technology and Beyond* (2006)
- Chen et al., *On-Resistance Degradation Induced by Hot-carrier Injection in LDMOS Transistors with STI in the Drift Region* (2008)
- Cheong et al., *Characteristics of Cobalt Silicide by Various Film Structures* (2003)
- Chopra et al., *The effects of nickel germanosilicide contacts on the biaxial compressive stress in thin epitaxial silicon-germanium alloys on silicon* (2007)
- Chow, *Formation of Silicide Films in Advanced Silicon Devices Using Excimer Pulsed Laser Annealing* (2005)
- Chow et al., *Silicide Formation from Laser Thermal Processing of Ti/Co Bilayers* (2004)
- Chumakov et al., *Fracture Toughness Assessment of Patterned Cu-Interconnect Stacks by Dual-Cantilever-Beam (DCB) Technique* (2009)
- Colombo et al., *Gate Dielectric Process Technology for the Sub-1 nm Equivalent Oxide Thickness (EOT) Era* (2007)
- Contiero et al., *LDMOS Implementation by Large Tilt Implant in 0.6 μ m BCD5 Process, Flash Memory Compatible* (1996)
- Contiero et al., *Progress in Power Ics and MEMS, "Analog" Technologies to interface the Real World* (2004)
- Corni et al., *Dilute NiPt alloy interactions with Si* (1993)
- Czornomaz et al., *CMOS compatible self-aligned S/D regions for implant-free InGaAs MOSFETs* (2012)

- Demeulemeester et al., *Pt redistribution during Ni(Pt) silicide formation* (2008)
- Demeulemeester et al., *The influence of Pt redistribution on $Ni_{1-x}Pt_xSi$ growth properties* (2010)
- Demeulemeester et al., *On the growth of kinetics of Ni(Pt) silicide thin films* (2013)
- Donaton et al., *New Technique for Forming Continuous, Smooth, and Uniform Ultrathin (3 nm) PtSi Layers* (1999)
- Ellwanger et al., *The Schottky barrier height of platinum nickel silicide* (1983)
- Froment et al., *Nickel vs. Cobalt Silicide integration for sub-50nm CMOS* (2003)
- Futase et al., *TiCl₄ Soak on NiSi: Selective Formation of Pure Sub-Nanometer NiTi to Reduce Contact Resistance* (2011)
- Gambino et al., *Reliability of Segmented Edge Seal Ring for RF Devices* (2014)
- Hecker et al., *Crack Propagation and Delamination Analysis within the Die by Camera-Assisted Double Cantilever Beam Technique* (2011)
- Hopstaken et al., *State-of-the-art Characterization for 65nm CMOS Processes and Beyond* (2006)
- Horache et al., *Ti/Ni Bilayers on Silicon: Sputter-Induced Intermixing, Rapid Thermal Annealing and Ternary Silicide Formation* (1989)
- Horache, *Formation, properties and photoemission study of ternary silicides* (1990)
- Hower et al., *Integrating power devices into silicon roadmaps* (2006)
- Huang et al., *Design for Integration of RF Power Transistors in 0.13 μ m Advanced CMOS Technology* (2007)
- Imbert et al., *Impact of surface preparation on nickel-platinum alloy silicide phase formation* (2007)
- Intel Corporation, *Introducing the 45nm Next Generation Intel[®] Core[™] Microarchitecture* (2007)
- Jang et al., *Strain relaxation of epitaxial SiGe layer and Ge diffusion during Ni silicidation on cap-Si/SiGe/Si(0 0 1)* (2005)
- Jin et al., *Ultra Low-K CPI Evaluations for Foundry Backend and Assembly Saw Processes* (2015)
- Kearney et al., *Assessing the Effect of Die Sealing Cu/Low-k Structures* (2007)
- Kim et al., *Control of Co flux through ternary compound for the formation of epitaxial CoSi₂ using Co/Ti/Si System* (1996)
- Kim et al., *The Effect of Triple Capping Layer (Ti/Ni/Tin) on the Electrical and Structural Properties of Nickel Monosilicide* (2005)
- Kim et al., *Systematic Study of Workfunction Engineering and Scavenging Effect Using NiSi Alloy FUSI Metal Gates with Advanced Gate Stacks* (2005)
- Kim et al., *Self-Aligned Metal Source/Drain In_xGa_{1-x}As n-Metal–Oxide–Semiconductor Field-Effect Transistors Using Ni–InGaAs Alloy* (2010)
- Kittl et al., *Ni- and Co-Based silicides for advanced CMOS applications* (2003)

- Klein et al., *Device Design Tradeoffs for 55V LDMOS Driver Embedded in 0.18 micron Platform* (2008)
- Lauwers et al., *CMOS Integration of Dual Work Function Phase Controlled Ni FUSI with Simultaneous Silicidation of NMOS (NiSi) and PMOS (Ni-rich silicide) Gates with HfSiON* (2005)
- Lee et al., *Fully Silicided $Ni_{1-x}Pt_xSi$ Metal Gate Electrode for p-MOSFETs* (2005)
- Letavic et al., *20V Asymmetric Complementary Power Device Implementation within a 0.25 μ m CMOS Technology for Power Management Application* (2005)
- Li et al., *Environmental Effects on Dielectric Films in Plastic Encapsulated Silicon Devices* (2007)
- Ma et al., *HVMOS and LDMOS Modeling Review* (2007)
- Mangelinck et al., *Enhancement of thermal stability of NiSi films on (100)Si and (111)Si by Pt addition* (1999)
- Mayzels et al., *Development of an n-type DEMOS on a 0.6- μ m platform for 18V analog & digital applications* (2008)
- McGahay, *Porous Dielectrics in Microelectronic Wiring Applications* (2010)
- Mehta et al., *Intel's 45nm CMOS Technology Performance Parameters in VLSI Design* (2013)
- Morgan et al., *Auger depth profiling and preferential sputtering of platinum nickel silicide* (1982)
- Moscatelli et al., *LDMOS Implementation in a 0.35 μ m BCD Technology (BCD6)* (2000)
- Motorola, Inc., *TMOS power MOSFET transistor device data* (1996)
- Ni et al., *Selenium Segregation Optimization for 10 nm Node Contact Resistivity* (2014)
- Noguchi et al., *Process and Reliability of Air-Gap Cu Interconnect Using 90-nm Node Technology* (2005)
- Park et al., *Air-Gaps for High-Performance On-Chip Interconnect Part I: Improvement in Thermally Decomposable Template* (2007)
- Rao et al., *Damage Engineered Se Implant for NMOS $TiSi_x$ Contact Resistivity Reduction* (2014)
- Riccardi et al., *BCD8 from 7V to 70V: a new 0.18 μ m Technology Platform to Address the Evolution of Applications towards Smart Power ICs with High Logic Contents* (2007)
- Schreiber et al., *Measuring of Low Contact Resistivities of $CoSi_2$ on Shallow B-Junctions* (2005)
- Setton et al., *Formation of a ternary silicide for Ni/Ti/Si (100) and Ni/TiSi₂ structures* (1989)
- Shaw et al., *Experimental Determination of the Toughness of Crack Stop Structures* (2007)
- Sonehara et al., *Contact resistance reduction of Pt-incorporated NiSi for continuous CMOS scaling* (2008)

- Sonehara et al., *Mechanism of contact Resistance Reduction in Nickel Silicide Films by Pt Incorporation* (2011)
- Song et al., *Formation of NiCoSi_x silicide by the thermal annealing of Ni/Co bilayer on Si substrate* (2005)
- Tan et al., *Effect of a titanium cap in reducing interfacial oxides in the formation of nickel silicide* (2001)
- Theeuwens et al., *LDMOS Transistors in Power Microwave Applications* (2008)
- Thomas et al., *Composition profiles and Schottky barrier heights of silicides formed in NiPt alloy films* (1976)
- Tsuchiaki et al., *Leakage Reduction by Thermal Annealing of NiPtSi Silicided Junctions and Anomalous Grain-Incompatible Pt Network* (2009)
- Ueda et al., *Electrical and Mechanical Characteristics of Next-node Cu Interconnects with Air Gaps* (2009)
- Vasiliev et al., *Phase Formation during the Surface-Diffusion Growth of Ti-Co-Si-N and Ti-Co-N Thin Films on Si and SiO₂* (2001)
- Wandt et al., *Pt₂Si formation: Diffusion marker and radioactive silicon tracer studies* (1990)
- Wei et al., *Formation Mechanism of Ni(Pt,Ti) Ternary Alloy Silicidation* (2008)
- Wu et al., *Effect of capping layers on the electrical characteristics of nickel silicided junctions* (2007)
- Yang et al., *Advanced in situ pre-Ni silicide (Siconi) cleaning at 65 nm to resolve defects in NiSi_x modules* (2009)
- Yu et al., *45-nm Node NiSi FUSI on Nitrided Oxide Bulk CMOS Fabricated by a Novel Integration Process* (2005)
- Zhang et al., *Exploitation of a self-limiting process for reproducible formation of ultrathin Ni_{1-x}Pt_x silicide films* (2010)
- Zhao et al., *Characterization of reactions at titanium/nickel silicide interface using X-ray photoelectron spectroscopy and transmission electron microscopy* (2003)
- Zhao et al., *Process Challenges in Low-k Wafer Dicing* (2003)