

Exhibit 2

Representative Product that Infringes Ultra-Mek’s U.S. Patent No. 8,297,693


Barcalounger / Living Style Powered Rocker-Recliner with Carya Smart 5115 Mechanism


The following chart illustrates how the Barcalounger / Living Style Powered Rocker-Recliner (the “Representative Rocker” and/or “Living Style Barcalounger”) containing the Carya Smart 5115 Mechanism (the “Representative Rocker Mechanism”) infringes claims 1-7 and 12-14 of U.S. Patent No. 8,297,693. The Representative Rocker and/or Representative Rocker Mechanism are representative products only and illustrate infringement of the imported and accused products. The following chart contains highlighting, color-coding, and other annotations which are intended to assist the reader in identifying relevant elements, and are not intended to be binding or limiting. Complainants reserve the right to modify the structures associated with identified elements, to identify other functions for identified structures, and/or to adjust the identification of one or more components identified herein.

Complainants’ investigation of the extent of infringement is ongoing, and the following chart is based on publicly available information known to Complainants. Complainants reserve the right to offer additional evidence to prove infringement in their expert reports, and in motions and at trial. Complainants reserve the right to supplement, amend, or modify the foregoing based on new information that becomes available during discovery, the exchange of proposed claim constructions, and/or issuance of a claim construction order.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
1[p]	A seating unit, comprising:	The Living Style Barcalounger is a seating unit.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism	
			

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 The Living Style Barcalounger comprises a Carya Smart 5115 mechanism.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
1[a]	a base unit with a first bearing surface;	The Living Style Barcalounger includes a base unit as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		BASE UNIT  The base unit includes multiple bearing surfaces including a first bearing surface on the upper portion of the base unit.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
1[b]	a generally horizontally-disposed seat positioned above the base unit;	The Living Style Barcalounger includes a generally horizontally-disposed seat positioned above the base unit as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
1[c]	a generally upright backrest positioned above the base unit and substantially rearward of the seat;	The Living Style Barcalounger includes a generally upright backrest positioned above the base unit and substantially rearward of the seat as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
1[d]	an extendable ottoman;	The Living Style Barcalounger includes an extendable ottoman as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
1[e]	a reclining mechanism attached to the seat, the backrest, the ottoman and the base unit, the reclining mechanism comprising a plurality of pivotally interconnected links;	The Living Style Barcalounger includes a reclining mechanism attached to the seat, the backrest, the ottoman and the base unit as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 The plurality of pivotally interconnected links is shown above.
1[f]	a reciprocating mechanism attached to the base unit and the reclining mechanism, the reciprocating mechanism being configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive	The Living Style Barcalounger includes a reciprocating mechanism attached to the base unit and the reclining mechanism that is configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive to a longitudinally-directed force shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	to a longitudinally-directed force; and	 The reciprocating mechanism comprises at least the rocker cam, rocker spring assembly, and brackets shown above. As shown below, when a longitudinally-directed force is applied, the reciprocating mechanism allows the chair to rock forward and backward.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
1[g]	a linear actuating unit attached to the reclining mechanism, the linear actuating unit configured to move the seating unit between (a) an upright position, in which the seat is generally horizontally disposed, the backrest is generally vertically disposed, and the ottoman is generally vertically disposed and positioned below the seat, (b) an intermediate TV position, in which the ottoman is generally horizontally disposed in front of the seat and the backrest and the seat substantially maintain the	The Living Style Barcalounger includes a linear actuating unit attached to the reclining mechanism that is configured to move the seating unit between an upright position, an intermediate TV position, and a full reclined position. The linear actuating unit is shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	same relationship as they have in the upright position, and (c) a fully reclined position, in which the angle between the backrest and the seat increases;	 The photo shows the internal mechanical structure of a recliner. A black metal frame is visible, with a central actuating unit and linkage system highlighted by a yellow oval. The unit includes a motor and various mechanical components that facilitate the reclining motion. The photos below depict the three positions between which the Living Style Barcalounger may be moved by the linear actuating unit.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		UPRIGHT  INTERMEDIATE TV  FULLY RECLINED 
1[h]	wherein the linear actuating unit includes opposed first and second ends, and wherein the first end of the linear actuating unit moves forwardly as the seating unit moves from the upright position to the TV position, and wherein the second end of the linear actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position.	The Living Style Barcalounger linear actuating unit includes opposed first and second ends wherein the first end of the linear actuating unit moves forwardly as the seating unit moves from the upright position to the TV position, and wherein the second end of the linear actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position. As shown below, the linear actuating unit includes opposed first and second ends. The chair below is in the upright position.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 When the chair moves from the upright to intermediate TV position, the first end moves forwardly as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 When the chair moves from the intermediate TV position to the fully reclined position, the second end moves rearwardly as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
2	2. The seating unit defined in claim 1, wherein the reclining mechanism includes a pantographic linkage on which the ottoman is mounted, and wherein in the	The Living Style Barcalounger reclining mechanism includes a pantographic linkage on which the ottoman is mounted as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	TV and fully reclined positions, pivots between links of the pantographic linkage form a near over-center arrangement that locks the ottoman in position.	 When the Living Style Barcalounger is in the intermediate TV and fully reclined positions, the reclining mechanism on which the ottoman is mounted comprises pivots between links of the pantographic linkage that form a near over-center arrangement that locks the ottoman in position.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
3	3. The seating unit defined in claim 1, further comprising a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions.	The Living Style Barcalounger includes a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 LOCKING MECHANISM
4	4. The seating unit defined in claim 1, wherein the linear actuating unit is attached to an actuating mechanism, the actuating mechanism comprising a cross-member extending transversely across	The Living Style Barcalounger linear actuating unit (not labeled) is attached to an actuating mechanism, the actuating mechanism comprising a cross-member extending transversely across the seating unit, wherein the cross-member is pivotally attached to the actuating unit; and wherein the cross-member is pivotally attached to a lower swing link of the reclining mechanism, the lower swing link being pivotally attached to an upper swing link of the reclining


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	the seating unit, wherein the cross-member is pivotally attached to the actuating unit; and wherein the cross-member is pivotally attached to a lower swing link of the reclining mechanism, the lower swing link being pivotally attached to an upper swing link of the reclining mechanism and to a mounting bracket that is attached to the reciprocating mechanism.	mechanism and to a mounting bracket that is attached to the reciprocating mechanism, as shown below.  The cross-member is attached to the linear actuating unit such that the cross-member and the linear actuating unit can pivot within the mechanism.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
5	5. The seating unit defined in claim 4, wherein the upper swing link is pivotally attached with the backrest.	The Living Style Barcalounger upper swing link is pivotally attached with the backrest as shown below. The upper swing link is pivotally connected to a coupling link that is pivotally connected to the backpost which attaches to the backrest.  The photograph shows a mechanical assembly for a reclining chair. Three components are labeled with white boxes and blue arrows: 'BACKPOST' points to a vertical metal post on the left; 'COUPLING LINK' points to a horizontal metal link in the center; and 'UPPER SWING LINK' points to a metal link on the right. The assembly is made of dark metal and includes various pivot points, springs, and a base structure. The background is a red wall and a wooden baseboard.
6	6. The seating unit defined in claim 1, wherein the seat rises in moving from the TV	The Living Style Barcalounger seat rises in moving from the TV position to the fully reclined position by approximately 1.75 inches as seen in the increase in

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	position to the fully reclined position.	distance between the bottoms of the arms of the chair (which are affixed to the seat) and the floor. INTERMEDIATE TV FULLY RECLINED 
7	7. The seating unit defined in claim 1, wherein the reclining mechanism includes a backpost that is fixed relative to the backrest, a mounting bracket that is fixed relative to the reciprocating mechanism and pivotally attached to the backpost, and a seat adapter that is fixed relative to the seat and pivotally attached to the backpost.	The Living Style Barcalounger reclining mechanism includes a backpost that is fixed relative to the backrest, a mounting bracket that is fixed relative to the reciprocating mechanism and pivotally attached to the backpost, and a seat adapter that is fixed relative to the seat and pivotally attached to the backpost as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		
12[p]	A reciprocating seating unit, comprising:	<i>See claim 1[p]</i>
12[a]	a base;	<i>See claim 1[a]</i>
12[b]	a generally horizontally-disposed seat positioned above the base;	<i>See claim 1[b]</i>

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
12[c]	a generally upright backrest positioned above the base and substantially rearward of the seat;	<i>See claim 1[c]</i>
12[d]	an extendable ottoman;	<i>See claim 1[d]</i>
12[e]	a reclining mechanism attached to the seat, the backrest, the ottoman and the base, the reclining mechanism comprising a plurality of pivotally interconnected links;	<i>See claim 1[e]</i>
12[f]	a reciprocating mechanism attached with the base unit and the reclining mechanism, the reciprocating mechanism configured to enable the seat, backrest and reclining mechanism to experience a longitudinally-directed reciprocating motion relative to the base unit; and	<i>See claim 1[f]</i>
12[g]	a linear actuator attached to the reclining mechanism, the linear actuator having first and second movable members, wherein the relative movement of the first and second movable members moves the chair between (a)	The Living Style Barcalounger includes a linear actuator attached to the reclining mechanism that has first and second movable members as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	an upright position, in which the seat is generally horizontally disposed, the backrest is generally vertically disposed, and the ottoman is generally vertically disposed and positioned below the seat, (b) an intermediate TV position, in which the ottoman is generally horizontally disposed in front of the seat and the backrest and the seat substantially maintain the same relationship as they have in the upright position, and (c) a fully reclined position, in which the angle between the backrest and the seat increases;	 The image shows the internal mechanical structure of a rocker. It features a dark metal frame with various joints, rollers, and a central pivot mechanism. A yellow oval is drawn around the central pivot area, which includes a horizontal bar and a vertical linkage. The mechanism is mounted on a base with rollers, suggesting it can move horizontally. The background is a plain, light-colored surface.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 The relative movement of the first and second movable members moves the seating unit between an upright position, an intermediate TV position, and a fully reclined

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		position. The photos below depict the three positions between which the Living Style Barcalounger may be moved by the linear actuator. UPRIGHT INTERMEDIATE TV FULLY RECLINED    When the chair moves from the upright to intermediate TV position, the first movable member moves forwardly as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 When the chair moves from the intermediate TV position to the fully reclined position, the second movable member moves rearwardly as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 The photograph shows the internal mechanical structure of a reclining chair. A yellow circle highlights a component on the right side of the mechanism, with a yellow arrow pointing to it. The mechanism includes a central linear actuator with two sets of rollers, and various metal links and brackets. The chair's upholstery is visible on the left and right sides.
12[h]	wherein the reclining mechanism includes: a backpost that is fixed relative to the backrest; a mounting bracket that is attached to the second movable member of the linear actuator; a lower swing link that is attached to the mounting bracket; and an upper swing link that is pivotally attached to the lower swing link and to the backpost (via a coupling link).	The Living Style Barcalounger reclining mechanism includes a backpost that is fixed relative to the backrest; a mounting bracket that is attached to the second movable member of the linear actuator; a lower swing link that is attached to the mounting bracket; and an upper swing link that is pivotally attached to the lower swing link and to the backpost (via a coupling link).

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	second movable member of the linear actuator; a lower swing link that is attached to the mounting bracket; and an upper swing link that is pivotally attached to the lower swing link and to the backpost.	

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
13	13. The seating unit defined in claim 12, further comprising a seat adapter that is fixed relative to the seat and directly pivotally attached to the backpost.	The Living Style Barcalounger includes a seat adapter that is fixed relative to the seat and directly pivotally attached to the backpost as shown below. 
14	14. The reciprocating seating unit defined in claim 13, wherein the reclining mechanism includes a pantographic linkage that extends the footrest in the TV	The Living Style Barcalounger reclining mechanism includes a pantographic linkage that extends the footrest in the TV and fully reclined positions, and wherein the pantographic linkage comprises upper and lower ottoman swing links that are directly pivotally attached to the seat adapter as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
	and fully reclined positions, and wherein the pantographic linkage comprises upper and lower ottoman swing links that are directly pivotally attached to the seat adapter.	

Claim	U.S. Patent No. 8,297,693	Representative Rocker with Representative Rocker Mechanism
		 The image shows a close-up of a mechanical assembly, likely a rocker for a chair. It features a dark-colored metal frame. A label 'SEAT ADAPTER' with a blue arrow points to a horizontal metal plate. Another label 'UPPER OTTOMAN SWING LINK' with a blue arrow points to a curved metal link above the main frame. A third label 'LOWER OTTOMAN SWING LINK' with a blue arrow points to a curved metal link below the main frame. The background shows a brown carpet and a portion of a chair seat with 'BARCA LOUNGER' branding.