

Exhibit 4

Representative Product that Infringes Ultra-Mek’s U.S. Patent No. 8,016,348

Colamy (Henglin) Powered Glider-Recliner with Carya Smart 7115 Mechanism


The following chart illustrates how the Colamy (Henglin) Powered Glider-Recliner (the “Representative Glider” and/or “Colamy glider”) containing the Carya Smart 7115 Mechanism (the “Representative Glider Mechanism”) infringes claims 1-4 and 6-9 of U.S. Patent No. 8,016,348. The Representative Glider and/or Representative Glider Mechanism are representative products only and illustrate infringement of the imported and accused products. The following chart contains highlighting, color-coding, and other annotations which are intended to assist the reader in identifying relevant elements, and are not intended to be binding or limiting. Complainants reserve the right to modify the structures associated with identified elements, to identify other functions for identified structures, and/or to adjust the identification of one or more components identified herein.

Complainants’ investigation of the extent of infringement is ongoing, and the following chart is based on publicly available information known to Complainants. Complainants reserve the right to offer additional evidence to prove infringement in their expert reports, and in motions and at trial. Complainants reserve the right to supplement, amend, or modify the foregoing based on new information that becomes available during discovery, the exchange of proposed claim constructions, and/or issuance of a claim construction order.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
1[p]	1. A seating unit, comprising:	The Colamy glider is a seating unit.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism	
			

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 The Colamy glider comprises a Carya Smart 7115 mechanism.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 The image shows a close-up of a dark-colored metal glider mechanism. A rectangular warning label is affixed to the metal. The label contains the following text: 'CAUTION' in large bold letters, followed by a date '05/09/24' in the top right corner. Below 'CAUTION' is a paragraph: 'Never allow children to play with the mechanism system. Keep children away when folding down the legrest. Always leave in an upright and closed position. Keep hands and feet clear of mechanism. Only the occupants should operate it.' In the bottom right corner of the label is the number '7115'. To the left of the text on the label is a small logo consisting of a stylized 'Z' shape with the text 'Zigzag Smart' underneath it. The metal surface is textured and shows some signs of wear and bolts.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
1[a]	a base unit with a first bearing surface;	The Colamy glider includes a base unit as shown below.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		BASE UNIT  The base unit includes multiple bearing surfaces including a first bearing surface on the upper portion of the base unit.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
1[b]	a generally horizontally-disposed seat positioned above the base unit;	The Colamy glider includes a generally horizontally-disposed seat positioned above the base unit as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
1[c]	a generally upright backrest positioned above the base unit and substantially rearward of the seat;	The Colamy glider includes a generally upright backrest positioned above the base unit and substantially rearward of the seat as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
1[d]	an extendable ottoman;	The Colamy glider includes an extendable ottoman as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
1[e]	a reclining mechanism attached to the seat, the backrest, the ottoman and the base unit, the reclining mechanism comprising a plurality of pivotally interconnected links;	The Colamy glider includes a reclining mechanism attached to the seat, the backrest, the ottoman and the base unit as shown below.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 The plurality of pivotally interconnected links is shown above.
1[f]	a reciprocating mechanism attached to the base unit and the reclining mechanism, the reciprocating mechanism being configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive to a longitudinally-directed force; and	The Colamy glider includes a reciprocating mechanism attached to the base unit and the reclining mechanism that is configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive to a longitudinally-directed force as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 The reciprocating mechanism comprises at least the glide foundation plate and front and rear glide links shown above. As shown below, when a longitudinally-directed force is applied, the reciprocating mechanism allows the chair to glide forward and backward.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
1[g]	a power actuating unit attached to the reclining mechanism, the actuating unit configured to move the seating unit between (a) an upright position, in which the seat is generally horizontally	The Colamy glider includes a power actuating unit attached to the reclining mechanism that is configured to move the seating unit between an upright position, an intermediate TV position, and a fully reclined position. The power actuating unit is shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
	disposed, the backrest is generally vertically disposed, and the ottoman is generally vertically disposed and positioned below the seat, (b) an intermediate TV position, in which the ottoman is generally horizontally disposed in front of the seat and the backrest and the seat substantially maintain the same relationship as they have in the upright position, and (c) a fully reclined position, in which the angle between the backrest and the seat increases;	 The photos below depict the three positions between which the Colamy glider may be moved by the power actuating unit.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		UPRIGHT  INTERMEDIATE TV  FULLY RECLINED 

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
1[h]	wherein the actuating unit is attached to an actuating mechanism, the actuating mechanism comprising:	The Colamy glider actuating unit (not labeled) is attached to an actuating mechanism as shown below. ACTUATING MECHANISM 


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
1[i]	a cross-member extending transversely across the seating unit;	The Colamy glider actuating mechanism includes a cross-member (yellow) extending transversely across the seating unit as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
1[j]	first and second projections fixed to the cross-member;	The Colamy glider actuating mechanism includes first (green) and second (white) projections fixed to the cross-member (yellow) as shown below. 


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
1[k]	wherein the first projection is pivotally attached to the actuating unit; and	The Colamy glider first projection is pivotally attached to the actuating unit (not labeled) as shown below.  The photograph shows a mechanical assembly with a black frame and various components. A blue arrow labeled 'PIVOT' points to a joint where a white rectangular component is attached to a black frame. Another blue arrow labeled 'ATTACHED' points to a joint where a black frame is connected to a white rectangular component. The assembly is set against a light-colored wall with a power outlet visible in the background.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		The first projection is attached to the actuating unit such that the first projection and actuating unit can pivot within the mechanism.
1[1]	wherein the second projection is pivotally attached to a lower swing link of the reclining mechanism, the lower swing link being pivotally attached to an upper swing link of the reclining mechanism and to a mounting bracket that is attached to the reciprocating mechanism.	The Colamy glider second projection is pivotally attached to a lower swing link via the upper swing link, and the lower swing link is pivotally attached to the upper swing link and a mounting bracket that is attached to the reciprocating mechanism as shown below.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 The photograph shows a mechanical assembly for a glider. A black metal frame is visible. A white rectangular component, labeled 'SECOND PROJECTION', is mounted on the frame. A black metal arm, labeled 'UPPER SWING LINK', is pivoted to the frame at a point labeled 'PIVOTALLY ATTACHED'. A black metal arm, labeled 'LOWER SWING LINK', is pivoted to the frame at a point labeled 'MOUNTING BRACKET'. A black metal arm, labeled 'SECOND PROJECTION', is also visible. The mechanism is shown in a reclined position.
2	2. The seating unit defined in claim 1, wherein the reclining mechanism includes a pantographic linkage on which the ottoman is	The Colamy glider reclining mechanism includes a pantographic linkage on which the ottoman is mounted as shown below.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
	mounted, and wherein in the TV and fully reclined positions, pivots between links of the pantographic linkage form a near over-center arrangement that locks the ottoman in position.	 When the Colamy glider is in the intermediate TV and fully reclined positions, the ottoman is locked in place by the near-over center arrangement of pivots between the ottoman links.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
3	3. The seating unit defined in claim 1, further comprising a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions.	The Colamy glider includes a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions as shown below.


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
4	4. The seating unit defined in claim 1, wherein the seat	The Colamy glider seat rises in moving from the TV position to the fully reclined position by approximately 1.75 inches as seen in the increase in


Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
	risers in moving from the TV position to the fully reclined position.	distance between the bottoms of the arms of the chair (which are affixed to the seat) and the floor. INTERMEDIATE TV  FULLY RECLINED 
6	6. The seating unit defined in claim 1, wherein the reciprocating mechanism is a gliding mechanism.	The Colamy glider reciprocating mechanism is a gliding mechanism as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 REAR GLIDE LINK GLIDE FOUNDATION PLATE FRONT GLIDE LINK RECIPROCATING MECHANISM The gliding mechanism comprises at least the glide foundation plate and the front and rear glide links shown above.
7	7. The seating unit defined in claim 1, wherein the power actuating unit includes opposed first and second ends, and wherein the first end of the power actuating unit moves forwardly as the seating unit moves from the upright position to the TV	The Colamy glider power actuating unit includes opposed first and second ends wherein the first end of the power actuating unit moves forwardly as the seating unit moves from the upright position to the TV position, and wherein the second end of the power actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position. As shown below, the power actuating unit includes opposed first and second ends. The mechanism below is in the upright position.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
	position, and wherein the second end of the power actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position.	 When the chair moves from the upright to intermediate TV position, the first end moves forwardly as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 When the chair moves from the intermediate TV position to the fully reclined position, the second end moves rearwardly as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		
8	8. The seating unit defined in claim 7, wherein the upper swing link is pivotally attached with the backrest.	The Colamy glider upper swing link is pivotally attached to the backrest as shown below. The upper swing link is pivotally connected to a coupling link that is pivotally connected to the backpost.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		 The photograph shows a mechanical assembly, likely a glider mechanism, with three labels and arrows pointing to specific components: 'BACKPOST' points to a vertical support structure on the left; 'COUPLING LINK' points to a horizontal link in the center; and 'UPPER SWING LINK' points to a link on the right side of the mechanism. The mechanism is constructed from dark metal or plastic parts, including various joints, springs, and structural beams, set against a background of a wooden baseboard and a red wall.
9	9. The seating unit defined in claim 7, wherein the power actuating unit includes a motor and an extendable member at the first and second ends.	The Colamy glider power actuating unit includes a motor and an extendable member at the first and second ends as shown below.

Claim	U.S. Patent No. 8,016,348	Representative Glider with Representative Glider Mechanism
		