

Exhibit 5

Representative Product that Infringes Ultra-Mek’s U.S. Patent No. 8,297,693


Colamy (Henglin) Powered Glider-Recliner with Carya Smart 7115 Mechanism


The following chart illustrates how the Colamy (Henglin) Powered Glider-Recliner (the “Representative Glider” and/or “Colamy glider”) containing the Carya Smart 7115 Mechanism (the “Representative Glider Mechanism”) infringes claims 1-7 and 11-14 of U.S. Patent No. 8,297,693. The Representative Glider and/or Representative Glider Mechanism are representative products only and illustrate infringement of the imported and accused products. The following chart contains highlighting, color-coding, and other annotations which are intended to assist the reader in identifying relevant elements, and are not intended to be binding or limiting. Complainants reserve the right to modify the structures associated with identified elements, to identify other functions for identified structures, and/or to adjust the identification of one or more components identified herein.

Complainants’ investigation of the extent of infringement is ongoing, and the following chart is based on publicly available information known to Complainants. Complainants reserve the right to offer additional evidence to prove infringement in their expert reports, and in motions and at trial. Complainants reserve the right to supplement, amend, or modify the foregoing based on new information that becomes available during discovery, the exchange of proposed claim constructions, and/or issuance of a claim construction order.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
1[p]	A seating unit, comprising:	The Colamy glider is a seating unit.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism	
			

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The Colamy glider comprises a Carya Smart 7115 mechanism.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The image shows a close-up of a dark, metallic glider mechanism. A rectangular warning label is affixed to the metal. The label contains the following text: 'CAUTION' in large, bold, capital letters. To the right of 'CAUTION' is the date '05/09/24'. Below 'CAUTION' is a paragraph: 'Never allow children to play with the mechanism system. Keep children away when folding down the legrest. Always leave in an upright and closed position. Keep hands and feet clear of mechanism. Only the occupants should operate it.' To the left of this paragraph is a small logo consisting of a stylized 'Z' shape with the text 'Zigzag Zebra' underneath it. To the right of the paragraph is the number '7115'. The metal surface is textured and shows some signs of wear and rust.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
1[a]	a base unit with a first bearing surface;	The Colamy glider-recliner includes a base unit as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		BASE UNIT  The base unit includes multiple bearing surfaces including a first bearing surface on the upper portion of the base unit.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 A close-up photograph of a mechanical glider mechanism. A yellow double-headed arrow is superimposed on the image, pointing horizontally across a dark, elongated component, likely indicating its range of motion. The mechanism includes various metal parts, a spring, and a cylindrical component with a label in the upper right. The background is a light-colored, textured surface.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
1[b]	a generally horizontally-disposed seat positioned above the base unit;	The Colamy glider includes a generally horizontally-disposed seat positioned above the base unit as shown below. 
1[c]	a generally upright backrest positioned above the base unit and substantially rearward of the seat;	The Colamy glider includes a generally upright backrest positioned above the base unit and substantially rearward of the seat as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
1[d]	an extendable ottoman;	The Colamy glider includes an extendable ottoman as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
1[e]	a reclining mechanism attached to the seat, the backrest, the ottoman and the base unit, the reclining mechanism comprising a plurality of pivotally interconnected links;	The Colamy glider includes a reclining mechanism attached to the seat, the backrest, the ottoman and the base unit as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The plurality of pivotally interconnected links is shown above.
1[f]	a reciprocating mechanism attached to the base unit and the reclining mechanism, the reciprocating mechanism being configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive to a longitudinally-directed force; and	The Colamy glider includes a reciprocating mechanism attached to the base unit and the reclining mechanism that is configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive to a longitudinally-directed force as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The photograph shows a mechanical glider assembly. A central horizontal bar is labeled 'GLIDE FOUNDATION PLATE'. Above this bar, a complex linkage system is visible. A label 'REAR GLIDE LINK' points to a link on the left side of the mechanism. A label 'FRONT GLIDE LINK' points to a link on the right side. A bracket labeled 'RECIPROCATING MECHANISM' encompasses the central bar and the links. The assembly is mounted on a wooden base against an orange wall. The reciprocating mechanism comprises at least the glide foundation plate and the front and rear glide links shown above.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
1[g]	a linear actuating unit attached to the reclining mechanism, the linear actuating unit configured to move the seating unit between (a) an	The Colamy glider includes a linear actuating unit attached to the reclining mechanism that is configured to move the seating unit between an upright position, an intermediate TV position, and a fully reclined position. The linear actuating unit is shown below.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	upright position, in which the seat is generally horizontally disposed, the backrest is generally vertically disposed, and the ottoman is generally vertically disposed and positioned below the seat, (b) an intermediate TV position, in which the ottoman is generally horizontally disposed in front of the seat and the backrest and the seat substantially maintain the same relationship as they have in the upright position, and (c) a fully reclined position, in which the angle between the backrest and the seat increases;	 The photos below depict the three positions between which the Colamy glider may be moved by the linear actuating unit.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		UPRIGHT  INTERMEDIATE TV  FULLY RECLINED 


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
1[h]	wherein the linear actuating unit includes opposed first and second ends, and wherein the first end of the linear actuating unit moves forwardly as the seating unit moves from the upright position to the TV position, and wherein the second end of the linear actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position.	The Colamy glider linear actuating unit includes opposed first and second ends wherein the first end of the linear actuating unit moves forwardly as the seating unit moves from the upright position to the TV position, and wherein the second end of the linear actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position. As shown below, the linear actuating unit includes first and second opposed ends. The mechanism below is in the upright position. 

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		When the chair moves from the upright to intermediate TV position, the first end moves forwardly as shown below.  When the chair moves from the intermediate TV position to the fully reclined position, the second end moves rearwardly as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
2	2. The seating unit defined in claim 1, wherein the reclining mechanism includes a pantographic linkage on which the ottoman is mounted, and wherein in the TV and fully reclined positions, pivots between links of the pantographic linkage form a near over-	The Colamy glider reclining mechanism includes a pantographic linkage on which the ottoman is mounted as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	center arrangement that locks the ottoman in position.	 When the Colamy glider is in the intermediate TV and fully reclined positions, the ottoman is locked in place by the near-over center arrangement of pivots between the ottoman links.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
3	3. The seating unit defined in claim 1, further comprising a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions.	The Colamy glider includes a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The image shows a close-up of a mechanical assembly, likely a glider mechanism. A blue bracket is drawn over a specific part of the assembly, and a label 'LOCKING MECHANISM' is placed next to it, pointing to the bracketed area. The assembly consists of various metal components, including a large, curved, polished metal piece at the bottom, and several smaller metal parts with bolts and nuts. The background is a dark, textured surface.
4	4. The seating unit defined in claim 1, wherein the linear	The Colamy glider linear actuating unit (not labeled) is attached to an actuating mechanism, the actuating mechanism comprising a cross-member extending


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	actuating unit is attached to an actuating mechanism, the actuating mechanism comprising a cross-member extending transversely across the seating unit, wherein the cross-member is pivotally attached to the actuating unit; and wherein the cross-member is pivotally attached to a lower swing link of the reclining mechanism, the lower swing link being pivotally attached to an upper swing link of the reclining mechanism and to a mounting bracket that is attached to the reciprocating mechanism.	transversely across the seating unit, wherein the cross-member is pivotally attached to the actuating unit; and wherein the cross-member is pivotally attached to a lower swing link of the reclining mechanism, the lower swing link being pivotally attached to an upper swing link of the reclining mechanism and to a mounting bracket that is attached to the reciprocating mechanism, as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The linear actuating unit is attached to the cross-member such that the linear actuating unit and the cross-member can pivot within the mechanism.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
5	5. The seating unit defined in claim 4, wherein the upper swing link is pivotally attached with the backrest.	The Colamy glider upper swing link is pivotally attached to the backrest as shown below. The upper swing link is pivotally connected to a coupling link that is pivotally connected to the backpost.  The photograph shows a black metal mechanical assembly. Three blue arrows point from text labels to specific parts: 'BACKPOST' points to a vertical post on the left; 'COUPLING LINK' points to a horizontal link in the center; and 'UPPER SWING LINK' points to a link on the right that is pivoted to the backrest. The mechanism is set against a red wall and a wooden baseboard.
6	6. The seating unit defined in claim 1, wherein the seat rises in moving from the TV position to the fully reclined position.	The Colamy glider seat rises in moving from the TV position to the fully reclined position by approximately 1.75 inches as seen in the increase in distance between the bottoms of the arms of the chair (which are affixed to the seat) and the floor.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		INTERMEDIATE TV  FULLY RECLINED 
7	7. The seating unit defined in claim 1, wherein the reclining mechanism includes a backpost that is fixed relative to the backrest, a mounting bracket that is fixed relative to the reciprocating mechanism and pivotally attached to the backpost, and a seat adapter that is fixed relative to the seat and pivotally attached to the backpost.	The Colamy glider reclining mechanism includes a backpost that is fixed relative to the backrest, a mounting bracket that is fixed relative to the reciprocating mechanism and pivotally attached to the backpost, and a seat adapter that is fixed relative to the seat and pivotally attached to the backpost as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
11	11. The seating unit defined in claim 1, wherein the reciprocating mechanism is a gliding mechanism.	The Colamy glider reciprocating mechanism is a gliding mechanism as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The gliding mechanism comprises at least the glide foundation plate and the front and rear glide links shown above.
12[p]	A reciprocating seating unit, comprising:	<i>See claim 1[p]</i>
12[a]	a base;	<i>See claim 1[a]</i>
12[b]	a generally horizontally-disposed seat positioned above the base;	<i>See claim 1[b]</i>
12[c]	a generally upright backrest positioned above the base and	<i>See claim 1[c]</i>


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	substantially rearward of the seat;	
12[d]	an extendable ottoman;	See claim 1[d]
12[e]	a reclining mechanism attached to the seat, the backrest, the ottoman and the base, the reclining mechanism comprising a plurality of pivotally interconnected links;	See claim 1[e]
12[f]	a reciprocating mechanism attached with the base unit and the reclining mechanism, the reciprocating mechanism configured to enable the seat, backrest and reclining mechanism to experience a longitudinally-directed reciprocating motion relative to the base unit; and	See claim 1[f]
12[g]	a linear actuator attached to the reclining mechanism, the linear actuator having first and second movable members, wherein the relative movement of the first and second movable members moves the chair between (a) an upright position, in which the seat is generally	The Colamy glider includes a linear actuator attached to the reclining mechanism that has first and second movable members as shown below.


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	horizontally disposed, the backrest is generally vertically disposed, and the ottoman is generally vertically disposed and positioned below the seat, (b) an intermediate TV position, in which the ottoman is generally horizontally disposed in front of the seat and the backrest and the seat substantially maintain the same relationship as they have in the upright position, and (c) a fully reclined position, in which the angle between the backrest and the seat increases;	 The relative movement of the first and second movable members moves the seating unit between an upright position, an intermediate TV position, and a fully reclined position. The linear actuator is shown in the image above. The photos below depict the three positions between which the Colamy glider may be moved by the linear actuating unit.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		UPRIGHT  INTERMEDIATE TV  FULLY RECLINED 


Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		When the chair moves from the upright to intermediate TV position, the first movable member moves forwardly as shown below.  When the chair moves from the intermediate TV position to the fully reclined position, the second movable member moves rearwardly as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		
12[h]	wherein the reclining mechanism includes: a backpost that is fixed relative to the backrest; a mounting bracket that is attached to the second movable member of the linear actuator; a lower swing link that is attached to the mounting bracket; and an upper swing link that is pivotally attached to the lower	The Colamy glider reclining mechanism includes a backpost that is fixed relative to the backrest; a mounting bracket that is attached to the second movable member of the linear actuator; a lower swing link that is attached to the mounting bracket; and an upper swing link that is pivotally attached to the lower swing link and to the backpost (via a coupling link).

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	swing link and to the backpost.	 The photograph shows a mechanical glider assembly. A black metal frame is mounted on a wooden base. A black metal arm, labeled BACKPOST, is pivoted at its base. A black metal link, labeled LOWER SWING LINK, is connected to the end of the BACKPOST. A black metal link, labeled UPPER SWING LINK, is connected to the other end of the LOWER SWING LINK. A black metal link, labeled COUPLING LINK, is connected to the other end of the UPPER SWING LINK. A black metal member, labeled SECOND MOVABLE MEMBER, is connected to the other end of the COUPLING LINK. A black metal bracket, labeled MOUNTING BRACKET, is attached to the bottom of the SECOND MOVABLE MEMBER. A black metal mechanism, labeled RECLINING MECHANISM, is attached to the bottom of the MOUNTING BRACKET. The entire assembly is shown in a side view.
13	13. The seating unit defined in claim 12, further comprising a seat adapter that	The Colamy glider includes a seat adapter that is fixed relative to the seat and directly pivotally attached to the backpost as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	is fixed relative to the seat and directly pivotally attached to the backpost.	
14	14. The reciprocating seating unit defined in claim 13, wherein the reclining mechanism includes a pantographic linkage that extends the footrest in the TV and fully reclined positions, and wherein the pantographic linkage comprises upper and lower ottoman swing links	The Colamy glider reclining mechanism includes a pantographic linkage that extends the footrest in the TV and fully reclined positions, and wherein the pantographic linkage comprises upper and lower ottoman swing links that are directly pivotally attached to the seat adapter as shown below.

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
	that are directly pivotally attached to the seat adapter.	

Claim	U.S. Patent No. 8,297,693	Representative Glider with Representative Glider Mechanism
		 The photograph shows a mechanical assembly for a glider. A central pivot point is labeled 'SEAT ADAPTER'. Two arms extend from this pivot: an upper arm labeled 'UPPER OTTOMAN SWING LINK' and a lower arm labeled 'LOWER OTTOMAN SWING LINK'. The mechanism is mounted on a wooden base, and a spring is visible on the right side.