

# Exhibit 6

## **Representative Product that Infringes Leggett & Platt's U.S. Patent No. 8,398,168**

### **Colamy (Henglin) Powered Glider-Recliner with Carya Smart 7115 Mechanism**


The following chart illustrates how the Colamy (Henglin) Powered Glider-Recliner (the “Representative Glider” and/or “Colamy glider”) containing the Carya Smart 7115 Mechanism (the “Representative Glider Mechanism”) infringes claims 1-7 and 15-18 of U.S. Patent No. 8,398,168. The Representative Glider and/or Representative Glider Mechanism are representative products only and illustrate infringement of the imported and accused products. The following chart contains highlighting, color-coding, and other annotations which are intended to assist the reader in identifying relevant elements, and are not intended to be binding or limiting. Complainants reserve the right to modify the structures associated with identified elements, to identify other functions for identified structures, and/or to adjust the identification of one or more components identified herein.

Complainants’ investigation of the extent of infringement is ongoing, and the following chart is based on publicly available information known to Complainants. Complainants reserve the right to offer additional evidence to prove infringement in their expert reports, and in motions and at trial. Complainants reserve the right to supplement, amend, or modify the foregoing based on new information that becomes available during discovery, the exchange of proposed claim constructions, and/or issuance of a claim construction order.


| <b>Claim</b> | <b>U.S. Patent No. 8,398,168</b>                                                                                                                                                                                          | <b>Representative Glider with Representative Glider Mechanism</b> |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1[p]         | 1. A seating unit having a chassis, a seat, a backrest, and at least one foot-support ottoman, the seating unit being adapted to move between a closed, an extended and a reclined position, the seating unit comprising: | The Colamy glider is a seating unit.                              |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                         |                                                                                     |
|-------|---------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|       |                           |  |  |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                          |
|-------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p>The Colamy glider comprises a Carya Smart 7115 mechanism.</p> |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                         |
|-------|---------------------------|------------------------------------------------------------------------------------|
|       |                           |  |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                 |
|-------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 1040 1234 1081">The Colamy glider has a chassis.</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                            |
|-------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           | <div data-bbox="779 548 938 602" data-label="Text">CHASSIS</div>  <p data-bbox="779 943 1192 980">The Colamy glider has a seat.</p> |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                  |
|-------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 1076 1251 1114">The Colamy glider has a backrest.</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                         |
|-------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 1062 1566 1101">The Colamy glider has at least one foot-support ottoman.</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                      |
|-------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 885 1822 959">The Colamy glider is adapted to move between a closed, an extended and a reclined position as shown in the images below.</p> |


| Claim | U.S. Patent No. 8,398,168                                 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                           | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p><b>CLOSED</b></p>  </div> <div style="text-align: center;"> <p><b>EXTENDED</b></p>  </div> </div> <div style="text-align: center; margin-top: 20px;"> <p><b>RECLINED</b></p>  </div> |
| 1[a]  | a pair of glide brackets in substantially parallel-spaced | The Colamy glider includes a pair of glide brackets in substantially parallel-spaced relation, wherein the glide brackets are mounted to the chassis and are                                                                                                                                                                                                                                                                                                                                                                                                       |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                         | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>relation, wherein the glide brackets are mounted to the chassis and are vertically raised above an underlying surface by a plurality of supports;</p>                          | <p>vertically raised above an underlying surface by a plurality of supports as shown below.</p>  <p>The image shows a mechanical assembly, likely a glider, resting on a brown, textured surface. The assembly consists of a central chassis with various mechanical components, including a motor and gears. Four blue arrows point from labels to specific parts: 'CHASSIS' points to the central frame, 'UNDERLYING SURFACE' points to the brown surface below, 'GLIDE BRACKETS' points to two vertical supports on the sides, and 'SUPPORTS' points to the base of the vertical supports.</p> |
| 1[b]  | <p>a pair of seat-mounting plates in substantially parallel-spaced relation, wherein the seat-mounting plates translatably carry the seat over the glide brackets;</p> <p>and</p> | <p>The Colamy glider includes a pair of seat-mounting plates (orange) in substantially parallel-spaced relation, wherein the seat-mounting plates translatably carry the seat over the glide brackets (purple) as shown below.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                         |
|-------|---------------------------|------------------------------------------------------------------------------------|
|       |                           |  |


| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                     | Representative Glider with Representative Glider Mechanism                                                                                                                                                                         |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                               |                                                                                                                                                  |
| 1[c]  | <p>a pair of the generally mirror-image linkage mechanisms each moveably interconnecting each of the glide brackets to a respective seat-mounting plate, wherein each of the linkage mechanisms comprise:</p> | <p>The Colamy glider includes a pair of the generally mirror-image linkage mechanisms (circled) each moveably interconnecting each of the glide brackets (purple) to a respective seat-mounting plate (orange) as shown below.</p> |


| Claim  | U.S. Patent No. 8,398,168                                                                                                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                    |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        |                                                                                                                                                                                     |                                                                                                                                                                                            |
| 1[c-a] | (a) a footrest assembly that extends and retracts the at least one foot-support ottoman, wherein the footrest assembly includes a front ottoman link that is rotatably coupled to a | The Colamy glider includes a footrest assembly that extends and retracts the at least one foot-support ottoman, wherein the footrest assembly includes a front ottoman link that is rotatably coupled to a forward portion of one of the seat-mounting plates as shown below. |

| Claim  | U.S. Patent No. 8,398,168                                                   | Representative Glider with Representative Glider Mechanism                                                    |
|--------|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
|        | forward portion of one of the seat-mounting plates; and                     |                             |
| 1[c-b] | (b) a seat-adjustment assembly that reclines and inclines the backrest; and | The Colamy glider includes a seat-adjustment assembly that reclines and inclines the backrest as shown below. |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                             | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                      |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                       |                                                                                                                                                                                               |
| 1[d]  | <p>a front motor tube that spans and couples to the pair of linkage mechanisms, wherein the front motor tube having a pair of ends, wherein one of the ends of the front motor tube is fixedly coupled to the front ottoman link;</p> | <p>The Colamy glider includes a front motor tube that spans and couples to the pair of linkage mechanisms, wherein the front motor tube having a pair of ends, wherein one of the ends of the front motor tube is fixedly coupled to the front ottoman link as shown below.</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                         |
|-------|---------------------------|------------------------------------------------------------------------------------|
|       |                           |  |


| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                              |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                     |  <p>The photograph shows the internal mechanical components of a glider. A black metal frame is visible, with a red carpeted floor underneath. Two blue arrows point to specific parts: one points to a vertical black metal tube labeled 'FRONT MOTOR TUBE', and the other points to a horizontal black metal link labeled 'FRONT OTTOMAN LINK'.</p> |
| 1[e]  | <p>a linear actuator that provides automated adjustment of the seating unit between a closed position, an extended position, and a reclined position, wherein the linear actuator is pivotably coupled to the front motor tube,</p> | <p>The Colamy glider includes a linear actuator that provides automated adjustment of the seating unit between a closed position, an extended position, and a reclined position, wherein the linear actuator is pivotably coupled to the front motor tube as shown below.</p>                                                                                                                                                           |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                         |
|-------|---------------------------|------------------------------------------------------------------------------------|
|       |                           |  |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                               |
|-------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 1044 1885 1117">The linear actuator provides automated adjustment of the seating unit between a closed position, an extended position, and a reclined position as shown below.</p> |


| Claim | U.S. Patent No. 8,398,168                                                           | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                     | <div data-bbox="928 248 1058 280">CLOSED</div> <div data-bbox="779 302 1205 764">  </div> <div data-bbox="1480 248 1656 280">EXTENDED</div> <div data-bbox="1232 302 1902 764">  </div> <div data-bbox="1215 805 1383 837">RECLINED</div> <div data-bbox="913 855 1690 1284">  </div> |
| 1[f]  | wherein the linear-actuator adjustment is sequenced into a first phase and a second | The Colamy glider linear-actuator adjustment is sequenced into a first phase and a second phase that are mutually exclusive in stroke as shown below.                                                                                                                                                                                                                                                                                                                                                                                         |


| Claim | U.S. Patent No. 8,398,168                           | Representative Glider with Representative Glider Mechanism                                                                                                                                                                  |
|-------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>phase that are mutually exclusive in stroke,</p> |  <p>The first phase of the linear-actuator adjustment causes the motor to move forward until the footrest assembly is fully extended.</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                             |
|-------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 1027 1856 1143">When the linear actuator is activated, the first phase extends the footrest assembly until it is fully extended. The linear actuator then causes the second phase to actuate to the reclined position, which is exclusive of the first phase.</p> |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                                              | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                  |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                        |                                                                                                                                                                                           |
| 1[g]  | <p>wherein the first phase moves the footrest assembly between the closed position and the extended position upon the linear actuator exerting lateral thrust onto the front motor tube that, in turn, invokes movement of the front ottoman link,</p> | <p>The Colamy glider first phase moves the footrest assembly between the closed position and the extended position upon the linear actuator exerting lateral thrust onto the front motor tube that, in turn, invokes movement of the front ottoman link as shown below.</p> |


| Claim | U.S. Patent No. 8,398,168                                                                                                                              | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                        |  <p>The photograph shows a black fabric glider with its internal mechanical components exposed. A large circular metal frame is visible on the left. On the right side, there is a motor assembly. Three blue arrows point from text labels to specific parts of the mechanism: the top arrow points to a horizontal link labeled 'FRONT OTTOMAN LINK', the middle arrow points to a vertical tube labeled 'FRONT MOTOR TUBE', and the bottom arrow points to another horizontal link labeled 'FRONT OTTOMAN LINK'. A yellow double-headed arrow is also present, indicating the range of motion for the central assembly.</p> |
| 1[h]  | wherein the movement of the first ottoman link controls adjustment of the footrest assembly between the closed position and the extended position, and | The movement of the Colamy glider first ottoman link controls adjustment of the footrest assembly between the closed position and the extended position as shown below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |


| Claim | U.S. Patent No. 8,398,168                                                                                            | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                      |  <p>The photograph shows the internal mechanical components of a glider. A black metal frame is visible, with a brown carpeted floor in the background. Three labels with white boxes and black text are present: 'FRONT MOTOR TUBE' with a blue arrow pointing to a vertical tube; 'FRONT OTTOMAN LINK' with a blue arrow pointing to a horizontal link; and 'FOOTREST ASSEMBLY' with a blue bracket pointing to the lower part of the mechanism. The blue bracket also encompasses the 'FRONT OTTOMAN LINK'.</p> |
| 1[i]  | wherein the second phase moves the seat-adjustment assembly between the extended position and the reclined position. | The second phase of the Colamy glider moves the seat-adjustment assembly between the extended position and the reclined position as shown below.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                             |
|-------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="961 930 1094 954">EXTENDED</p>  <p data-bbox="1522 930 1654 954">RECLINED</p>  |


| Claim | U.S. Patent No. 8,398,168                                                                                                     | Representative Glider with Representative Glider Mechanism                                                                                                                                                             |
|-------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2     | 2. The seating unit of claim 1, further comprising an activator bar that spans and couples to the pair of linkage mechanisms. | <p>The Colamy glider includes an activator bar (blue) that spans and couples to the pair of linkage mechanisms as shown below.</p>  |

| Claim | U.S. Patent No. 8,398,168                                                                            | Representative Glider with Representative Glider Mechanism                          |
|-------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|       |                                                                                                      |  |
| 3[a]  | <p>3. The seating unit of claim 2, wherein the linear actuator comprises:<br/>a motor mechanism;</p> | <p>The Colamy glider linear actuator includes a motor mechanism as shown below.</p> |

| Claim | U.S. Patent No. 8,398,168                                                                                                       | Representative Glider with Representative Glider Mechanism                                                                                                                                              |
|-------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                 |                                                                                                                       |
| 3[b]  | a track operably coupled to the motor mechanism, wherein the track includes a first travel section and a second travel section; | The Colamy glider includes a track operably coupled to the motor mechanism, wherein the track (highlighted) includes a first travel section (blue) and a second travel section (orange) as shown below. |


| Claim | U.S. Patent No. 8,398,168                                                                                       | Representative Glider with Representative Glider Mechanism                                                                                |
|-------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                 |                                                        |
| 3[c]  | and<br>a motor activator block that<br>translates longitudinally<br>along the track under<br>automated control. | The Colamy glider includes a motor activator block that translates longitudinally along the track under automated control as shown below. |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  A photograph of a complex mechanical assembly, identified as a representative glider mechanism. The device is constructed from various metal components, including a central frame, a motor, and a glider mechanism. A yellow rectangular box highlights a specific component, which appears to be a small, rectangular, light-colored block or sensor, mounted on a horizontal bar. The entire assembly is set against a plain, light-colored background. |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                 |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                     |                                                                          |
| 4     | <p>4. The seating unit of claim 3, wherein a housing of the motor mechanism is pivotably coupled to a section between the pair of ends of the front motor tube.</p> | <p>The Colamy glider housing of the motor mechanism is pivotably coupled to a section between the pair of ends of the front motor tube as shown below.</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                          |
|-------|---------------------------|-------------------------------------------------------------------------------------|
|       |                           |  |


| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                              |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                     |                                                                                      |
| 5     | <p>5. The seating unit of claim 4, wherein the first phase involves longitudinal translation of the motor activator block along the first travel section that creates a lateral thrust at the front motor tube.</p> | <p>The Colamy glider first phase involves longitudinal translation of the motor activator block along the first travel section that creates a lateral thrust at the</p> |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           | <p data-bbox="779 240 1245 272">front motor tube as shown below.</p>  A photograph of a mechanical glider assembly, likely a model aircraft, resting on a brown carpeted surface. The assembly features a black frame with various mechanical components, including a central motor and a long white tube. Two yellow circles are drawn around the motor and the white tube, highlighting them. The motor is a small, black, cylindrical component with a silver-colored base. The white tube is a long, rectangular component that runs horizontally across the middle of the assembly. The entire assembly is supported by a black frame with various mechanical linkages and springs. |


| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                                                                  | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                    |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                                            |                                                                                                                                                                             |
| 6     | <p>6. The seating unit of claim 5, wherein, during the stroke of the linear actuator within the first phase, the motor mechanism moves forward and upward with respect to the pair of glide brackets while the motor activator block remains generally fixed in space.</p> | <p>The Colamy glider motor mechanism moves forward and upward with respect to the pair of glide brackets while the motor activator block remains generally fixed in space during the stroke of the linear actuator within the first phase as shown below.</p> |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                    |                                                                                                                                   |
|-------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
|       |                           | <p data-bbox="919 250 1050 282">CLOSED</p>  | <p data-bbox="1465 250 1638 282">EXTENDED</p>  |


| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p>The image shows a complex mechanical assembly, identified as a representative glider mechanism. It features a central horizontal bar with a black cylindrical component on the left and a white rectangular component on the right. A yellow circle highlights the white rectangular component. The mechanism is supported by a black frame with various joints, springs, and cables. The entire assembly is set against a brown, textured background.</p> |


| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                                                           |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                     |                                                                                                                    |
| 7     | <p>7. The seating unit of claim 3, wherein the activator bar having a pair of ends, wherein one of the ends of the activator bar is rotatably coupled to a motor bellcrank within the seat-adjustment assembly.</p> | <p>The Colamy glider activator bar has a pair of ends wherein one of the ends of the activator bar is rotatably coupled to a motor bellcrank within the seat-adjustment assembly as shown below.</p> |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                                                                                                                                                              | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                     |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                              |
| 15[p] | <p>15. A pair of the generally mirror-image linkage mechanisms adapted to move a seating unit between a closed, an extended, and a reclined position, the seating unit having a chassis, a seat that is translatable with respect to the chassis, and a backrest that is angularly adjustable with respect to the seat, each of the linkage mechanisms comprising:</p> | <p>The Carya Smart 7115 mechanism includes a pair of the generally mirror-image linkage mechanisms adapted to move a seating unit between a closed, an extended, and a reclined position, the seating unit having a chassis, a seat that is translatable with respect to the chassis, and a backrest that is angularly adjustable with respect to the seat as shown below.</p> |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                          |
|-------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 1036 1787 1110">The Carya Smart 7115 mechanism is adapted to move the Colamy glider between a closed, an extended, and a reclined position as shown below.</p> |



| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           | <div data-bbox="953 245 1045 266">CLOSED</div>  <div data-bbox="1499 253 1623 274">EXTENDED</div>  <div data-bbox="1234 613 1348 634">RECLINED</div>  <p data-bbox="779 980 1795 1057">The Carya Smart 7115 mechanism includes a chassis for a seating unit, is configured to support a seat, and is configured to support a backrest.</p> |



| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                             | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                            |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                       |                                                                                                                                                                                    |
| 15[a] | <p>a sequence link having a guide slot, wherein the guide slot represents a aperture formed within the sequence link, and wherein the guide slot includes a first region and a second region; and</p> | <p>The Carya Smart 7115 mechanism includes a sequence link having a guide slot, wherein the guide slot represents a aperture formed within the sequence link, and wherein the guide slot includes a first region (blue) and a second region (red) as shown below.</p> |

| Claim | U.S. Patent No. 8,398,168                                                 | Representative Glider with Representative Glider Mechanism                                                                       |
|-------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                           |                                               |
| 15[b] | a sequence element that, at least partially, extends into the guide slot, | The Carya Smart 7115 mechanism includes a sequence element that, at least partially, extends into the guide slot as shown below. |


| Claim | U.S. Patent No. 8,398,168                                                                              | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                            |
|-------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                        |                                                                                                                                                                                                                                                    |
| 15[c] | wherein the sequence element resides within the second region when the seating unit is adjusted to the | The Carya Smart 7115 sequence element (blue) resides within the second region when the seating unit is adjusted to the reclined position, and when the seating unit is adjusted to the reclined position, the interaction of the sequence element and the sequence link resists adjustment of the seating unit to the closed position |


| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                                                                                                         | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>reclined position, and when the seating unit is adjusted to the reclined position, the interaction of the sequence element and the sequence link resists adjustment of the seating unit to the closed position,</p>                                                                                            | <p>as shown below. The first (upper) and second (lower) regions are shown separated by a white line below.</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p><b>CLOSED</b></p>  </div> <div style="text-align: center;"> <p><b>EXTENDED</b></p>  </div> <div style="text-align: center;"> <p><b>RECLINED</b></p>  </div> </div> |
| 15[d] | <p>wherein the sequence element resides within the first region when the seating unit is adjusted to the extended position, and when the seating unit is adjusted to the extended position, the interaction of the sequence element and the sequence link allows adjustment of the seating unit to either the</p> | <p>The Carya Smart 7115 sequence element (blue) resides within the first region when the seating unit is adjusted to the extended position, and when the seating unit is adjusted to the extended position, the interaction of the sequence element and the sequence link allows adjustment of the seating unit to either the reclined position or to the closed position as shown below. The first (upper) and second (lower) regions are shown separated by a white line below.</p>                                                                                                                                                                               |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                                                                                                            | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|       | reclined position or to the closed position, and                                                                                                                                                                                                                                                                     | <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p><b>CLOSED</b></p>  </div> <div style="text-align: center;"> <p><b>EXTENDED</b></p>  </div> <div style="text-align: center;"> <p><b>RECLINED</b></p>  </div> </div> |  |  |
| 15[e] | wherein the sequence element resides within the second region when the seating unit is adjusted to the closed position, and when the seating unit is adjusted to the closed position, the interaction of the sequence element and the sequence link resists adjustment of the seating unit to the reclined position. | <p>The Carya Smart 7115 sequence element resides within the second region when the seating unit is adjusted to the closed position, and when the seating unit is adjusted to the closed position, the interaction of the sequence element and the sequence link resists adjustment of the seating unit to the reclined position as shown below. The first (upper) and second (lower) regions are shown separated by a white line below.</p>                                                                                                          |  |  |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                                                                                                                   | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                             |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                                                             | <div style="display: flex; justify-content: space-around; text-align: center;"> <div> <p>CLOSED</p>  </div> <div> <p>EXTENDED</p>  </div> <div> <p>RECLINED</p>  </div> </div> |
| 16    | <p>16. The linkage mechanism of claim 15, further comprising a back-mounting link that is configured to support the backrest, wherein the sequence link includes an upper portion and a lower portion, and wherein the upper portion is rotatably coupled to the back-mounting bracket.</p> | <p>The Carya Smart 7115 mechanism includes a back-mounting link (green) that is configured to support the backrest, wherein the sequence link includes an upper portion and a lower portion (shown divided by a white line), and wherein the upper portion is rotatably coupled to the back-mounting bracket.</p>                                                                                                                      |

| Claim | U.S. Patent No. 8,398,168                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                     |
|-------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                     |                                                                                                                                                                                                                             |
| 17    | 17. The linkage mechanism of claim 16, wherein the sequence element fully extends through the guide | The Carya Smart 7115 mechanism sequence element fully extends through the guide slot, wherein the sequence element includes a cap that retains the sequence link onto the sequence element, and wherein the first region is above the second region within the guide slot as shown below. The sequence element |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                         | Representative Glider with Representative Glider Mechanism                                                                                                                                                                               |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>slot, wherein the sequence element includes a cap that retains the sequence link onto the sequence element, and wherein the first region is above the second region within the guide slot.</p> | <p>cap (green) is shown below and passes completely through the guide slot, where the first region (blue) appears above the second region (red).</p>  |

| Claim | U.S. Patent No. 8,398,168                                                                                                                                                                   | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                        |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 18[a] | <p>18. The linkage mechanism of claim 17, further comprising:</p> <p>a seat-mounting plate that supports the seat, the seat-mounting plate rotatably coupled to the back-mounting link;</p> | <p>The Carya Smart 7115 mechanism includes a seat-mounting plate (green) that supports the seat and is rotatably coupled to the back-mounting link (blue) as shown below.</p>  |
| 18[b] | <p>a glide bracket fixedly mounted to the chassis, the glide bracket pivotably</p>                                                                                                          | <p>The Carya Smart 7115 mechanism includes a glide bracket (purple) fixedly mounted to the chassis (red) that is pivotably coupled to a pair of glide links</p>                                                                                                   |

| Claim | U.S. Patent No. 8,398,168                                                                                                                           | Representative Glider with Representative Glider Mechanism                                                                                                                                                                          |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | coupled to a pair of glide links that swing in concert to translate the seat-mounting plate forward and backward with respect to the glide bracket; | <p>(pink) that swing in concert to translate the seat-mounting plate forward and backward with respect to the glide bracket as shown below.</p>  |
| 18[c] | a rear pivot link rotatably coupled to the back-mounting link, wherein the rear pivot link is rotatably                                             | <p>The Carya Smart 7115 mechanism includes a rear pivot link (yellow) rotatably coupled to the back-mounting link (green) and rotatably coupled to the sequence element (blue) as shown below.</p>                                  |

| Claim | U.S. Patent No. 8,398,168        | Representative Glider with Representative Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | coupled to the sequence element. |  <p>The photograph shows a black glider mechanism, likely a part of a model airplane or a robotic glider. The mechanism is composed of several black plastic or metal parts. A green outline highlights the main body of the glider, which is angled upwards. A yellow outline highlights a specific joint or pivot point on the lower part of the mechanism. The background consists of an orange wall and a wooden baseboard. A light switch is visible on the wall to the right.</p> |

| Claim | U.S. Patent No. 8,398,168 | Representative Glider with Representative Glider Mechanism                          |
|-------|---------------------------|-------------------------------------------------------------------------------------|
|       |                           |  |