

# Exhibit 10

## **Exemplary Covered Glider that Practices Ultra-Mek’s U.S. Patent No. 8,016,348**

### **Powered Glider-Recliner with the Leggett & Platt 5181 Mechanism**

The following chart illustrates how an Exemplary Powered Glider-Recliner (the “Exemplary Covered Glider”) containing Leggett & Platt’s 5181 Mechanism (the “Exemplary Covered Glider Mechanism”) falls within the claim scope of U.S. Patent No. 8,016,348. The Exemplary Covered Glider and/or Exemplary Covered Glider Mechanism are exemplary products only and illustrate the practice of the above-referenced patent. The following chart contains highlighting, color-coding, and other annotations which are intended to assist the reader in identifying relevant elements, and are not intended to be binding or limiting. Complainants reserve the right to modify the structures associated with identified elements, to identify other functions for identified structures, and/or to adjust the identification of one or more components identified herein.

Complainants reserve the right to offer additional evidence to prove that the Exemplary Covered Glider(s) practice the claims below in their expert reports, and in motions and at trial. Complainants reserve the right to supplement, amend, or modify the foregoing based on new information that becomes available during discovery, the exchange of proposed claim constructions, and/or issuance of a claim construction order.

| <b>Claim</b> | <b>U.S. Patent No. 8,016,348</b> | <b>Exemplary Covered Glider with Exemplary Covered Glider Mechanism</b> |
|--------------|----------------------------------|-------------------------------------------------------------------------|
| 1[p]         | 1. A seating unit, comprising:   | The Exemplary Covered Glider is a seating unit.                         |

| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                        |
|-------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 695 1860 732">The Exemplary Covered Glider comprises a Leggett &amp; Platt 5181 mechanism.</p>  |

| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                    |
|-------|---------------------------|-------------------------------------------------------------------------------------|
|       |                           |  |

| Claim | U.S. Patent No. 8,016,348                 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                   |
|-------|-------------------------------------------|------------------------------------------------------------------------------------|
|       |                                           |  |
| 1[a]  | a base unit with a first bearing surface; | The Exemplary Covered Glider includes a base unit as shown in the image below.     |


| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                  |
|-------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="772 979 1896 1057">The base unit includes multiple bearing surfaces including a first bearing surface on the upper portion of the base unit.</p> |


| Claim | U.S. Patent No. 8,016,348                                              | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                         |
|-------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                        |                                                        |
| 1[b]  | a generally horizontally-disposed seat positioned above the base unit; | The Exemplary Covered Glider includes a generally horizontally-disposed seat positioned above the base unit as shown in the image below. |


| Claim | U.S. Patent No. 8,016,348                                                                           | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                      |
|-------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                     |                                                                                    |
| 1[c]  | a generally upright backrest positioned above the base unit and substantially rearward of the seat; | The Exemplary Covered Glider includes a generally upright backrest positioned above the base unit and substantially rearward of the seat as shown in the image below. |


| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                         |
|-------|---------------------------|------------------------------------------------------------------------------------------|
|       |                           |       |
| 1[d]  | an extendable ottoman;    | The Exemplary Covered Glider includes an extendable ottoman as shown in the image below. |

| Claim | U.S. Patent No. 8,016,348                                                                                                                 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                               |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                           |                                                             |
| 1[e]  | a reclining mechanism<br>attached to the seat, the<br>backrest, the ottoman and the<br>base unit, the reclining<br>mechanism comprising a | The Exemplary Covered Glider includes a reclining mechanism attached to the seat, the backrest, the ottoman, and the base unit as shown below. |


| Claim | U.S. Patent No. 8,016,348                                                                                                                                                                                                                                               | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>plurality of pivotally interconnected links;</p>                                                                                                                                                                                                                     |  <p>The plurality of pivotally interconnected links is shown above.</p>                                                                                                                                                                                       |
| 1[f]  | <p>a reciprocating mechanism attached to the base unit and the reclining mechanism, the reciprocating mechanism being configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive</p> | <p>The Exemplary Covered Glider includes a reciprocating mechanism attached to the base unit and the reclining mechanism that is configured to enable the seat, backrest and reclining mechanism to reciprocate relative to the base unit along a longitudinal path responsive to a longitudinally-directed force shown in the image below.</p> |


| Claim | U.S. Patent No. 8,016,348               | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | to a longitudinally-directed force; and |  <p>The photograph shows a mechanical assembly, likely a glider mechanism, with several components labeled. A central horizontal bar is labeled 'GLIDE FOUNDATION PLATE'. Above it, a complex linkage system is labeled 'RECIPROCATING MECHANISM'. Two links are specifically identified: 'REAR GLIDE LINK' on the left and 'FRONT GLIDE LINK' on the right. The mechanism is mounted on a wooden surface, and a spring is visible on the right side.</p> <p>The reciprocating mechanism comprises at least the glide foundation plate and the front and rear glide links shown above.</p> |


| Claim | U.S. Patent No. 8,016,348                                                                             | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                      |
|-------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                       |                                                                                                                                                    |
| 1[g]  | a power actuating unit attached to the reclining mechanism, the actuating unit configured to move the | The Exemplary Covered Glider includes a power actuating unit attached to the reclining mechanism that is configured to move the seating unit between an upright position, an intermediate TV position, and a fully reclined position. |


| Claim | U.S. Patent No. 8,016,348                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                            |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>seating unit between (a) an upright position, in which the seat is generally horizontally disposed, the backrest is generally vertically disposed, and the ottoman is generally vertically disposed and positioned below the seat, (b) an intermediate TV position, in which the ottoman is generally horizontally disposed in front of the seat and the backrest and the seat substantially maintain the same relationship as they have in the upright position, and (c) a fully reclined position, in which the angle between the backrest and the seat increases;</p> |  <p>The photos below depict the three positions between which the Exemplary Covered Glider may be moved by the power actuating unit.</p> |


| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                       |
|-------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           | <p data-bbox="1136 253 1262 289"><u>Upright</u></p>  <p data-bbox="1077 610 1339 646"><u>Intermediate TV</u></p>  <p data-bbox="1087 1000 1308 1036"><u>Fully Reclined</u></p>  |


| Claim | U.S. Patent No. 8,016,348                                                                             | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                           |
|-------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1[h]  | wherein the actuating unit is attached to an actuating mechanism, the actuating mechanism comprising: | <p>The Exemplary Covered Glider actuating unit (not labeled) is attached to an actuating mechanism as shown below.</p>  |
| 1[i]  | a cross-member extending transversely across the seating unit;                                        | <p>The Exemplary Covered Glider actuating mechanism includes a cross-member extending transversely across the seating unit as shown below.</p>                                                             |

| Claim | U.S. Patent No. 8,016,348                               | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                     |
|-------|---------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                         |                                                                                    |
| 1[j]  | first and second projections fixed to the cross-member; | The Exemplary Covered Glider actuating mechanism includes first (green) and second (white) projections fixed to the cross-member (blue) as shown in the image below. |


| Claim | U.S. Patent No. 8,016,348                                                     | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                           |
|-------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                               |  <p>The photograph shows a close-up of a mechanical device, likely a glider. A black, curved handle or lever is the central focus. It is connected to a larger black assembly. To the right, there is a control panel with three circular buttons or indicators. The background is a red wall and a wooden cabinet.</p> |
| 1[k]  | wherein the first projection is pivotally attached to the actuating unit; and | The Exemplary Covered Glider first projection is pivotally attached to the actuating unit (not labeled) as shown in the image below.                                                                                                                                                                                                                                                                       |

| Claim | U.S. Patent No. 8,016,348                                                                                                                                                                                                                      | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                       |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                |  <p>The first projection is attached to the actuating unit such that the first projection and actuating unit can pivot within the mechanism.</p>                                                                     |
| 1[1]  | <p>wherein the second projection is pivotally attached to a lower swing link of the reclining mechanism, the lower swing link being pivotally attached to an upper swing link of the reclining mechanism and to a mounting bracket that is</p> | <p>The Exemplary Covered Glider second projection is pivotally attached to a lower swing link via the upper swing link, and the lower swing link is pivotally attached to the upper swing link and a mounting bracket that is attached to the reciprocating mechanism as shown in the image below.</p> |


| Claim | U.S. Patent No. 8,016,348                                                                                                                                   | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                              |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
|       | attached to the reciprocating mechanism.                                                                                                                    |                            |
| 2     | 2. The seating unit defined in claim 1, wherein the reclining mechanism includes a pantographic linkage on which the ottoman is mounted, and wherein in the | The Exemplary Covered Glider includes a pantographic linkage on which the ottoman is mounted, as shown below. |


| Claim | U.S. Patent No. 8,016,348                                                                                                                                        | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                           |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>TV and fully reclined positions, pivots between links of the pantographic linkage form a near over-center arrangement that locks the ottoman in position.</p> |  <p>When the Exemplary Covered Glider is in the intermediate TV and fully reclined positions, the ottoman is locked in place by the near over-center arrangement of pivots between the ottoman links as shown below.</p> |


| Claim | U.S. Patent No. 8,016,348                                                                                                                                                                                 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                       |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                           |                                                                                                                                                                     |
| 3     | <p>3. The seating unit defined in claim 1, further comprising a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating</p> | <p>The Exemplary Covered Glider includes a locking mechanism that allows the seating unit to reciprocate while in the upright position but prevents reciprocating of the seating unit while in the TV and fully reclined positions as shown below.</p> |


| Claim | U.S. Patent No. 8,016,348                                                            | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | unit while in the TV and fully reclined positions.                                   | <p data-bbox="787 256 1003 297"><b><u>UPRIGHT:</u></b></p> <div data-bbox="787 256 1663 698">  <p data-bbox="1087 256 1402 354"><b>LOCKING MECHANISM</b></p> </div> <p data-bbox="787 722 1045 820"><b><u>FULLY RECLINED:</u></b></p> <div data-bbox="787 763 1663 1226">  <p data-bbox="1087 763 1402 860"><b>LOCKING MECHANISM</b></p> </div> |
| 4     | 4. The seating unit defined in claim 1, wherein the seat rises in moving from the TV | The Exemplary Covered Glider seat rises in moving from the TV position to the fully reclined position as shown below.                                                                                                                                                                                                                                                                                                                                                                                                |


| Claim | U.S. Patent No. 8,016,348                                                                           | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                          |
|-------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | position to the fully reclined position.                                                            | <p data-bbox="1220 240 1430 277"><u>Intermediate</u></p> <p data-bbox="1297 285 1352 323"><u>TV</u></p>  <p data-bbox="1192 656 1430 693"><u>Fully Reclined</u></p>  |
| 6     | 6. The seating unit defined in claim 1, wherein the reciprocating mechanism is a gliding mechanism. | The Exemplary Covered Glider reciprocating mechanism is a gliding mechanism as shown below.                                                                                                                                                                                                                                               |


| Claim | U.S. Patent No. 8,016,348                                                                                                                                                                                                                                                    | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                                              |  <p>The gliding mechanism comprises at least the glide foundation plate and the front and rear glide links shown above.</p>                                                                                                                                                                                                                                                                                                                            |
| 7     | <p>7. The seating unit defined in claim 1, wherein the power actuating unit includes opposed first and second ends, and wherein the first end of the power actuating unit moves forwardly as the seating unit moves from the TV position to the fully reclined position.</p> | <p>The Exemplary Covered Glider power actuating unit includes opposed first and second ends where the first end of the power actuating unit moves forwardly as the seating unit moves from the upright position to the TV position, and wherein the second end of the power actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position.</p> <p>As shown below, the power actuating unit includes opposed first and second ends. The mechanism below is in the upright position.</p> |

| Claim | U.S. Patent No. 8,016,348                                                                                                                                                                            | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                            |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | <p>upright position to the TV position, and wherein the second end of the power actuating unit moves rearwardly when the seating unit moves from the TV position to the fully reclined position.</p> |  <p>When the chair moves from the upright to intermediate TV position, the first end moves forwardly as shown below.</p> |

| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                               |
|-------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p data-bbox="779 954 1852 1026">When the chair moves from the intermediate TV position to the fully reclined position, the second end moves rearwardly as shown below.</p> |

| Claim | U.S. Patent No. 8,016,348                                                                                            | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                         |
|-------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                      |                                                                                                                                        |
| 8     | <p>8. The seating unit defined in claim 7, wherein the upper swing link is pivotally attached with the backrest.</p> | <p>The Exemplary Covered Glider upper swing link is pivotally attached with the backrest as shown below. The upper swing link is pivotally connected to a coupling link that is pivotally connected to the backpost.</p> |

| Claim | U.S. Patent No. 8,016,348                                                                                                                               | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                         |  <p>The photograph shows a mechanical assembly, likely a glider mechanism, with three labels pointing to specific components: 'BACKPOST' points to a vertical support structure, 'COUPLING LINK' points to a horizontal link connecting two parts, and 'UPPER SWING LINK' points to a link that appears to be part of a pivoting mechanism. The assembly is made of dark metal and is set against a light-colored, textured background.</p> |
| 9     | <p>9. The seating unit defined in claim 7, wherein the power actuating unit includes a motor and an extendable member at the first and second ends.</p> | <p>The Exemplary Covered Glider power actuating unit includes a motor and an extendable member at the first and second ends as shown below.</p>                                                                                                                                                                                                                                                                                                                                                                               |

| Claim | U.S. Patent No. 8,016,348 | Exemplary Covered Glider with Exemplary Covered Glider Mechanism                                                                                                                                                                                                                                                                                                                                                |
|-------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                           |  <p>The photograph shows a complex black metal frame, likely for a massage chair or glider. A central motor is visible, connected to a white rectangular component. Two yellow circles are drawn around the motor and the white component, highlighting them. The mechanism is set against a brown, textured background.</p> |