




EXHIBIT 26

(Public Version)

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)

trinamiX GmbH (“trinamiX”) hereby identifies evidence demonstrating the following trinamiX products practice the ’421 Patent: all trinamiX products that include trinamiX Face Authentication, including but not limited to e.g., the trinamiX Face Authentication software libraries and SDK, ET-90 demonstrator, Cockatiel demonstrator, and MPIC2.0 (collectively, the “Practicing ’421 Products”). These products are made by trinamiX, and are imported, sold for importation, and/or sold within the United States after importation by trinamiX. The chart below is based on evidence of representative products of the Practicing ’421 Products. Each of the following limitations is met literally, and, to the extent a limitation is not met literally, it is met under the doctrine of equivalents.

The trinamiX products identified in this chart are representative of all relevant trinamiX products containing relevant components practicing the patent. The same or similar analysis as discussed below apply to all relevant trinamiX products containing relevant components practicing the patent because, for example, the cameras, sensors, and software operate similarly within each device, and each corresponding device has the same or similar components, features, functions, and/or characteristics. This will further be confirmed through expert discovery.

Claim 1	The Practicing ’421 Products
[1pre] A method for face authentication comprising the following steps:	To the extent the preamble is limiting, the Practicing ’421 Products comprise a method for face authentication. 

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)

	
[1a1] at least one skin detection step, wherein the skin detection step comprises projecting at least one illumination pattern comprising a plurality of illumination features on the scene by using at least one illumination unit and determining at least one second image using the at least one camera,	The Practicing ’421 Products comprise at least one skin detection step, wherein the skin detection step comprises projecting at least one illumination pattern comprising a plurality of illumination features on the scene by using at least one illumination unit and determining at least one second image using the at least one camera. The Practicing ’421 Products comprise a skin detection step where an illumination unit, such as a dot projector and flood illuminator, projects illumination patterns for skin detection:

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



	A large solid black rectangular area used for redaction, covering the top right portion of the table.
[1a2] wherein the second image comprises a plurality of reflection features generated by the scene in response to illumination by the illumination features,	The Practicing '421 Products comprise the second image comprising a plurality of reflection features generated by the scene in response to illumination by the illumination features.

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




	A large rectangular area of the table is completely redacted with a solid black fill.
--	---

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




	A large black rectangular area covering the majority of the table's content, indicating that the information has been redacted.
--	---

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)

	
[1a3] wherein the skin detection step comprises determining at least one material property of the reflection features by using the processing unit,	The Practicing '421 Products comprise a processor unit, such as a Qualcomm HDK8450 chip processor:

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



	A large black rectangular area used for redaction, covering the top half of the table's content area.
[1a4] wherein a detected face is characterized as skin if the material property corresponds to at least one property characteristic for skin,	The Practicing '421 Products comprise a detected face is characterized as skin if the material property corresponds to at least one property characteristic for skin.

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--


Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



	 A large solid black rectangular area used for redaction, covering the top right portion of the table.
[1a5] wherein the illumination pattern is selected from the group consisting of at least one point pattern, at least one line pattern, at least one stripe pattern, at least one checkerboard pattern, and at least one pattern comprising an arrangement of periodic or non-periodic features;	The Practicing '421 Products comprise the illumination pattern is selected from the group consisting of at least one point pattern, at least one line pattern, at least one stripe pattern, at least one checkerboard pattern, and at least one pattern comprising an arrangement of periodic or non-periodic features.

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)

	
[1b] at least one 3D detection step, wherein the 3D detection step comprises determining at least one depth level from the reflection features of the second image, wherein the detected face is characterized as 3D object if the depth level deviates from a pre-determined or pre-defined depth level, wherein the 3D detection step comprises determining depth information of the reflection features by structured light; and	The Practicing '421 Products comprise at least one 3D detection step, wherein the 3D detection step comprises determining at least one depth level from the reflection features of the second image, wherein the detected face is characterized as 3D object if the depth level deviates from a pre-determined or pre-defined depth level, wherein the 3D detection step comprises determining depth information of the reflection features by structured light.

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)




	A large black rectangular area covering the entire right-hand side of the table, indicating that the content has been redacted.
--	---

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)

	
[1c] at least one authentication step, wherein the authentication step comprises authenticating the detected face by using at least one authentication unit if in step a) the detected face is characterized as skin and in step b) the detected face is characterized as 3D object.	The Practicing '421 Products comprise at least one authentication step, wherein the authentication step comprises authenticating the detected face by using at least one authentication unit if in step a) the detected face is characterized as skin and in step b) the detected face is characterized as 3D object.

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--

Ex. 26C - Domestic Industry Claim Chart
U.S. Patent No. 12,288,421 (“the ’421 patent”)



--	--