

CLASS-9
CHAPTER-10
CIRCLES

Exercise 10.5

Q1. In Figure 1. **A, B, C** are the three points with centre **O** such that $\angle BOC = 30^\circ$ and $\angle AOB = 60^\circ$. If **D** is a point on the circle other than the arc ABC, find $\angle ADC$

Solution




Figure 1:

Construction

Symbol	value	Description
O	(1,0)	Centre of the circle
POC	2 units	Diameter of the circle
r	1 unit	Radius of OA and OB
chord1	A (1, 1) and D (0.5, -0.86)	Chord of AD
chord2	C (2, 0) and D (0.5, -0.86)	Chord of CD
α	180°	Angle between vectors P and C
β	90°	Angle between vectors P and A
γ	300°	Angle between vectors P and D
$\angle BOC$	30°	Angle between vectors B and C
$\angle AOB$	60°	Angle between vectors A and B
$\angle ADC$??	Angle between vectors A and C

Table 1:

Assumptions

1. Let **P** be a point on the circle such that by expandig OC upto **P** we get diameter POC.
2. To find $\angle ADC$ let the circle be unit circle and diameter POC on x axis.
3. Take three points **C**, **A**, **D** and α, β, γ be three angles made by the points **C**, **A**, **D** with respect to diameter POC.

From the Figure 1:

$$\alpha = \angle POC = 180^\circ, \beta = \angle POA = 90^\circ, \gamma = \angle POD = 300^\circ \quad (1)$$

Verification:

From assumptions the vector points **C**, **A**, **D** be

$$\mathbf{C} = \begin{pmatrix} \cos \alpha \\ \sin \alpha \end{pmatrix}, \mathbf{A} = \begin{pmatrix} \cos \beta \\ \sin \beta \end{pmatrix}, \mathbf{D} = \begin{pmatrix} \cos \gamma \\ \sin \gamma \end{pmatrix} \quad (2)$$

Let AC be the chord that subtends angles at the center \mathbf{O} and at point \mathbf{D} . The cosine of the angle subtended at point \mathbf{D} is given by

$$\cos(\angle ADC) = \frac{(\mathbf{A} - \mathbf{D})^\top (\mathbf{C} - \mathbf{D})}{\|\mathbf{A} - \mathbf{D}\| \|\mathbf{C} - \mathbf{D}\|} \quad (3)$$

Where

$$\mathbf{A} - \mathbf{D} = \begin{pmatrix} \cos \beta - \cos \gamma \\ \sin \beta - \sin \gamma \end{pmatrix}, \mathbf{C} - \mathbf{D} = \begin{pmatrix} \cos \alpha - \cos \gamma \\ \sin \alpha - \sin \gamma \end{pmatrix} \quad (4)$$

$$(\mathbf{A} - \mathbf{D})^\top (\mathbf{C} - \mathbf{D}) = 4 \sin \frac{\alpha - \gamma}{2} \sin \frac{\beta - \gamma}{2} \cos \frac{\alpha - \beta}{2} \quad (5)$$

$$\|\mathbf{A} - \mathbf{D}\| \|\mathbf{C} - \mathbf{D}\| = 4 \sin \frac{\alpha - \gamma}{2} \sin \frac{\beta - \gamma}{2} \quad (6)$$

Substituting (5) and (6) in (3),

$$\cos(\angle ADC) = \frac{4 \sin \frac{\alpha - \gamma}{2} \sin \frac{\beta - \gamma}{2} \cos \frac{\alpha - \beta}{2}}{4 \sin \frac{\alpha - \gamma}{2} \sin \frac{\beta - \gamma}{2}} \quad (7)$$

$$\cos(\angle ADC) = \cos \frac{\alpha - \beta}{2} \quad (8)$$

By substituting α and β values in (8)

$$\angle ADC = \frac{\alpha - \beta}{2} = \frac{(180^\circ - 90^\circ)}{2} = 45^\circ \quad (9)$$