#### CLASS-11 CHAPTER-11 CONIC SECTIONS

# EXERCISE - 11.3

### Short Answer Type

- 1. Find the equation of the circle which touches the both axes in first quadrant and whose radius is a.
- 2. Show that the point (x,y) given by  $x = \frac{2at}{1+t^2}$  and  $y = \frac{a(1-t^2)}{1+t^2}$  lies on a circcle for all real values of t such that  $-1 \le t \le 1$  where a is any given real numbers.
- 3. If a circle passes through the point (0,0),(a,0) and (0,b) then find the coordinates of its centre.
- 4. Find the equation of the circle which touches x-axis and whose centre is (1,2)
- 5. If the lines 3x-4y+4=0 and 6x-8y-7=0 are tangents to a circle, then find the radius of the circle. [Hint:Distance between given parallel lines gives the diameter of the circle.]
- 6. Find the equation of a circle which touches both the axes and the line 3x-4y+8=0 and lies in the third quadreant [Hint:Let a be the radius of the circle, then (-a,-a) will be centre and perpendicular distance from the centre to the given line gives the radius of the circle.]
- 7. If one end of a diameter of the circle  $x^2 + y^2 4x 6y + 11 = 0$  is (3,4), then find the coordinate of the other end of the diameter.
- 8. Find the equation of the circle having (1,-2) as its centre and passing through 3x+y=14, 2x+5y=18
- 9. If the line  $y=\sqrt{3}x+K$  touches the circle  $x^2=16y$ , then find the value of K. [Hint:Equate perpendicular distance from the centre of the cirle to its redius].

- 10. Find the equation of a circle concentric with the circle  $x^2 + y^2 6x + 12y + 15 = 0$  and has double of its orea. [Hint:cancentric circles have the same [entre.]
- 11. If the latus rectum of an ellipse is equal to half of minor axis, then find its eccentricity.
- 12. Given the ellipse with equation  $9x^2 + 25y^2 = 225$ , find the eccentricity and focl.
- 13. If the eccentricity of an ellipse is  $\frac{5}{8}$  and the distance between its foci is 10 then find latus rectum of the ellipse.
- 14. Find the equation of ellipse whose eccentricity is  $\frac{2}{3}$ , latus rectum is 5 and the centre is (0,0).
- 15. Find the distance between the directrices of the ellipse  $\frac{x^2}{36} + \frac{y^2}{20}$
- 16. Find the coordinates of a point on the parabla  $y^2 = 8x$  whose focal distance is 4.
- 17. Find the length of the line-segment joining the vertex of the parabola  $y^2 = 4ax$  and a point on the parabola where the line segment makes an angle 0 to the x-axis.
- 18. If the points (0,4) and (0,2) are respectively the vertex and focus of a parabola. then find the equation of the parabola
- 19. If the line y=mx+1 is tangent to the parabolay  $y^2 = 4x$  then find the value of m. [Hint:solving the equation of line and parbola, we obtain a quadratic equation and then apply the tangency condition giving the value of m]
- 20. If the distance between the foci of a hyperbola is 16 and its eccentricity is  $\sqrt{2}$ , then obtain the equation of the hyperbola.
- 21. Find the eccentricity of the hyperbola  $9y^2 4x^2 = 36$ .
- 22. Find the equation of the hyperbola with eccentricity  $\frac{3}{2}$  and fociat  $(\pm 2, 0)$ .

### Long Answer Type

- 23. If the lines 2x-3y=5 and 3x-4y=7 are the diameters of a circle of area 154 square untits, then obtain the equation of the circle.
- 24. Find the equation of the circle which passes through the points (2,3) and (4,5) and the centre lies on the straight line y-4x+3=0.
- 25. Find the equation of a circle whose centre is (3,1) and which cuts offachord of length 6 units on the line 2x-5y+18=0 [Hint:To determine the radius of the circle, find the perpendicular distance from the centre to the given line]
- 26. Find the equation of a circle of redius 5 which is touching another circle  $x^2 + y^2 2x 4y 20 = 0$  at (5,5).
- 27. Find the equation of a circle passing through the point (7,3) having radius 3 units and whose centre lies on the line y=x-1
- 28. Find the equation of each of the following parabolas
  - (a) Directrix x=0. focus of (6,0)
  - (b) vertex of (0,4), focus at (0,2)
  - (c) Focus at (-1,2), directrix x-2y+3=0
- 29. Find the equation of the set of all points the sum of whose distances from the points (3,0) and (9,0) is 12.
- 30. Find the equation of the set of all pints whose distance from (0,4) are  $2\pm 3$  of their distance from the line y=9.
- 31. show that the set of all points such that the difference of their distances from (4,0) and (-4,0) is always equal to 2 represent a hyperbola. Find the equation of the hyperbola with
  - (a) vertices  $(\pm 5, 0)$ , focic  $(\pm 7, 0)$
  - (b) vertices  $(0 \pm 7)$ ,  $e = \frac{4}{3}$
  - (c) Foci  $(0,\pm\sqrt{10})$ . passing through (2,3)

## Objective Type Questions

- 32. State whether the statements in each of the exercis from 33 to 40 are Trueor False justify
- 33. The line  $x^2 + 3y = 0$  is a diameter of the circle  $x^2 + y^2 + 6x + 2y = 0$ .
- 34. The shortest distance from the point (2,7) to the circle  $x^2+y^2$  14x-10y-151=0 is equal to 5. [Hint:The shortest distance is equal to the difference of the redius and the distance between the cntre and the given point.]
- 35. If the line lx+my=1 is a tangent to the circle  $x^2 + y^2 = a^2$ , then the ponit (1,m) lies an a circle. [Hint:use that distance from the centre of the centre of the circle to the given line is equal to radius of the circle.]
- 36. If P is a point (38) on the ellipse  $\frac{x^2}{16} + \frac{y^2}{25} = 1$  whose foci are s and s' then Ps +Ps'=8.
- 37. The point (1,2) lies inside the circle  $x^2 + y^2 2x + 6y + 1 = 0$ ,
- 38. The line 1x+my+n=0 will touch the parabola  $y^2 = 4ax$  if  $ln = am^2$ ,
- 39. The line 2x+3y=12 touches the ellipse  $\frac{x^2}{9} + \frac{y^2}{4} = 2$  at the point (3,2).
- 40. The locus of the point of intersection of lines  $\sqrt{3}x + y 4\sqrt{3}k = 0$  and  $\sqrt{3} = 0\sqrt{3}kx + ky 4\sqrt{3} = 0$  for different value of K is a hyperboia whose eccentricity is 2. [Hint: Eliminate k between the given equations]

Fill in the Blank in Exercises from 41 to 46.

- 41. The equation of the circle having centre at (3,-4) and touching the line 5x+12y-12=0 is \_\_\_\_\_ [Hint: To determine radius find the perpendicular distance from the centre of the circle to the line.]
- 42. The equation of the circle circm scriding the triangle whose sides are the lines y=x+2,3y=4x,2y=3x is \_\_\_\_\_
- 43. An ellipse is described by using an endless string which is passed over two pins If the oxes are 6cm and 4cm, the length of the string and distance between the pins are \_\_\_\_\_

- 44. The equation of the llipse having foci (0,1),(0,1) and minor axis of length is \_\_\_\_\_
- 45. The equation of the parabola having focus at (-1,-2) and the directrix x-2y+3=0 is \_\_\_\_\_
- 46. The equation of the hyperbola with vertices of  $(0, \pm 6)$  and eccntricity  $\frac{5}{3}$  is and its foci are \_\_\_\_\_

Choose the corret answer out of the given four aptions (M.C.Q.) in exercise 47 to 59.

- 47. The area of the circle centred ot (1,2) and passing through (4,6) is
  - (a)  $5\mu$
  - (b)  $10\mu$
  - (c)  $25\mu$
  - (d) none of these
- 48. Equatian of the circle with centre on the Y-axis and passing through the orgin and the point (2,3) is

(a) 
$$x^2 + y^2 + 6x + 6y + 3 = 0$$

(b) 
$$x^2 + y^2 - 6x - 6y - 9 = 0$$

(c) 
$$x^2 + y^2 - 6x - 6y + 9 = 0$$

- (d) none of these
- 49. Equatian of the circle with centre on the y-axis and passing through the origin and the point (2,3) is

(a) 
$$x^2 + y^2 + 13y = 0$$

(b) 
$$3x^2 + 3y^2 + 13x + 3 = 0$$

(c) 
$$6x^2 + 6y^2 - 13x = 0$$

(d) 
$$x^2 + y^2 + 13x + 3 = 0$$

50. The equation of a circle with origin as centre and passing through the vertices of an equilateral triangle whose median is of length 3 a is

(a) 
$$x^2 + y^2 = 9a^2$$

- (b)  $x^2 + y^2 = 16a^2$
- (c)  $x^2 + y^2 = 4a^2$
- (d)  $x^2 + y^2 = a^2$  [Hint: centroid of the triangle caincdes with the centre of the circle and the redius of the circle is  $\frac{2}{3}$  of the length of the median]
- 51. If the focus of a parabola is (0,-3) and its directrix is y=3, then its equation is
  - (a)  $x^2 = -12y$
  - (b)  $x^2 = 12y$
  - (c)  $y^2 = -12x$
  - (d)  $y^2 = 12x$
- 52. If the parabola  $y^2 = 4ax$  passes through the point (3,2), then the length of its latus rectum is
  - (a)  $2 \pm 3$
  - (b)  $4 \pm 4$
  - (c) 1±3
  - (d) 4
- 53. If the vertex of the parabola is the point (-3,0) and the directrix is the line x+5=0, then its equation is
  - (a)  $y^2 = 8(x+3)$
  - (b)  $x^2 = 8(y+3)$
  - (c)  $y^2 = -8(x+3)$
  - (d)  $y^2 = 8(x+5)$
- 54. The equation of the ellipse whose focus is (1,-1), the directrix the line x-y-3 =0 and eccentricity 1pm2 is
  - (a)  $7x^2 + 2xy + 7y^2 10x + 10y + 7 = 0$
  - (b)  $7x^2 + 2xy + 7y^2 + 7 = 0$
  - (c)  $7x^2 + 2xy + 7y^2 + 10x 10y 7 = 0$

- (d) none
- 55. The length of the latus rectum of the ellipse  $3x^2 + y^2 = 12$  is
  - (a) 4
  - (b) 3
  - (c) 8
  - (d)  $4\sqrt{3}$
- 56. If e is the eccentricity of the ellipse  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1(a < b)$ , then
  - (a)  $b^2 = a^2(1 e^2)$
  - (b)  $a^2 = b^2(1 e^2)$
  - (c)  $a^2 = b^2(e^{-1})$
  - (d)  $b^2 = a^2(e^2 1)$
- 57. The eccentricity of the hyperbola whose latus rectum is 8 and conjugate axis is equal to half of th distance between the foci is
  - (a)  $4 \pm 3$
  - (b)  $\frac{4}{\sqrt{3}}$
  - (c)  $\frac{2}{\sqrt{3}}$
  - (d) none of these
- 58. The distance between the foci of a hyperbola is 16 and its eccentricity is  $\leq 2$ . Its equation is
  - (a)  $x^2 y^2 = 3^2$
  - (b)  $\frac{x^2}{4-\frac{y^2}{9}} = 1$
  - (c)  $2x 3y^2 = 7$
  - (d) none of these
- 59. Equation of the hyperbola with eccentricty  $3\pm 2$  and foci at  $(\pm 2,0)$  is
  - (a)  $\frac{x^2}{4} \frac{y^2}{5} = \frac{4}{9}$
  - (b)  $\frac{x^2}{9} \frac{y^2}{9} = \frac{4}{9}$

- (c)  $\frac{x^2}{4} \frac{y^2}{9} = 1$
- (d) none of these.