

# Bootstrap Examples

## Bootstrap Forms

1. Stacked form
2. Inline form

### Stacked Form

1. We have class name as .form-group(wrapper class)
2. Form-control for the input fields


```
<!DOCTYPE html>
<html>
  <head>
    <title>Bootstrap Forms</title>
    <link rel="StyleSheet" href="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/css/bootstrap.min.css" />
    <script type="text/javascript" src="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/js/bootstrap.min.js"></script>
    <style type="text/css">
    </style>
  </head>
  <body>
    <div class="container">
      <form action="" method="POST">
        <div class="form-group">
          <label for="Username">Username</label>
          <input type="text" class="form-control" id="txtUsername" placeholder="Enter Username"/>
        </div>
        <div class="form-group">
          <label for="password">Password</label>
          <input type="text" class="form-control" id="txtPassword" placeholder="Enter Password" />
        </div>
        <button type="button" class="btn btn-primary">Login</button>
      </form>
    </div>
  </body>
</html>
```

Username

Password

## Inline form

```
<!Doctype Html>
<html>
  <head>
    <title>Bootstrap Forms</title>
    <link rel="StyleSheet" href="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/css/bootstrap.min.css" />
    <script type="text/javascript" src="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/js/bootstrap.min.js"></script>
    <style type="text/css">
    </style>
  </head>
  <body>
    <div class="container">
      <form class="form-inline">
        <label for="Username">Username</label>
        <input type="text" id="txtUsername" placeholder="Enter Username" class="form-control" />
        <label for="Password">Password</label>
        <input type="text" id="txtPassword" placeholder="Enter Password" class="form-control" />
        <button type="button" class="btn btn-primary">Login</button>
      </form>
    </div>
  </body>
</html>
```



## Rows and Columns

```
<head>
  <title>Bootstrap Forms</title>
  <link rel="StyleSheet" href="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/css/bootstrap.min.css" />
  <script type="text/javascript" src="bootstrap-4.5.0-dist/bootstrap-4.5.0-dist/js/bootstrap.min.js"></script>
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.3.1/css/all.css" integrity="sha384-mzrmE5qonljUremFsqc01SB46JvROS7t" />
  <style type="text/css">
  </style>
</head>
```

```

<body>
  <div class="container">
    <form>
      <div class="row">
        <div class="col input-group form-group">
          <div class="input-group-prepend">
            <span class="input-group-text"><i class="fas fa-user"></i></span>
          </div>
          <input type="text" class="form-control" id="txtUsername" placeholder="Enter Username" />
        </div>
        <div class="col input-group form-group">
          <div class="input-group-prepend">
            <span class="input-group-text"><i class="fas fa-key"></i></span>
          </div>
          <input type="text" class="form-control" id="txtPassword" placeholder="Enter Password" />
        </div>
      </div>
      <button type="button" class="btn btn-primary lg center login_btn">Login</button>
    </form>
  </div>
</body>

```

## Bootstrap NavBar

```

<body>
  <nav class="navbar navbar-expand-sm">
    <ul class="navbar-nav">
      <li class="nav-item"><a class="nav-link" href="#">Home</a></li>
      <li class="nav-item"><a class="nav-link" href="#">AboutUs</a></li>
      <li class="nav-item"><a class="nav-link" href="#">ContactUs</a></li>
      <li class="nav-item"><a class="nav-link" href="#">Login</a></li>
      <li class="nav-item"><a class="nav-link" href="#">Register</a></li>
    </ul>
  </nav>
</body>

```