Koneru Lakshmaiah Education Foundation
(Deemed to be University estd. u/s. 3 of the UGC Act, 1956)
Off-Campus: Bachupally-Gandimaisamma Road, Bowrampet, Hyderabad, Telangana - 500 043.
Phone No: 7815926816, www.klh.edu.in

Department of CSE

B.Tech. CSE Trimester -5

B. Likhitha
2520030580

Cloud Infrastructure and Services

25CS2206E

Practical

2026

Experiment - 2

2(a)

AIM: Enabling Multi-Factor Authentication to Secure Your Access


Description:

Multi-Factor Authentication (MFA) is an important security feature that adds an extra layer of protection to an AWS account. Instead of relying only on a username and password, MFA requires the user to provide an additional verification code generated through an authenticator application or security device.


By enabling MFA, unauthorized users cannot easily access the AWS account even if they obtain the password. The user must enter both their regular login credentials and the temporary verification code from the MFA device.

In this task, MFA is enabled to improve the security of AWS account access and protect sensitive AWS resources from unauthorized access. This helps strengthen account security and follows AWS security best practices.


Step 1:




Step 2:


signin.aws.amazon.com/mfa-m
Ask Gemini
signin.aws.amazon.com/mfa-management/mfa-registration?workflowId=db7c82d1-c24d-4f43-b45a-4de55834fe2c
Provide feedback
English
aws
Root user sign in
Enter the password for
likhithabalineni@gmail.com (not you?)
Password
Show password
Forgot password?
Sign in
Sign in to a different account
Create a new AWS account
AI for ISVs on AWS
Build agents into your SaaS, shift pricing models, and monetize AI on AWS Marketplace
Explore AI for ISVs →
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.


Step 3:


signin.aws.amazon.com/mfa-m
Ask Gemini
signin.aws.amazon.com/mfa-management/mfa-registration?workflowId=db7c82d1-c24d-4f43-b45a-4de55834fe2c
Keep your account secure
Registering your MFA for root credentials will be required in 12 days.
Improve the security of your account by registering multi-factor authentication (MFA) using one of the options below. This provides a second means of verifying your identity in addition to your password. Learn more
MFA device name
Device Name
Maximum 128 characters. Use alphanumeric and '+ = , . @ - _' characters.
Passkey or Security key
Authenticate using your fingerprint, face, or screen lock. Create a passkey on this device or use another device, like a FIDO2 security key.
AWS recommends using a passkey or security key as an MFA device as they provide the most protection against attacks such as phishing.
Authenticator app
Authenticate using a code generated by an app installed on your mobile device or computer.
Hardware TOTP Token


Step 4:


signin.aws.amazon.com/mfa-m
Ask Gemini
signin.aws.amazon.com/mfa-management/mfa-registration?workflowId=db7c82d1-c24d-4f43-b45a-4de55834fe2c
English
Choose where to save your passkey for aws.amazon.com
Google Password Manager
likhithabalineni@gmail.com
Windows Hello or external security key
Cancel
Set up
Follow instructions from your browser.
Loading
Cancel
Register MFA
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.


Step 5:


signin.aws.amazon.com/mfa-m
Ask Gemini
signin.aws.amazon.com/mfa-management/mfa-registration?workflowId=db7c82d1-c24d-4f43-b45a-4de55834fe2c
English
Create a passkey to sign in to aws.amazon.com?
You can use this passkey to sign in faster across your devices. It will be saved to Google Password Manager for likhithabalineni@gmail.com.
arn:aws:iam::706316983668:root
Passkey
Save another way
Create
Cancel
Set up
Follow instructions from your browser.
Loading
Cancel
Register MFA
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.

Step 6:



Output:



2(b)

AIM: Creating First Linux Instance


Description:

An Amazon EC2 (Elastic Compute Cloud) Linux instance is a virtual server provided by AWS that allows users to run applications and perform computing tasks in the cloud.


In this task, a Linux EC2 instance is created by selecting an appropriate Amazon Machine Image (AMI), choosing an instance type, configuring the key pair and network settings, and launching the instance. After the instance is launched, it can be accessed and managed remotely.

Creating a Linux instance helps users understand how to deploy and manage virtual servers in the AWS cloud. It provides a scalable and flexible computing environment without requiring physical hardware.


Step 1:




Step 2:


Dashboard | EC2 | eu-north-1
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Home:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
Resources
You are using the following Amazon EC2 resources in the Europe (Stockholm) Region:
Instances (running) 0
Auto Scaling Groups 0
Capacity Reservations 0
Dedicated Hosts 0
Elastic IPs 0
Instances 0
Key pairs 0
Load balancers 0
Placement groups 0
Security groups 1
Snapshots 0
Volumes 0
EC2 cost
Date range: Past 6 months
Region: Global
Costs in your free plan account are covered by credits.
Credits remaining
$120 USD
Days remaining
174 (May 5, 2027)
Cost ($)
No data available
Launch instance
To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.
Launch instance
Service health
AWS Health Dashboard
Region
Europe (Stockholm)
Status
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 3:


Launch an instance | EC2 | eu-n
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 4:


Launch an instance | EC2 | eu-n
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
Likhitha_26
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 5:


Launch an instance | EC2 | eu-n
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
ami-04005916a1c241ff5 (64-bit (x86), uefi-preferred) / ami-0073641137e019ef3 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.
Amazon Linux 2023 AMI 2023.12.20261109.0 x86_64 HVM kernel-6.18
Architecture
Boot mode
AMI ID
Creation Date
Username
64-bit (x...
uefi-preferred
ami-04005916a1c241ff5
2026-11-04
ec2-user
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 6:


Launch an instance | EC2 | eu-north-1
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
Select
Create new key pair
Proceed without a key pair (Not recommended)
Default value
Network settings Info
Edit
Network Info
vpc-0140269d19f303f8d
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 7:


Launch an instance | EC2 | eu-north-1
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
Enter key pair name
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
Key pair (login) Info
Key pair name - required
Select
Network settings Info
Network Info
vpc-0140269d19f303f8d
Subnet Info
Auto-assign public IP Info
Enable
Firewall (security groups) Info
Create security group
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 8:


Launch an instance | EC2 | eu-n
Telegram Web
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Select an app to open this .pem file
Notepad
PyCharm 2026.1
Visual Studio Code
Windows Media Player Legacy
Word
Browse apps in the Microsoft Store
Choose an app on your PC
Always
Just once
Key pair (login) Info
You can use a key pair to securely connect to your instance.
launch the instance.
Key pair name - required
Likhitha_260904
Network settings Info
Network Info
vpc-0140269d19f303f8d
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
Create security group
Select existing security group
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 9:


File
Edit
View
Likhit
-----BEGIN RSA PRIVATE KEY-----
MIIEowIBAAKCAQEAy6oLy9FuN1xDD8XQn7Pj0BVk2bVi2f1opR6Jg4kg8WKTOBll
e19db1sURQnGtARyhzzVEr0X0K9kNde+OzA/fhwJM+YVKmLXANAmCFLwLHM1tU1+
/xxQi9L394+XB52ICprnPq0x5AX/h822JaA4mLI4/+j2SiIaALWIZ/1Qm22tzBUy
MDqwnUAQ0kd0tzSMkJ98SYk0HSbtBBbdfOxKUTr2qy+erd8fboGBgUC2uuPk4v+o
Fr3n1F8p8vZmhmhOcgy4aMIuoo/90Wx7U3Zos/an/94CMD6gZuF8Mh/W73CMnjpD
9anRtW1CEtIC3fT3ivFxQIGCoSLXskEcuCSPWwIDAQABAoIBAACM0AVX5nVN0XyM
azjTMo1QUXppDABMt+iiQXrSdvysvHsNToHbyxPO6ioZkajQzkJhPq4TRqownxOq
JoBga/t6Negm+e2oYK5G4aNqHe3wzaxErlAgEnOeOT846w6BNWnZ6z/3Fcho37zN
KG3Hlf+Lk63VQj0HBIz18I1fWMVisDTgIkIOEAEK671/fHgDCdRmMriXhip/t6/t
RqaHBYb0nRsF+6gs5C6OBbdHZK11wqVR5cGdU65KTgDmJhWgg9wBK8VyeIRV5Xba
st1sB1Wlk7zT2rTz0/kPMGwW39d7AqH6WSXrnJ80K9/ryMhKmZOBOYgKIFnXN60E
kkt0EXkCgYEA/nLU9JhwJEh/XA0EpMOl2jO5hFy8G6qIeOX40dV1BaHE4vdbpcSP
ETqmlu++KFOA05ilrT4Xs2pIKGbghiRtA0CGaa27lMYIc6xOHYVfg9/KtgT8cNrR
1gd3f0ajnzqsUODMxCZgM1CADN9gZQZQZaoHqGACEIm9mGndl8TQyp8CgYEAzOfx
8hxjxgg0v7xHMwcSiq3aOVA+QlulaoH3mx/8QGEn4w1fSDr13dQaKcVrel4TXdRp
x3v2xZnW8VfMIzz0zg7E0uYQxvpN+d91kyULrOQ1g3lNRPUxmVxJeOa3neHRFicJ
hTTgsujXZj4Psfs/hLXPssy+hPD4BokdpLvXfcUCgYEAwZsKYloi6din35igMeYU
KiU1QXt2Pe7SDHufibnLYs+mCbSA7W7UFR31Z99fZzuySE5bsagPTJrP8L3mlOre
b50HKR3iHt9XyvwOK/Qxqxv7F+hPVGeLRjlEOXm8QgnY12lVJOK2TBUyeZj1tajK
P7DSRtFWgNLtiizzSOmenK0CgYB8UmJeplD27zWp+38re6gJUjAsQ/5yXo5/j7l+
eiqfmRMNVKix92wDmlQBchGi3f9cF6vSZ+kyvQNHzSBDZRGXECjlWMdnIqk66RS6
IWjzDkdVrLxwEwB1jyPY4gsYFNG6YhcJpiqLAnDmTNNTBoDkcTdCYa1alaW2uWyt
7XZyjQKBgGGTH3LI2Doi3LaTxaqfaD1y7iyPJpMnVQRn1at4wla7uRtmm/tHXSoH
VROko2AmaUWZmHvjHNtZZHnZM9FX5SJydJzH98a2AkOkhF5AoVmSIJOo8RGFyUHJ
CJ74uBOIt7R4l6sjhdXXYi/To44HJuzT/LyjcyXb3d2NuRoTigpu
-----END RSA PRIVATE KEY-----
Ln 1, Col 1
1,674 characters
Plain text
100%
Unix (LF)
UTF-8


Step 10:





Step 11:




Step 12:



Launch an instance | EC2 | eu-n
Telegram Web
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Stop - Hibernate behavior Info
Select
Termination protection Info
Select
Stop protection Info
Select
Detailed CloudWatch monitoring Info
Select
Credit specification Info
Unlimited
Additional charges apply
Placement group Info
Select
Create new placement group
EBS-optimized instance Info
Enable
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Launch an instance | EC2 | eu-n
Telegram Web
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Instance bandwidth configuration Info
Select
Purchasing option Info
None
If you don't select a purchasing option, your instance launches as an On-Demand Instance by default
Capacity Blocks
Launch instances for your active capacity blocks
Interruptible Capacity Reservations
Launch instances for your interruptible Capacity Reservations
Spot instances
Request Spot Instances at the Spot price, capped at the On-Demand price
Capacity reservation Info
Select
Tenancy Info
Select
RAM disk ID Info
Select
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Launch an instance | EC2 | eu-n
Telegram Web
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Kernel ID Info
Select
Nitro Enclave Info
Select
License configurations Info
Select
CPU options - update Info
Configure CPUs for your instance to optimize performance and save on licensing costs.
Use default CPU options
Specify CPU options
Default active vCPUs
2
Total vCPUs
2
Nested virtualization Info
Select
Nested virtualization is not supported with the selected instance type.
Metadata accessible Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Launch an instance | EC2 | eu-n
Telegram Web
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
EC2 / Instances / Launch an instance
Metadata IPv6 endpoint Info
Select
Metadata version Info
V2 only (token required)
For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.
Metadata response hop limit Info
2
Allow tags in metadata Info
Select
User data - optional Info
Upload a file with your user data or enter it in the field.
Choose file
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 13:




Step 14:




Step 15:



Step 16:



Output:


Launch an instance
Instance details | EC
EC2 Instance Conne
Telegram Web
IAM description set
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0f0f8601d84a83...
aws
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
test
[ec2-user@ip-172-31-34-24 ~]$ vi file.txt
[1]+ Stopped vim file.txt
[ec2-user@ip-172-31-34-24 ~]$ vi file.txt
[ec2-user@ip-172-31-34-24 ~]$ cat file.txt
cat: file.txt: No such file or directory
[ec2-user@ip-172-31-34-24 ~]$ vi file.txt
[ec2-user@ip-172-31-34-24 ~]$ cat file.txt
hello
[ec2-user@ip-172-31-34-24 ~]$ history
1 ls
2 mkdir test
3 ls
4 vi file.txt
5 cat file.txt
6 vi file.txt
7 cat file.txt
8 history
[ec2-user@ip-172-31-34-24 ~]$ grep
Usage: grep [OPTION]... PATTERNS [FILE]...
Try 'grep --help' for more information.
[ec2-user@ip-172-31-34-24 ~]$ exit
logout
There are stopped jobs.
[ec2-user@ip-172-31-34-24 ~]$
i-0f0f8601d84a83273 (Likhitha_26)
PublicIPs: 13.60.207.134 PrivateIPs: 172.31.34.24
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

2(c)

AIM: S3 Bucket Creation and Upload Objects


Description:

An Amazon EC2 (Elastic Compute Cloud) Linux instance is a virtual server provided by AWS that allows users to run applications and perform computing tasks in the cloud.


In this task, a Linux EC2 instance is created by selecting an appropriate Amazon Machine Image (AMI), choosing an instance type, configuring the key pair and network settings, and launching the instance. After the instance is launched, it can be accessed and managed remotely.

Creating a Linux instance helps users understand how to deploy and manage virtual servers in the AWS cloud. It provides a scalable and flexible computing environment without requiring physical hardware.


Step 1:




Step 2:



S3 buckets | S3 | eu-north-1
Telegram Web
IAM description setup
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/buckets?region=eu-north-1#
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
Amazon S3 / Buckets
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (0) Info
Buckets are containers for data stored in S3.
Copy ARN
Empty
Delete
Create bucket
Find buckets by name
Name
AWS Region
Creation date
No buckets
You don't have any buckets.
Create bucket
Account snapshot Info
Updated daily
View dashboard
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Step 3:



Create S3 bucket | S3 | eu-north
Telegram Web
IAM description setup
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
Amazon S3 / Buckets / Create bucket
Create bucket Info
Buckets are containers for data stored in S3.
General configuration
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
Likhitha
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create S3 bucket | S3 | eu-north
Telegram Web
IAM description setup
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/bucket/create?region=eu-north-1
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
Amazon S3 / Buckets / Create bucket
Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Step 4 :


Upload objects - S3 bucket likh
1 notification
IAM description setup
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/upload/likhitha2007?region=eu-north-1
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
Amazon S3 / Buckets / likhitha2007 / Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (1 total, 576.5 KB)
Remove
Add files
Add folder
All files and folders in this table will be uploaded.
Find by name
Name
Folder
Type
Size
Practical-1.pdf
-
application/pdf
576.5 KB
Destination Info
Destination
s3://likhitha2007
Destination details
Bucket settings that impact new objects stored in the specified destination.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Step 5:


Upload objects - S3 bucket likh
Telegram Web
IAM description setup
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/upload/likhitha2007?region=eu-north-1
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Upload: status
Close
After you navigate away from this page, the following information is no longer available.
Summary
Destination
s3://likhitha2007
Succeeded
1 file, 576.5 KB (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (1 total, 576.5 KB)
Find by name
Name
Folder
Type
Size
Status
Error
Practical-1.pdf
-
application/pdf
576.5 KB
Succeeded
-
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Output:


likhitha2007 - S3 bucket | S3 |
Telegram Web
IAM description setup
Ask Gemini
eu-north-1.console.aws.amazon.com/s3/buckets/likhitha2007?region=eu-north-1&tab=objects
Search
[Alt+S]
Europe (Stockholm)
Balineni Likhitha (706316983668)
Balineni%20Likhitha
Amazon S3 / Buckets / likhitha2007
likhitha2007 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
Practical-1.pdf
pdf
November 12, 2026, 11:29:00 (UTC+05:30)
576.5 KB
Standard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences