AIDOOi MVP - 8 Core Workflows

Detailed Workflow Specification | Revision 1

Purpose. This document translates the approved AIDOOi MVP standards into eight end-to-end operational workflows. Each workflow identifies actors, triggers, frontend steps, backend actions, decision points, states, exceptions, outputs and authoritative standard references.

Workflow documents describe sequence and state movement. They do not replace the underlying AID-DATA, AID-CAT, AID-SPC or AID-LOG standards.

Workflow Register

Workflow	Primary Scope	Primary References
WF-01 Customer Profiling & Project Setup	Entry, project-path selection and minimum customer inputs.	SPC-001-009; DATA-007/009/015; LOG-001-008
WF-02 Product Matching & Recommendation	Eligibility, scoring, composition and final options.	LOG-001-010; DATA-001-014; CAT-001-008
WF-03 Review, Visualization & Replacement	Recommendation review, visualization, product cards and replacement.	LOG-009-011
WF-04 Viewing, Deposit & Attribution	Physical viewing, deposit, QR attendance and conversion attribution.	LOG-012 Rev 2; LOG-013
WF-05 Purchase, Checkout & Payment	Seller validation, reservation, payment and order creation.	LOG-014; LOG-013
WF-06 Fulfilment & Customer Receipt	Seller execution, delivery, receipt confirmation and completion.	LOG-015; LOG-014
WF-07 Issues, Cancellation, Return & Refund	Post-selection/order exceptions and financial resolution.	LOG-014-015
WF-08 Partner, Product Admin & Settlement	Partner activation, product administration and seller settlement.	LOG-013-015; DATA-001-014

WF-01 - Customer Profiling & Project Setup Workflow

Objective. Create the minimum valid customer/project context required for recommendation without unnecessary questioning.

Primary Actors. Guest or Registered User; AIDOOi Frontend; Project/Profiling Service.

Trigger. Customer selects Find My Best Match / starts a furnishing journey.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Select what is being furnished: Living Room, Bedroom, Dining Room, Home Office, Studio Apartment, Full Apartment, Villa or Individual Product.	Create Project Session; route through SPC-001.
2	Display only inputs required by selected path.	Invoke SPC-002 through SPC-009; suppress redundant questions.
3	Collect room dimensions, Total Area, property modules or Product Category as applicable.	Validate path-specific mandatory inputs.
4	Collect conditional functional inputs such as Bed Size, Dining Capacity, Workspace Users or Sleeping Setup.	Validate against relevant CAT and room/project LOG.
5	Allow optional photo/floor-plan upload where permitted.	Store as optional project context; absence does not block recommendation.
6	Collect Style Preference.	Resolve against DATA-009.
7	Collect Colour Preference.	Resolve against DATA-007.
8	Collect applicable Budget tier/range.	Apply LOG-001 or LOG-002-008.
9	Submit profiling.	Validate completeness; persist project; mark Ready for Recommendation.

Decision Points

• Which SPC path applies?

• Are all mandatory inputs complete?

• Does a conditional input apply?

• For Full Apartment/Villa, which modules and shared preferences apply?

Key States / Statuses

Project Session: Draft -> In Progress -> Ready for Recommendation.

Exceptions / Recovery

• Missing required input -> remain In Progress.

• Invalid controlled value -> request valid selection.

• Optional media missing -> continue.

• Same Products preference never overrides fit/capacity/availability.

Workflow Output

A complete Project Profile passed to WF-02.

Authoritative Standards

AID-SPC-001-009; AID-DATA-007/009/015; relevant AID-CAT; AID-LOG-001-008.

WF-02 - Product Matching & Recommendation Workflow

Objective. Convert the Project Profile into eligible products and up to four valid coordinated recommendation options.

Primary Actors. Recommendation Engine; Product Data Service; Project Service.

Trigger. Project reaches Ready for Recommendation.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Resolve required product types and composition requirements.	Load applicable LOG-001-008 and CAT rules.
2	Retrieve candidate canonical products and seller offers.	Use Verified/Active AIDs and eligible AIOs.
3	Apply hard eligibility filters.	Check type, mandatory practical attributes, fit, viewability/availability and applicable budget.
4	Score each eligible product.	Apply LOG-009: Fit 30, Style 25, Colour 15, Budget/Value 15, Practical 10, Availability 5.
5	Remove weak candidates.	Reject hard failures, Fit below minimum, or Product Match below 60.
6	Build complete compositions.	Use room/project composition and essential/supporting roles.
7	Score compositions.	LOG-010: Product Match 40, Harmony 30, Completeness 20, Budget 10.
8	Reject weak/incomplete compositions.	Require Composition Score >=70 and essential completeness.
9	Optimize final options.	Best Overall, Best Value, Best Style Match, Premium Choice where inventory permits.
10	Persist run/options.	Store products/AIOs, scores, prices and objective.

Decision Points

• Does every candidate pass hard requirements?

• Product Match >=60?

• Composition >=70 and complete?

• Premium within +20% and meaningful?

• Are options meaningfully distinct without lowering quality?

Key States / Statuses

Recommendation Run: Processing -> Completed / Limited Inventory / Failed. Candidate: Eligible / Rejected. Composition: Valid / Rebuild / Rejected.

Exceptions / Recovery

• Insufficient inventory -> show limited matching inventory.

• No valid composition -> surface constraint.

• Operational change -> remove affected AIO and retry.

• Budget constraint -> protect fit and essentials first.

Workflow Output

Up to four valid recommendation compositions.

Authoritative Standards

AID-LOG-001-010; AID-DATA-001-014; AID-CAT-001-008.

WF-03 - Recommendation Review, Visualization & Product Replacement Workflow

Objective. Allow review, visualization and safe modification without breaking eligibility or composition quality.

Primary Actors. Customer; Frontend; Visualization Service; Recommendation Engine.

Trigger. WF-02 returns at least one valid option.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Present options with Best Overall first.	Load persisted option, current prices and availability.
2	Open recommendation detail.	Display composition, products, match information and total.
3	Load/generate visualization.	Apply LOG-011 Product-Faithful or Concept rules.
4	Tap purchasable product.	Resolve visual item -> AID -> current AIO; show Product Card.
5	Choose Replace.	Retrieve eligible alternatives.
6	Select alternative.	Revalidate fit, practical needs, availability, budget and compatibility.
7	Recalculate composition.	Update LOG-010 score, total and harmony/completeness.
8	Commit valid replacement.	Persist updated composition/version.
9	Refresh visualization.	Maintain product traceability.

Decision Points

• Product-Faithful or Concept?

• Replacement Product Match >=60?

• Revised composition >=70 and complete?

• Does change materially affect price/availability/other products?

Key States / Statuses

Recommendation Option: Active / Modified. Visualization: Product-Faithful / Concept / Refresh Required. Replacement: Proposed -> Validated -> Applied / Rejected.

Exceptions / Recovery

• Hard-fit failure -> reject.

• Budget/composition failure -> reject or suggest alternative.

• Insufficient visual fidelity -> Concept label.

• Never silently replace other products.

Workflow Output

Current approved recommendation ready for Viewing or Purchase.

Authoritative Standards

AID-LOG-009-011; AID-DATA-010-012.

WF-04 - Viewing Request, Deposit & Attribution Workflow

Objective. Coordinate physical viewing, commitment deposit, attendance verification and conversion attribution.

Primary Actors. Registered Customer; AIDOOi Operations; Partner Store; Payment Service.

Trigger. Customer selects Request Viewing.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Guest signs up/signs in and returns to same action.	Resolve Registered User without restarting project.
2	Select products to view.	Resolve AIDs to eligible AIOs and locations.
3	Group products into Viewing Stops.	Group by physical location and minimize Stops.
4	Obtain required Seller confirmations.	Confirm Viewing on Request; reconfirm stale On Display as required.
5	Calculate deposit.	5% of selected products' Current Selling Price, maximum AED 500.
6	Customer pays deposit.	Record deposit transaction.
7	Create Viewing ID/QR and Viewing Plan.	Link customer, project, products, AIOs, sellers, stops, time and deposit.
8	Customer attends.	Validate Viewing ID/QR.
9	Record outcome.	Completed if attendance validated; No-show if absent.
10	Completed + no purchase.	Refund 100% deposit.
11	Completed + purchase.	Credit 100% deposit toward purchase.
12	No-show.	Deposit non-refundable.
13	Create attribution record.	Track Recommended -> Requested -> Confirmed -> Viewed -> Purchased/Not Purchased.

Decision Points

• Registered?

• All products physically viewable?

• Seller reconfirmation required?

• QR validated?

• Completed or No-show?

• Purchase or no purchase?

Key States / Statuses

Viewing: Draft -> Awaiting Seller Confirmation -> Awaiting Deposit -> Confirmed -> Completed / No-show / Cancelled. Deposit: Pending -> Paid -> Credited / Refunded / Non-refundable.

Exceptions / Recovery

• Unavailable product -> recovery sequence from LOG-012.

• Material location/price/product/stop change -> customer approval.

• No viewable alternative -> rebuild affected recommendation.

• Direct Partner sale remains subject to attribution terms.

Workflow Output

Verified viewing outcome, deposit disposition and attribution/conversion record.

Authoritative Standards

AID-LOG-012 Revision 2; AID-LOG-013; LOG-009-011 for recovery.

WF-05 - Purchase, Checkout & Payment Workflow

Objective. Validate sellers/quantities, reserve order, collect one payment and create transaction/order structure.

Primary Actors. Registered Customer; AIDOOi Commerce; Partner Stores; Payment Service.

Trigger. Customer selects Request Purchase.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Guest signs up/signs in and returns to Purchase.	Resolve Registered User and current recommendation.
2	Resolve Order Lines to current AIOs.	Prepare validation requests.
3	Final Seller Validation before capture.	Confirm stock, quantity and final selling price for every line.
4	Reserve quantities if all confirm.	Start 24-hour Purchase Window from last required Seller confirmation.
5	Show one Cart and final total.	Apply eligible Viewing Deposit credit.
6	Customer pays AIDOOi.	Process one complete payment.
7	Successful payment locks snapshots.	Lock AID/AIO, Seller, Quantity, Unit Price, Gross Line Amount, Commission Rate.
8	Create Master Order, Seller Orders, Order Lines.	Split backend by Seller.
9	Convert reservation to allocation.	Notify Partners fulfilment may begin.
10	Failed payment.	No confirmed fulfilment; retry while window valid.

Decision Points

• All Sellers validated?

• Purchase Window valid?

• Complete payment successful?

• Any price change requiring reconfirmation?

Key States / Statuses

Purchase Request: Validation Pending -> Validated / Rebuild Required. Reservation: Active -> Converted / Released / Expired. Payment: Pending -> Successful / Failed / Refunded.

Exceptions / Recovery

• One line fails -> no capture; seek alternate AIO/replacement.

• Price change -> customer approval.

• Window expires -> release/revalidate.

• No partial successful multi-seller checkout.

Workflow Output

Paid Confirmed Master Order with seller splits and locked snapshots.

Authoritative Standards

AID-LOG-014; AID-LOG-013; LOG-009-011 if replacement required.

WF-06 - Order Fulfilment & Customer Receipt Workflow

Objective. Track Partner-executed fulfilment through delivery, receipt and completion.

Primary Actors. Partner Store; AIDOOi Operations/Admin; Customer.

Trigger. Paid Confirmed Order exists.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Route Seller Orders to Partners.	Partner receives paid fulfilment scope.
2	Partner prepares Order Lines.	AIDOOi records telephone-confirmed status in MVP.
3	Ready for Dispatch.	Update line state.
4	Dispatch.	Record Dispatched.
5	Delivery.	Record Delivered timestamp per line.
6	Customer confirms receipt.	Mark Receipt Confirmed; evaluate settlement eligibility.
7	No response for 72h after Delivered and no issue.	Auto-confirm receipt.
8	Derive Seller/Master status from lines.	Do not block completed-line settlement on unfinished lines.
9	Complete Master Order when all lines finalized and no material issue.	Finalized = confirmed/auto-confirmed or cancelled/refunded.

Decision Points

• Successful payment exists?

• Current line state?

• Delivered?

• Receipt confirmed or 72h auto-confirm eligible?

• Any open issue/dispute?

Key States / Statuses

Order Line: Confirmed -> Preparing -> Ready for Dispatch -> Dispatched -> Delivered -> Receipt Confirmed -> Settlement Eligible.

Exceptions / Recovery

• Partial delivery -> independent lines.

• Multiple Sellers -> independent Seller Orders.

• Delivery issue -> WF-07 and settlement hold.

• Auto-confirm only after 72h and no issue.

Workflow Output

Finalized lines and settlement-eligible completed lines.

Authoritative Standards

AID-LOG-015; AID-LOG-014.

WF-07 - Issue, Cancellation, Return & Refund Workflow

Objective. Route exceptions to responsible Partner while preserving correct customer, financial and settlement treatment.

Primary Actors. Customer; AIDOOi Operations; Partner Store; Commerce/Payment Service.

Trigger. Issue/cancellation/return/refund/dispute is reported.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Record issue against affected line(s).	Create exception flag and issue record.
2	Route to responsible Seller.	Partner handles operational resolution.
3	If material/financial impact possible.	Place affected settlement On Hold.
4	Partner investigates/proposes resolution.	Record status/customer update.
5	If substitution proposed.	Require customer approval; revalidate recommendation if applicable.
6	If cancellation/refund approved.	Process at line level where possible.
7	Refund before settlement.	Prevent eligibility.
8	Refund after settlement.	Create future settlement adjustment.
9	Resolution complete.	Close issue and release/adjust settlement.

Decision Points

• Lifecycle stage of cancellation?

• Line-specific or whole-order impact?

• Substitution requires revalidation?

• Refund before/after settlement?

• Can hold be released?

Key States / Statuses

Flags: Delayed / Delivery Failed / Damaged / Missing / Cancellation Requested / Return Requested / Disputed. Issue: Open -> Partner Handling -> Resolved / Refunded / Rejected.

Exceptions / Recovery

• Before payment -> abandon request.

• After fulfilment starts -> not automatic.

• After delivery -> applicable transaction-snapshot terms.

• No invented universal return period.

• AIDOOi governs/tracks, Partner executes after-sales.

Workflow Output

Resolved exception with accurate order/payment/settlement state.

Authoritative Standards

AID-LOG-014-015; LOG-009-011 if replacement affects recommendation.

WF-08 - Partner, Product Administration & Settlement Workflow

Objective. Activate Partners, centrally govern product data, maintain offers and settle eligible sales.

Primary Actors. Partner Store; AIDOOi Admin/Specialist; Operations/Finance.

Trigger. Partner requests partnership or active Partner needs administration.

Detailed Sequence

#	Frontend / Actor Action	Backend / System Action
1	Submit Partner with AIDOOi form.	Create Partner Request.
2	AIDOOi contacts Partner and completes agreement.	No automatic activation.
3	Activate approved Partner.	Enable operational relationship.
4	Partner supplies catalogues/images/commercial data.	AIDOOi receives source data; no direct Partner product creation in MVP.
5	Create/standardize canonical product/variant.	Apply DATA/CAT standards.
6	Create AIO Seller Offer.	Attach SKU, price, stock, viewing, delivery.
7	Verify data quality.	Only Admin verifies/publishes.
8	Verified/Active eligible records enter recommendation pool.	Operational changes do not create new AID.
9	Partner provides fulfilment status by telephone.	AIDOOi records line-level status.
10	Delivered + receipt confirmed/auto-confirmed.	Line becomes Settlement Eligible.
11	Monthly settlement cycle.	Gross Eligible Sales - Commission - Refunds/Adjustments = Net Settlement Payable.
12	Record settlement.	Use locked line-level Commission Rate snapshot.

Decision Points

• Partner approved/agreement complete?

• Existing canonical AID or new?

• Data ready for verification?

• AIO stock/viewing eligible?

• Line settlement eligible?

• Any dispute/refund adjustment?

Key States / Statuses

Partner: Requested -> Under Review -> Approved/Agreement Pending -> Active / Inactive. Product: Incomplete -> Ready for Review -> Verified/Active -> Inactive. Settlement: Not Eligible -> Eligible -> Included -> Paid / Adjusted.

Exceptions / Recovery

• Incomplete Partner data -> not active.

• Duplicate canonical -> link AIO to existing AID.

• Unavailable/non-viewable offer -> remove from eligibility, keep canonical AID.

• Dispute/refund -> hold/adjust settlement.

• No Seller Portal/direct product editing in MVP.

Workflow Output

Governed Partner/product inventory and accurate settlement records.

Authoritative Standards

AID-LOG-013-015; AID-DATA-001-014; AID-CAT-001-008.

End-to-End Relationship Between the 8 Workflows

WF-01 Project Profile -> WF-02 Recommendations -> WF-03 Review/Visualization/Replacement -> WF-04 Viewing or directly WF-05 Purchase -> WF-06 Fulfilment -> exceptions through WF-07 -> Partner/product administration and financial settlement through WF-08.

The workflows are modular: Viewing can return to recommendation review, replacements return to recommendation validation, and issues can pause settlement without blocking unrelated Order Lines.

Next technical artifact: convert these workflows into the Master Data Dictionary & System Specification: entities, tables, fields, foreign keys, controlled values, state transitions, audit events and API-facing objects.